











REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
B		REVISED (ECR-19-014755)	23SEP2019	CI	YJ
BI		REVISED (ECR-20-006211)	29APR2019	CI	YJ
C		REVISED (ECR-23-167452)	10FEB2023	CI	YJ
CI		REVISED (ECR-23-176535)	25MAY2023	CI	YJ



勝特力電材超市-龍山店 886-3-5773766
 勝特力電材超市-光復店 886-3-5729570
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
<http://www.100y.com.tw>





<ONLY FOR P/N:2-936126-3, 3-936126-4>




KEY CODE

CODE 1: 0-936126-1
0-936126-2

CODE 1: 2-936126-3



CODE 2 : 3-936126-4




NOTE
 1.GENERAL TOLRANCE : ±0.3,±1°
 2.CONDITION OF DELIVERY, DBL IN 1ST LOCKING POSITION.
 3.APPLIED CLIP HSG:

P/N.	PANEL THK.	PANEL HOLE SIZE
368165	0.7~1.6mm	
368373	0.5~2.0mm	

4.APPLIED PLUG ASSY P/N:936124
 5.APPLIED TAB CONTACT P/N:

P/N	928918	963716
WIRE SIZE(mm^2)	0.25-0.5	0.75

6. RECYCLE MARK;
 - >PBT-GF15< : 0-936126-1, 0-936126-2
 - >PA66-GF15< : 2-936126-3, 3-936126-4



NO.	DESCRIPTION	MATERIAL	COLOR	Q'TY
6	DBL HSG	PA66-GF15	BLACK	I I
5	DBL HSG	PBT-GF15	NATURAL	I I
4	CAP HSG CODE2	PA66-GF15	BROWN	I
3	CAP HSG CODE1	PA66-GF15	DARK GRAY	I
2	CAP HSG CODE1	PBT-GF15	YELLOW	I
1	CAP HSG CODE1	PBT-GF15	BLACK	I

0-936126-1	MOS 14P CAP ASSY CODE1 (BLACK)
0-936126-2	MOS 14P CAP ASSY CODE1 (YELLOW)
2-936126-3	MOS 14P CAP ASSY CODE1 (DARK GRAY)
3-936126-4	MOS 14P CAP ASSY CODE2 (BROWN)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN HS BAE		
DIMENSIONS: mm		CHK BM JANG		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD CS LEE	NAME MOS 14P CAP ASSEMBLY	
0 PLC ±		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
1 PLC ±0.1		APPLICATION SPEC	A2100779 C-936126	
2 PLC ±0.01		WEIGHT	SCALE 2:1 SHEET OF REV CI	
3 PLC ±0.001		CUSTOMER DRAWING		
4 PLC ±0.0001				
ANGLES ±				
FINISH				
MATERIAL SEE TABLE				



The product described in this document has not been fully tested to ensure conformance to the requirements outlined below. Therefore, TE Connectivity (TE) makes no representation or warranty, express or implied, that the product will comply with these requirements. Further, TE may change these requirements based on the results of additional testing and evaluation. Contact TE Engineering for further details.

MQS 14P

1. SCOPE

1.1. Content

This specification covers the requirements for product performance, test methods and quality assurance provisions of MQS 14P

1.2. Qualification

When tests are performed on the subject product line, procedures specified in Figure 1 shall be used. All inspections shall be performed using the applicable inspection plan and product drawing.

1.3. Qualification Test Results

Successful qualification testing on the subject product line has not been completed. The Qualification Test Report number will be issued upon successful qualification testing.

2. APPLICABLE DOCUMENTS AND FORMS

The following documents and forms constitute a part of this specification to the extent specified herein. Unless otherwise indicated, the latest edition of the document applies.

2.1. TE Documents

- 1897367 : CUSTOMER DRAWING FOR MQS 14P PLUG HSG
- 936124 : CUSTOMER DRAWING FOR MQS 14P PLUG ASSY
- 936126 : CUSTOMER DRAWING FOR MQS 14P CAP ASSY

3. REQUIREMENTS

3.1. Design and Construction



Product shall be of the design, construction, materials and physical dimensions specified on the applicable product drawing.





3.2. Ratings



Voltage	Temperature	Humidity
12V DC	25±5°C	60±20%

3.3. Test Requirements and Procedures Summary


Unless otherwise specified, all tests shall be performed at ambient environmental conditions.

TEST DESCRIPTION	REQUIREMENT		PROCEDURE
Appearance	No crack, damage, distortion are permitted		Using sense of sight and touch.
CONN engage and disengage force	Max. 15 kgf and less		Measure force by inserting and disengaging the connector with terminal assembled at constant 100 mm/min speed. However, remove lock part when measuring disengage force.
Reverse insertion between housings	It shall not be incorrectly inserted by applying force of 20kgf.		Insert the housing with terminal by pushing it in reverse direction with applying 20kgf.
Reverse insertion between terminal and HSG	It shall not be incorrectly inserted by applying force of 5kgf.		Crimp cable of maximum size on terminal and then insert it into housing by end of insulation barrel in the reserve direction with applying 5kgf.
Insertion force between terminal and HSG	Max. 1.5kgf		Insert terminal into fixed HSG at 100mm/min speed
Panel engage / disengage forces of connector clip	Engage force	Max. 12kgf	1) Insert clip into the fixed plate that can be furnished with clip at 100mm/min and measure the force at that time. 2) Pull clip at 100mm/min and measure the force when destroyed or disengaged
	Disengage force	Min. 15kgf	
Strength of HSG lock	Min. 8kgf		Combine housing only, fix the one side of housing in completely locked condition, and extend the other side in axial direction at a constant speed of 100mm/min. Then measure weight when lock structure is disengaged or destroyed.
HSG lock releasing force	Max. 6kgf		Apply force (F) to lock releasing part, and measure weight on the point of A=0. However, cut connector and then perform test at the section in order to secure visibility.  <Figure 5-2>
Terminal retention force	Min. 6kgf		Fix the housing after inserting crimped terminals. Extend one line of cable in axial direction at a speed of 100mm/min at a position 50~100mm away from crimped part, and measure weight when terminal is disengaged from the housing.
Engage and disengage force of terminal	Engage force	0.1 ~ 0.5kgf	As shown in figure 5-3, engage and disengage male terminal or steel gauge into or from female terminal at 100 mm/min speed.  <Figure 5-3>
	Disengage force	0.1~0.5kgf	
Crimp strength	Min. 9kgf		Fix the crimped terminal, and draw the cable at a position 50~100mm away from crimped part in axial direction at 100 mm/min speed. Then measure the weight when cable is cut or disengaged from the crimped part.

Voltage drop	Max. 10mV/A		<p>Measure the circuit voltage drop (V) by sending voltage and current described in the table 5-1 with terminal combined on the connector. Then calculate a voltage drop (VD) in terminal by subtracting cable resistance (L) from the circuit voltage drop (V).</p> <p>1)HARNESS versus UNIT:VD =V-(L3+L4)</p> <table border="1" data-bbox="885 331 1458 436"> <thead> <tr> <th>Application</th> <th>Open voltage</th> <th>Short circuit current</th> <th>Division</th> </tr> </thead> <tbody> <tr> <td>Signal circuit</td> <td>20 ± 5 mV</td> <td>10 mA</td> <td>ECU, Sensor</td> </tr> <tr> <td>Power circuit</td> <td>13 V</td> <td>1 A</td> <td>Other than the above</td> </tr> </tbody> </table> <p><Table5-1></p>	Application	Open voltage	Short circuit current	Division	Signal circuit	20 ± 5 mV	10 mA	ECU, Sensor	Power circuit	13 V	1 A	Other than the above
Application	Open voltage	Short circuit current	Division												
Signal circuit	20 ± 5 mV	10 mA	ECU, Sensor												
Power circuit	13 V	1 A	Other than the above												
Insulation resistance	Between terminals	Min 100 MΩ	<p>Measure resistance between neighbor terminals (figure 5-6), and between terminal and housing surface (figure 5-7) with DC 500V insulation resistance gauge with connector combined.</p> <div style="display: flex; justify-content: space-around;">   </div> <p><Figure 5-6: Between neighboring terminals> <Figure 5-7: Between neighboring terminal and housing surface></p>												
	Between housing surface														
Leakage current	10 μA or less		<p>Measure it by applying DC 13V between neighboring terminals (figure 5-6).</p>  <p><Figure 5-6: Between neighboring terminals></p>												
High voltage test	No allowed insulation breakdown		<p>Measured by applying test potential of 1000 V AC for 1 minutes between the adjacent contact between the contact and housing.</p>												
Temperature rise	Max. 30 °C		<p>Apply basic current (I=I0*K) of clause 4.3 to the connector with electrodes in series in the room free from wind (normal temperature). And measure a temperature of crimped part after reaching saturation temperature. Then calculate a temperature of crimped part by subtracting ambient temperature from the temperature.</p>												
Twisting Test - Connector Engage and Disengage Endurance Test	Appearance	No crack, damage, distortion are permitted	<p>Apply 8kgf force on the end part of combined connector 10 times each in the (front, rear, left, right) directions perpendicular to axial direction.</p>												
	Voltage drop	Max. 20mV/A	<p>Make combine connectors engage and disengage at 100mm/min. Perform it 50 times. (Do not use locking device)</p>												
Cold temperature test	Appearance	No crack, damage, distortion are permitted	<p>Engage and disengage connector with terminal assembled 10 times with hands, and leave it in temperature chamber of -40 °C for 120 hours. Make connector engaged and disengaged 5 times immediately, and drop it onto the concrete surface from 1m height 3 times in the direction of figure 6-1. (Voltage drop & Temperature rise test perform at normal temperature) :</p>  <p><Figure 6-1></p>												
	Insulation resistance	Min. 10kΩ													
	Current leakage	Max. 1mA													
	Sealing	Min. 0.5kgf/cm ²													

Overcurrent cycle test	Appearance	No crack, damage, distortion are permitted	Engage and disengage connector with terminal assembled 10 times with hands, and apply the following current 1000 cycles for the connector with electrodes in series at 60°C of ambient temperature. <table border="1"> <tr> <td>Current application condition A</td> <td>Applied current</td> <td>2 times of basic current</td> </tr> <tr> <td></td> <td>Current application time</td> <td>1 minute - ON, 9 minutes - OFF</td> </tr> <tr> <td>Current application condition B</td> <td>Applied current</td> <td>5 times of basic current</td> </tr> <tr> <td></td> <td>Current application time</td> <td>10 seconds - ON, 590 seconds - OFF</td> </tr> </table>	Current application condition A	Applied current	2 times of basic current		Current application time	1 minute - ON, 9 minutes - OFF	Current application condition B	Applied current	5 times of basic current		Current application time	10 seconds - ON, 590 seconds - OFF
	Current application condition A	Applied current		2 times of basic current											
		Current application time		1 minute - ON, 9 minutes - OFF											
Current application condition B	Applied current	5 times of basic current													
	Current application time	10 seconds - ON, 590 seconds - OFF													
Voltage drop	Max. 20mV/A														
Temperature rise	Max. 40°C														
Cold and hot temperature shock test	Appearance	No crack, damage, distortion are permitted	Engage and disengage connector with terminal assembled 10 times with hands, and leave it in combined state at -40°C for 2 hours, and perform 200 cycles according of the method specified in the figure 6-2. Then leave it at room temperature for 2 hours or more (*) follows table 6-1)  <p style="text-align: center;">< Figure 6-2 : Test pattern ></p> <table border="1"> <tr> <td>Division</td> <td>High temperature (*)</td> <td>Connector using part</td> </tr> <tr> <td>A</td> <td>120°C</td> <td>waterproof connector</td> </tr> <tr> <td>B</td> <td>80°C</td> <td>Non- waterproof connector</td> </tr> </table> <p style="text-align: center;">< Table 6- 1 ></p>	Division	High temperature (*)	Connector using part	A	120°C	waterproof connector	B	80°C	Non- waterproof connector			
	Division	High temperature (*)		Connector using part											
A	120°C	waterproof connector													
B	80°C	Non- waterproof connector													
Voltage drop	Max. 20mV/A														
High temperature test	Appearance	No crack, damage, distortion are permitted	Engage and disengage connector with terminal assembled 10 times with hands, and leave it in combined state at the temperature chamber of the table 6-1 for 300 hours. Then pick it out and leave it until it returns to normal temperature. <table border="1"> <tr> <td>High temperature(*)</td> <td>Connector using part</td> </tr> <tr> <td>80°C</td> <td>Non-waterproof connector</td> </tr> </table>	High temperature(*)	Connector using part	80°C	Non-waterproof connector								
	High temperature(*)	Connector using part													
80°C	Non-waterproof connector														
Voltage drop	Max. 10mV/A														
Temperature humidity test	Appearance	No crack, damage, distortion are permitted	Engage and disengage connector with terminal assembled 10 times with hands, and leave it at 25°C ambient temperature and 65% relative humidity for 25 hours. And perform 5 cycles of the method specified in figure 6-3  <p style="text-align: center;">< Figure 6-3 : Test pattern ></p>												
	Voltage drop	Max. 10mV/A													
	Current leakage	Max. 1mA													
Dust test	Voltage drop	Max. 20mV/A	Engage and disengage connector with terminal assembled 10 times with hands, and diffuse 1.5kg Portland cement(JIS R5210) with fan (or others) for 10 seconds per 15 minutes while maintaining 150mm distance from wall in the closed container of 900~1200mm length, width and height, with connector combined. After 1 hour, measure it.												

Oil and liquid test	Appearance	No crack, damage, distortion are permitted	<p>Perform test each sample with connector combined.</p> <p>A. Immerse connector in combined state for 2 hours in mixed oil of 50± 2°C ENG oil (SAE10W) or equivalent oil and</p> <p>B. Immerse connector in combined state for 1 hour in car gasoline (JIS K2202) at normal temperature, and then pick it out.</p> <p>C. Immerse connector in combined state for 1 hour in brake liquid (pure product) at normal temperature, and then pick it out.</p> <p>D. Immerse connector in combined state for 1 hour in 100% washer liquid (pure product) at normal temperature, and then pick it out.</p> <p>E. Immerse connector in combined state for 1 hour in 50% LLC (Long life coolant) at normal temperature, and then pick it out.</p>																
	Voltage drop	Max. 10mV/A																	
Ozone test	Appearance	No crack, damage, distortion are permitted	<p>Samples with connector combined keep at 40°C and 50±5pphm Ozone for 100hour. Then pick connector out of chamber and dry it for 2hours or more.</p>																
	Voltage drop	Max. 20mV/A																	
Sulfur (SO ₂) gas test	Appearance	No crack, damage, distortion are permitted	<p>Connector with terminal assembled and expose it in combined state to sulfur gas of 40±3°C, density 10ppm, humidity 90~95%, for 24 hours. Then pick connector out of chamber and dry it for 2 hours or more.</p>																
	Voltage drop	Max. 20mV/A																	
Complex environment endurance test	Appearance	No crack, damage, distortion are permitted	<p>Engage and disengage connector with terminal assembled 10 times with hands, and leave it in combined state in the temperature chamber of 80°C for 48 hours. And then perform the following vibration test. Then measure instant short circuit according to the method of below for 4 hours for X, Y, Z each. Follow figure 6-7 for connector attaching method.</p> <p style="text-align: center;"><Figure 6- 7 Connector attaching method></p> <p>■ Vibration test A (for non-waterproof connector)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">Division</th> <th>Condition</th> </tr> </thead> <tbody> <tr> <td>Ambient temperature/humidity</td> <td>80°C, 90~95%</td> </tr> <tr> <td>Applied current</td> <td>Basic current (Connector electrodes in series.)</td> </tr> <tr> <td>Current application cycle</td> <td>120 CYCLE (45 minutes-ON, 15 minutes-OFF)</td> </tr> <tr> <td>Vibration acceleration</td> <td>4.4g</td> </tr> <tr> <td>Frequency</td> <td>20Hz ~ 200Hz (sweep time: 3 minutes or less)</td> </tr> <tr> <td>Vibration time</td> <td>40 hours for X, Y, Z each</td> </tr> <tr> <td>Connector attaching method</td> <td>Test mode A, B, C</td> </tr> </tbody> </table>	Division	Condition	Ambient temperature/humidity	80°C, 90~95%	Applied current	Basic current (Connector electrodes in series.)	Current application cycle	120 CYCLE (45 minutes-ON, 15 minutes-OFF)	Vibration acceleration	4.4g	Frequency	20Hz ~ 200Hz (sweep time: 3 minutes or less)	Vibration time	40 hours for X, Y, Z each	Connector attaching method	Test mode A, B, C
	Division	Condition																	
	Ambient temperature/humidity	80°C, 90~95%																	
	Applied current	Basic current (Connector electrodes in series.)																	
	Current application cycle	120 CYCLE (45 minutes-ON, 15 minutes-OFF)																	
	Vibration acceleration	4.4g																	
Frequency	20Hz ~ 200Hz (sweep time: 3 minutes or less)																		
Vibration time	40 hours for X, Y, Z each																		
Connector attaching method	Test mode A, B, C																		
Crimp tensile strength	Min. 9kgf																		
Voltage drop	Max. 20mV/A																		
Temperature rise	Max. 40°C																		
Instant short circuit	Max. 10μs																		



3.4. Applied Part No List

TE Part no	Description
1897367-2	MQS 14P PLUG HSG
936124-1	MQS 14P PLUG ASSY
936124-2	MQS 14P PLUG ASSY YELLOW
936126-1	MQS 14P CAP ASSY
936126-2	MQS 14P CAP ASSY YELLOW