


BL-XKC361-TR7

#### Features:

- Emitted Color :Super Yellow.
- Lend Appearance: Water Clear.
- 3. Wide range of collector current.
- 4. Low cost plastic package
- 5. This product doesn't contain restriction Substance, comply ROHS standard.

#### **Applications:**

- 1. Smoke Detector
- **Automatic Control System** WWW.100Y.COM.



- 1.All dimensions are in millimeters (inches).
- 2. Tolerance is ±0.10mm (0.004") unless otherwise specified.
- 3. Specifications are subject to change without notice.

勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw

## Absolute Maximum Ratings(Ta=25℃)

WWW.100Y.COM.TW

Parameter	Rating	Unit
Power Dissipation	100	mW
Collector-Emitter Voltage(Max.)	30 WWW.	V
Emitter-Collector Voltage(Min.)	100	V
Operating Temperature Range	-25℃~80℃	-
Storage Temperature Range	-30℃~85℃	-
Soldering Temperature	See Page 4	-



BL-XKC361-TR7


特力材料886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw


### Electrical and optical characteristics(Ta=25℃)


WWW.100Y.COM.TW Ver.1.0 Page 1 of 5


Parameter	Symbol	Condition	Min.	Тур.	Max.	Unit
Forward Voltage	Vf	I <sub>F</sub> =20mA	- 111	2.1	2.6	V
Luminous Intensity	lv	I <sub>F</sub> =20mA	94	200	L.COM.T	N mcd
Reverse Current	$I_{\mathrm{R}}$	V <sub>R</sub> =5V	- 1	W.10	100	μА
Peak Wave Length	λр	I <sub>F</sub> =20mA	-	590	ON COM	nm
Dominant Wave Length	λd	I <sub>F</sub> =20mA	582	WWW	592	nm
Spectral Line Half-width	Δλ	I <sub>F</sub> =20mA	-TV	15	. 100 Y.CC	nm


### **Typical Electro-Optical Characteristics Curves**
















BL-XKC361-TR7

## Reliability Test

Classification	Test Item	Reference Standard	d Test Conditions	
Endurance Test High Storag High Storag Low Tempo	Operation Life	MIL-STD-750:1026 MIL-STD-883:1005 JIS C 7021 :B-1	Connect with a power V <sub>CE</sub> =5V Ta=Under room temperature Test time=1,000hrs	0/20
	High Temperature High Humidity Storage	MIL-STD-202:103B JIS C 7021 :B-11	Ta=+65°C±5°C RH=90%-95% Test time=240hrs	0/20
	2 2 3	MIL-STD-883:1008 JIS C 7021 :B-10 High Ta=+85°C±5°C Test time=1,000hrs		0/20
	Low Temperature Storage	JIS-C-7021 :B-12	Low Ta=-35°C±5°C Test time=1,000hrs	0/20
Environmental Test  Solder	Temperature Cycling	MIL-STD-202:107D MIL-STD-750:1051 MIL-STD-883:1010 JIS C 7021 :A-4	-35°C ~ +25°C ~ +85°C ~ +25°C 60min 20min 60min 20min Test Time=5cycle	0/20
	Thermal Shock	MIL-STD-202:107D MIL-STD-750:1051 MIL-STD-883:1011	-35°C±5°C ~+85°C±5°C 20min 20min Test Time=10cycle	0/20
	Solder Resistance	MIL-STD-202:201A MIL-STD-750:2031 JIS C 7021 :A-1	Preheating:  140°C-160°C, within 2 minutes.  Operation heating:  260°C (Max.), within 10seconds. (Max.)	0/20

## Judgment criteria of failure for the reliability

Measuring items	Symbol	Measuring conditions	Judgment criteria for failure
Collector Dark Current	$I_{CEO}$	$V_{CE}$ =20 $V$	Over Ux2
Collector Light Current	$I_{C(ON)}$	$V_{CE} = 5V, H = 1.0 \text{ mW/cm}^2  \text{Ap=940nm}$	Below SX0.5

Note: 1.U means the upper limit of specified characteristics. S means initial value.

2.Measurment shall be taken between 2 hours and after the test pieces have been returned to normal ambient conditions after completion of each test.

勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw



BL-XKC361-TR7

### Soldering :

1. Manual Of Soldering


The temperature of the iron tip should not be higher than 300°C (572°F) and Soldering within 3 seconds per solder-land is to be observed.

2. Reflow Soldering

Preheating: 140°C ~160°C ±5°C, within 2 minutes.

Operation heating : 260°C (Max.) within 10 seconds.(Max)

Gradual Cooling (Avoid quenching).




3. DIP soldering (Wave Soldering):

Preheating: 120°C~150°C, within 120~180 sec.

Operation heating :  $245^{\circ}C \pm 5^{\circ}C$  within 5 sec.260°C (Max)

Gradual Cooling (Avoid quenching).



勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw

## Handling:

Care must be taken not to cause to the epoxy resin portion of BRIGHT LEDs while it is exposed to high temperature.

Care must be taken not rub the epoxy resin portion of BRIGHT LEDs with hard or sharp article such as the sand blast and the metal hook.



BL-XKC361-TR7

### Notes for designing:

Care must be taken to provide the current limiting resistor in the circuit so as to drive the BRIGHT LEDs within the rated figures. Also, caution should be taken not to overload BRIGHT LEDs with instantaneous voltage at the turning ON and OFF of the circuit.

When using the pulse drive care must be taken to keep the average current within the rated figures. Also, the circuit should be designed so as be subjected to reverse voltage when turning off the BRIGHT LEDs.

#### Storage:

In order to avoid the absorption of moisture, it is recommended to solder BRIGHT LEDs as soon as possible after unpacking the sealed envelope.

If the envelope is still packed, to store it in the environment as following:

- (1) Temperature : 5°C-30°C (41°F) Humidity : RH 60% Max.
- (2) After this bag is opened, devices that will be applied to infrared reflow, vapor-phase reflow, or equivalent soldering process must be:
- a. Completed within 24 hours.
- b. Stored at less than 30% RH.
- (3) Devices require baking before mounting, if:
  - (2) a or (2) b is not met.
- (4) If baking is required, devices must be baked under below conditions: 12 hours at 60°C±3°C.

### Package and Label of Products:

- (1) Package: Products are packed in one bag of 1500 pcs (one taping reel) and a label is attached on each bag.
- (2) Label:

勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw