特力材料886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www. 100y. com. tw

TOSHIBA PHOTOINTERRUPTER INFRARED LED + PHOTO IC

TLP1014, TLP1015

HOME ELECTRIC EQUIPMENT SUCH AS VCR, CD PLAYER

OA EQUIPMENT SUCH AS COPYING MACHINE, PRINTER, FACSIMILE, ETC.

AUTOMATIC SERVICE EQUIPMENT SUCH AS VENDING MACHINE, TICKETING MACHINE, ETC.

VARIOUS POSITION DETECTION

TLP1014 and TLP1015 are digital output photointerrupters combining GaAs infrared LED with high sensitive and high gain Si photo IC.

Directly connectable to TTL, LSTTL and CMOS.

Printed wiring board direct mounting type

Gap : 3mm

Resolution : Slit width 0.5mm

Digital output (Open collector)

TLP1014: Low Level output at shielding

TLP1015: High Level output at shielding


Built-in Schmitt trigger circuit

: 4mA (max) at Ta=25°C Threshold input current

 $: V_{CC} = 4.5 \sim 17V$ Operating supply voltage


High speed response


Detector side is of visible light cut type.



Unit in mm

Weight: 0.8g (typ.) PIN CONNECTION





TOSHIBA is continually working to improve the quality and the reliability of its products. Nevertheless, semiconductor devices in general can malfunction or fail due to their inherent electrical sensitivity and vulnerability to physical stress. It is the responsibility of the buyer, when utilizing TOSHIBA products, to observe standards of safety, and to avoid situations in which a malfunction or failure of a TOSHIBA product could cause loss of human life, bodily injury or damage to property. In developing your designs, please ensure that TOSHIBA products are used within specified operating ranges as set forth in the most recent products specifications. Also, please keep in mind the precautions and conditions set forth in the TOSHIBA Semiconductor Reliability Handbook.

Gallium arsenide (GaAs) is a substance used in the products described in this document. GaAs dust and fumes are toxic. Do not break, cut or pulverize the product, or use chemicals to dissolve them. When disposing of the products, follow the appropriate regulations. Do not dispose of the products with other industrial waste or with domestic garbage.

The products described in this document are subject to foreign exchange and foreign trade control laws.

The information contained herein is presented only as a guide for the applications of our products. No responsibility is assumed by TOSHIBA CORPORATION for any infringements of intellectual property or other rights of TOSHIBA CORPORATION or others.

MAXIMUM RATINGS (Ta = 25°C)

	CHARACTERISTIC	SYMBOL	RATING	UNIT	
	Forward Current	$I_{\mathbf{F}}$	50	mA	
LED	Forward Current Derating (Ta>25°C)	ΔI _F /°C	-0.33	mA/°C	
	Reverse Voltage	v_{R}	5	V	
	Supply Voltage	v_{CC}	17	V	
R	Output Voltage	v_0	30	V	
)TO	Output Current	IO	50	mA	
EC	Power Dissipation	PO	250	mW	
DETECTOR	Power Dissipation Derating (Ta>25°C)	ΔPO/°C	-3.33	mW/°C	
Op	erating Temperature Range	$T_{ m opr}$	-25~85	°C	
Sto	orage Temperature Range	$T_{ m stg}$	-40~100	°C	
Sol	ldering Temperature (5s)	T_{sol}	260	°C	

RECOMMENDED OPERATING CONDITION

CHARACTERISTIC	SYMBOL	MIN.	TYP.	MAX.	UNIT
LED Forward Current	$I_{\mathbf{F}}$	14*		20	mA
Supply Voltage	v_{CC}	4.5	5.0	17	V
Output Voltage	v_0		5.0	24	V
Low Level Output Current	I_{OL}		1000	16	mA
Operating Temperature	$T_{ m opr}$	-25	-00	85	°C

* 14mA is a value considering 50% LED deterioration. Initial value of threshold input current is 7mA.

OPTO-ELECTRICAL CHARACTERISTICS (Unless otherwise specified, $Ta = -25 \sim 85$ °C, $V_{CC} = 5V \pm 10\%$)


CHARACTERISTIC		SYMBOL TEST CONDITION		MIN.	TYP.	MAX.	UNIT	
	Forward Voltage	$V_{ m F}$	I _F =10mA, Ta=25°C		1.00	1.15	1.30	V
	Reverse Current	$\overline{\mathrm{I_R}}$	V _R =5V, Ta=25°C				10	μ A
	Peak Light Emission Wavelength	$\lambda_{\mathbf{p}}$	I _F =15mA, Ta=25°C		100	940	$\frac{2}{2}$	nm
	Operating Supply Voltage	$v_{\rm CC}$	The Wall		4.5	- 1	17	V
	Low Level Supply Current	7.	I _F =*1				5.0	Λ
		I_{CCL}	I _F =*1, V _{CC} =17V				5.2	mA
	High Level Supply Current	ICCH	I _F =*2				3.0	mA
Ä			I _F =*2, V _{CC} =17V		-	_	3.2	
DETECTOR	THE STATE OF THE S	V.	I _{OL} =16mA, I _F =*1 Ta=25°C			0.07	0.3	
	Low Level Output Voltage	v_{OL}	I _{OL} =16mA, I _F =*1 V _{CC} =17V		_		0.4	v
	High Level Output Curent	I_{OH}	$I_{\rm F}$ =*2, $V_{\rm O}$ =30V		_	_ 1	15	μ A
	Peak Sensitivity Wavelength	$\lambda_{\mathbf{P}}$	Ta=25°C		_	900	4	nm
	L→H Threshold Input Current	I _{FLH}	Ta=25°C	WI D1014	_	4	4	1.7
			$V_{CC} = 17V$	TLP1014	_		7	mA
	H→L Threshold Input Current I _{FH}	Torre	Ta=25°C	TLP1015	1 —		4	
		${}^{1}\!\mathrm{kH}\Gamma$	$V_{CC} = 17V$		_		7	mA
Ü	Hysteresis Ratio IFI	$ m I_{FHL}/I_{FLH}$	11/1/ 7001	TLP1014	11-	0.67	_	M.
COUPI				TLP1015		1.5	_	
	$\begin{array}{c c} \textbf{Propagation Delay Time} \\ \textbf{(L} \rightarrow \textbf{H)} & & & & \\ \textbf{t}_{pLH} & & & \\ \end{array}$		V _{CC} =5V TLP1014 TLP1015		3	_		
		$^{ extsf{t}}_{ extsf{pLH}}$		TLP1015		6	_	
	Propagation Delay Time	I _F =15mA	TLP1014	17-	6] ,,,	
	(H→L)	$^{ m t}_{ m pHL}$	$R_L=280\Omega$	TLP1015		3	_	μs
	Rise Time	$t_{\mathbf{r}}$	Ta=25°C (Note)	100	$O_{\overline{Z}_{i}}$	0.1	_	
	Fall Time tf					0.05	<u> </u>	


^{*1. 0}mA for TLP1004A. 15mA for TLP1005A.

^{*2. 15}mA for TLP1004A. 0mA for TLP1005A.


Note: SWITCHING TIME TEST CIRCUIT


TLP1014






TLP1015





PRODUCT INDICATION



STAMP COLOR: SILVER

ABBREVIATION	TYPE
P1014	TLP1014
P1015	TLP1015

PRECAUTION


Please be careful of the followings.


- 1. Soldering should be performed after lead forming.
- 2. If chemicals are used for cleaning, the soldered surface only shall be cleaned with chemicals avoiding the whole cleaning of the package.
- 3. The container is made of polycarbonate. Polycarbonate is usually stable with acid, alcohol, and aliphatic hydrocarbons however, with pertochemicals (such as benzene, toluene, and acetone), alkali, aromatic hydrocarbons, or chloric hydrocarbons, polycarbonate becomes cracked, swollen, or melted. Please take care when chosing a packaging material by referencing the table below.


<Chemicals to avoid with polycarbonate>


	PHENOMENON	CHEMICALS
Α	Little deterioration but staining	• nitric acid (low concentration), hydrogen peroxide, chlorine
В	Cracked, crazed, or swollen	 acetic acid (70% or more) gasoline methyl ethyl ketone, ehtyl acetate, butyl acetate ethyl methacrylate, ethyl ether, MEK acetone, m-amino alcohol, carbon tetrachloride carbon disulfide, trichloroethylene, cresol thinners, oil of turpentine triethanolamine, TCP, TBP
60	Melted { }: Used as solvent.	 concentrated sulfuric acid benzene styrene, acrylonitrile, vinyl acetate ethylenediamine, diethylenediamine [chloroform, methyl chloride, tetrachloromethane, dioxane,] [1, 2-dichloroethane]
D	Decomposed	ammonia water other alkali


- 4. During $100\mu s$ after turning on V_{CC}, output voltage changes for stabilizing the inner circuit.
- 5. Supply the by-pass condenser up to $0.01\mu F$ betweeen V_{CC} and GND near device to stabilize the power supply line.






























POSITIONING OF SHUTTER AND DEVICE

To operate correctly, make sure that the shutter and the device are positioned as shown in the figure below.

The shit pitch of the shutter must be set wider than the slit width of the device.

Determine the width taking the switching time into consideration.



A-A' CROSS SECTION