

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
 Http://www.100y.com.tw

BES Bollmann GmbH
 Zeppelinstraße 14
 D-78244 Gottmadingen
 Germany
 Tel. +49 (0) 77 31 / 786-0
 Fax +49 (0) 77 31 / 786-145
 info@bes-bollmann.de
 www.bes-bollmann.de

To Know How!

A ■ Reinders Almelo company

BES Bollmann Easy

Easy and Easy Contact timber/building moisture measuring device –
 the compact moisture measuring device for every situation

	Easy	Easy-Contact
Measuring principle	electrical resistance	
Electrode length	8 mm	8 mm plus measuring cap for non-destructive measurement
Electrodes	integrated, replaceable	
Measuring range	timber 6–44 % building materials 0,2–2,0 %	
Application	timber, derived timber products, veneer, cardboard, paper, cemented building materials, plaster, certain floor pavings, skimming and surfacing materials	
Display precision	± 1 % for timber ± 0,05 % for building materials	
Battery	3 x Cr.2032, replaceable and very long life	
Test function	device and battery test function	
Housing material	shock-resistant plastics	
Dimensions	130 x 40 x 21 mm	160 x 40 x 21 mm
Weight	98 g	
Ambient temperature	0–40 °C	
Warrantee	12 month	
Other simple	circuit against over-voltage automatic on and off switching	

The manufacturer reserves the right to make technical alterations



BES Bollmann Easy



BES Bollmann
 Easy-Contact