

# DATA SHEET

ARRAY CHIP RESISTORS YC124 (8Pin/4R; Pb Free) 5%, 1% sizes 4 × 0402



勝特力材料 886-3-5753170 胜特力电子(上海) 86-21-54151736 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw

Phicomp

#### Phicomp

Chip Resistor Surface Mount	YC	SERIES	124 (Pb Free)	
-----------------------------	----	--------	---------------	--

Product specification 2 8

勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-54151736 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw

#### <u>SCOPE</u>

This specification describes YCI24 series chip resistor arrays with lead-free terminations made by thick film process.

#### ORDERING INFORMATION

Part number is identified by the series, size, tolerance, packing type, temperature coefficient, taping reel and resistance value.

#### PHYCOMP ORDERING CODE

### 12NC CODE

235 (I)	x.com		2) (3) (4)		
TYPE/	START	TOL.	RESISTANCE	PAPER / PE TAPE	ON REEL (units) <sup>(2)</sup>
4×0402	IN <sup>(1)</sup>	(%)	RANGE	10,000	40,000
ARV341	2350	±5%	I0 to I MΩ	033   1xxx	033 I 3xxx
ARV342	2350	±1%	10 to 1 MΩ	023 2xxxx	023 8xxxx
Jumper	2350	CO1	0 Ω	033 91001	CONT.

- The resistors have a 12-digit ordering code starting with 2350.
- (2) The subsequent 4 or 5 digits indicate the resistor tolerance and packaging.
- (3) The remaining 4 or 3 digits represent the resistance value with the last digit indicating the multiplier as shown in the table of "Last digit of 12NC".
- (4) "L" means lead-free terminations.

#### ORDERING EXAMPLE

The ordering code of an ARV341 convex chip resistor array, value 1,000  $\Omega$  with ±5% tolerance, supplied in tape of 10,000 units per reel is: 235003311102L.

Last dig	git of I2N	C	
Resistance decade <sup>(3)</sup>			Last digit
0.01 to 0.0	)976 Ω	1.0	0
0.1 to 0.97	71.17		
l to 9.76	8		
10 to 97.6	8 		
100 to 976	5Ω		V.CONI
l to 9.76 kΩ			
10 to 97 6 kO			2
100 to 976 kΩ			.1001.003
I to 9.76 I	ΜΩ		5
10 to 97.6	ΜΩ	M.	6
Example:	0.02 Ω	¶.	0200 or 200
	0.3 Ω	÷\$ľ	3007 or 307
	Ω Ι Ω	=0	1008 or 108
	33 kΩ	=	3303 or 333
	10 MΩ	=	1006 or 106

#### CTC CODE

 $\mathbf{YC124} - \underbrace{\mathbf{X}}_{(1)} \underbrace{\mathbf{X}}_{(2)} \underbrace{\mathbf{X}}_{(3)} \underbrace{\mathbf{XX}}_{(4)} \underbrace{\mathbf{XXXX}}_{(5)} \underbrace{\mathbf{L}}_{(6)}$ 

#### (I) TOLERANCE

 $F = \pm 1\%$ 

 $J = \pm 5\%$ 

#### (2) PACKAGING TYPE

R = Paper/PE taping reel

#### (3) TEMPERATURE COEFFICIENT OF RESISTANCE

– = Base on spec

#### (4) TAPING REEL

07 = 7 inch dia. Reel

13 = 13 inch dia. Reel

#### (5) RESISTANCE VALUE

56R, 560R, 5K6, 56K, 1M 0R = Jumper

#### (6) RESISTOR TERMINATIONS

L = Lead free terminations (pure Tin)

#### ORDERING EXAMPLE

The ordering code of a YC124 convex chip resistor array, value 1,000  $\Omega$  with ±5% tolerance, supplied in 7-inch tape reel is: YC124-JR-071KL.

#### NOTE

- 1. The "L" at the end of the code is only for ordering. On the reel label, the standard CTC or 12NC will be mentioned an additional stamp "LFP"= lead free production.
- 2. Products with lead in terminations fulfil the same requirements as mentioned in this datasheet.
- 3. Products with lead in terminations will be phased out in the coming months (before July 1st, 2006)



Phicomp	Product specification 3 8
MADZINIC	勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-54151736 胜特力电子(深圳) 86-755-83298787
MARKING YCI24	Http://www.100y.com.tw

E-24 series: 3 digits

First two digits for significant figure and 3rd digit for number of zeros


For marking codes, please see EIA-marking code rules in data sheet "Chip resistors marking".

#### **CONSTRUCTION**

Fig. I

The resistors are constructed out of a high-grade ceramic body. Internal metal electrodes are added at each end and connected by a resistive paste. The composition of the paste is adjusted to give the approximate required resistance and laser cutting of this resistive layer that achieves tolerance trims the value. The resistive layer is covered with a

Value = 240 K $\Omega$ 




protective coat. Finally, the eight external terminations (pure Tin) are added. See fig. 2.

#### DIMENSIONS

#### Table I

ТҮРЕ	YCI24
B (mm)	0.20 ±0.15
H (mm)	0.45 ±0.05
P (mm)	0.50 ±0.05
L (mm)	2.00 ±0.10
H <sub>2</sub> (mm)	0.30 ±0.15
T (mm)	0.45 ±0.10
W <sub>I</sub> (mm)	0.30 ±0.15
W <sub>2</sub> (mm)	1.00 ±0.10

WW.100



#### **SCHEMATIC**



#### ELECTRIC

lable 2	
CHARACTERISTICS	YC124 1/16 W
Operating Temperature Range	_55 °C to +155 °C
Maximum Working Voltage	50 V
Maximum Overload Voltage	100 V
Dielectric Withstanding Voltage	100 V
Number of Resistors	100Y.CONTRACTIVE WM 4
	5% (E24) 10 Ω to 1 MΩ
Resistance Range	1% (E24/E96) 10 Ω to 1 MΩ
N.100 TOOM. I	Zero Ohm Jumper $< 0.05 \Omega$
Temperature Coefficient	±200 ppm/°C
Jumper Criteria	Rated Current I.0 A

### WWW.100Y.COM.T FOOTPRINT AND SOLDERING PROFILES

For recommended footprint and soldering profiles, please see the special data sheet "Chip resistors mounting".

#### ENVIRONMENTAL DATA

For material declaration information (IMDS-data) of the products, please see the separated info "Environmental data" conformed to EU RoHS.

#### PACKING STYLE AND PACKAGING QUANTITY

Table 3 Packing sty	le and packaging quantity		
PRODUCT TYPE	PACKING STYLE	REEL DIMENSION	QUANTITY PER REEL
YCI24	Paper / PE Taping Reel (R)	7" (178 mm)	10,000 units
		13" (330 mm)	40,000 units

#### NOTE

1. For Paper/PE tape and reel specification/dimensions, please see the special data sheet "Packing" document.

#### FUNCTIONAL DESCRIPTION

#### **POWER RATING**

YCI24 rated power at 70°C is I/I6 W

#### **RATED VOLTAGE**


The DC or AC (rms) continuous working voltage corresponding to the rated power is determined by the following formula:

WWW.100Y

$$V = \sqrt{(P \times R)}$$

Where

- V = Continuous rated DC or AC (rms) working voltage (V)
- P = Rated power (W)
- $R = Resistance value (\Omega)$



WWW.100Y

WWW.100Y.COM.

(平)(詹)(十) Feb 04, 2005 V.I

勝特力材料 886-3-5753170 胜特力电子(上海) 86-21-54151736 胜特力电子(深圳) 86-755-83298787 Http://www. 100y. com. tw

www.yageo.com

100Y.COM.TW

OM.TW

## 100X.COM.TW TESTS AND REQUIREMENTS

TEST	TEST METHOD	PROCEDURE	REQUIREMENTS
Temperature Coefficient of Resistance (T.C.R.)	MIL-STD-202F-method 304; JIS C 5202-4.8	At +25/–55 °C and +25/+125 °C Formula:	Refer to table 2
DY.COM.TV		$T,C,R = \frac{R_2 - R_1}{R_1(t_2 - t_1)} \times 10^6 \text{ (ppm/°C)}$	
		Where $t_1 = +25$ °C or specified room temperature	
		$t_2 = -55$ °C or +125 °C test temperature	
		$R_{I}$ = resistance at reference temperature in ohms	
		$R_2$ = resistance at test temperature in ohms	
Thermal Shock	MIL-STD-202F-method 107G;	At65 (+0/-10) °C for 2 minutes and at +155	±(0.5% +0.05 Ω) for 1% to
Thermal Shock	IEC 60115-1 4.19	(+10/-0) °C for 2 minutes; 25 cycles	$\pm (1.0\% \pm 0.05 \Omega)$ for 5% to
Low Temperature	MIL-R-55342D-Para 4.7.4	At -65 (+0/-5) °C for I hour; RCWV applied for 45 (+5/-0) minutes	±(0.5% +0.05 Ω) for 1% to
Operation			$\pm(1.0\% \pm 0.05 \Omega)$ for 5% to
WW.10			No visible damage
Short Time	MIL-R-55342D-Para 4.7.5;	2.5 × RCWV applied for 5 seconds at room	±(1.0% +0.05 Ω) for 1% to
Overload	IEC 60115-1 4.13	temperature	$\pm$ (2.0% +0.05 Ω) for 5% to
MMA	V.100Y.COM.TW	WWW.100X.COM.TW	No visible damage
Insulation Resistance	MIL-STD-202F-method 302;	RCOV for 1 minute	≥10 GΩ
The should be a set of the set of	IEC 60115-1 4.6.1.1	Type YC124	
		Voltage (DC) 100 ∨	
Dielectric	MIL-STD-202F-method 301;	Maximum voltage (V <sub>rms</sub> ) applied for 1 minute	No breakdown or flashover
Withstand	IEC 60115-1 4.6.1.1	Type YC124	
Voltage		Voltage (AC) 100 V <sub>ms</sub>	
Resistance to	MIL-STD-202F-method 210C;	Unmounted chips; 260 $\pm$ 5 °C for 10 $\pm$ 1 seconds	±(0.5% +0.05 Ω) for 1% to
Soldering Heat	IEC 60115-1 4.18		$\pm(1.0\%$ +0.05 $\Omega)$ for 5% to
Ticat			No visible damage
Life	MIL-STD-202F-method 108A;	At 70 ±2 °C for 1,000 hours; RCWV applied for	±(1% +0.05 Ω) for 1% tol.
	IEC 60115-1 4.25.1	1.5 hours on and 0.5 hour off	$\pm$ (3% +0.05 Ω) for 5% tol.
	WWWW.100	N.COM. TW WWW.100 P.	
	勝	持力材料 886-3-5753170	
(€)(+)())−		力电子(上海) 86-21-54151736	www.yageo

### Phicomp

**Chip Resistor Surface Mount** YC SERIES 124 (Pb Free) WWW.100Y.COM.TW WWW.100Y. WWW.100Y.

Product specification 6

8

WILL.	WM 100X. COM.	IN TW TON TO THE CONCLUT	
TEST	TEST METHOD MIL-STD-202F-method 208A;	PROCEDURE Solder bath at 245 ±3 °C	
Solderability	IEC 60115-1 4.17	Solder bath at 245 $\pm$ 3 °C Dipping time: 2 $\pm$ 0.5 seconds	Well tinned (≥95% covered) No visible damage
	WWW.100Y.CC	Dibhills fille: 5 70'9 seconds	TWO VISIDIE GALLIASC
Bending	JIS C 5202.6.14;	Resistors mounted on a 90 mm glass epoxy	±(1.0% +0.05 Ω) for 1% tol.
Strength	IEC 601 15-1 4.15	resin PCB (FR4)	$\pm$ (1.0% +0.05 $\Omega$ ) for 5% tol.
		Bending: 1 mm	No visible damage
Resistance to	MIL-STD-202F-method 215;	lsopropylalcohol (C <sub>3</sub> H <sub>7</sub> OH) or dichloromethane	No smeared
Solvent	IEC 60115-1 4.29	(CH <sub>2</sub> Cl <sub>2</sub> ) followed by brushing	
Noise	JIS C 5202 5.9;	Maximum voltage (V <sub>rms</sub> ) applied.	Resistors range Value
W.1001. CON	IEC 60115-1 4.12		$R < 100 \Omega \qquad I0 dB$
			$\frac{100 \Omega \le R < 1 K\Omega}{100 \Omega \le R < 1 K\Omega} 20 dB$
			$\frac{1}{1} K\Omega \le R < 10 K\Omega \qquad 30 dB$
			$10 \text{ K}\Omega \leq \text{R} < 100 \text{ K}\Omega  40 \text{ dB}$
			$100 \text{ K}\Omega \leq \text{R} < 1 \text{ M}\Omega$ 46 dB
			$\frac{100 \text{ K}\Omega \leq \text{R} < 1 \text{ M}\Omega}{1 \text{ M}\Omega \leq \text{R} \leq 22 \text{ M}\Omega} \qquad 46 \text{ dB}}$
WWW.1001 WWW.100 WWW.100	COMATW W X.COMATW W NY.COMATW W	WW.100V.COM.TW WWW WWW.100V.COM.TW WW WWW.100V.COM.TW WW	
Humidity	JIS C 5202 7.5;	I,000 hours; 40 ±2 °C; 93(+2/–3)% RH	$I M\Omega \le R \le 22 M\Omega \qquad 48 dB$
Humidity (steady state)	JIS C 5202 7.5; IEC 601 15-8 4.24.8	I,000 hours; 40 ±2 °C; 93(+2/–3)% RH RCWV applied for 1.5 hours on and 0.5 hour off	I MΩ ≤ R ≤ 22 MΩ 48 dB ±(0.5% +0.05 Ω) for 1% tol.
			$I M\Omega \le R \le 22 M\Omega \qquad 48 dB$
	IEC 601 15-8 4,24.8 EIA/IS 4.13B;		I MΩ ≤ R ≤ 22 MΩ 48 dB ±(0.5% +0.05 Ω) for 1% tol.
(steady state)	IEC 60115-8 4.24.8	RCWV applied for 1.5 hours on and 0.5 hour off	$\frac{1}{1} M\Omega \le R \le 22 M\Omega \qquad 48 dB$ $\pm (0.5\% + 0.05 \Omega) \text{ for } 1\% \text{ tol.}$ $\pm (2.0\% + 0.05 \Omega) \text{ for } 5\% \text{ tol.}$
(steady state)	IEC 601 15-8 4,24.8 EIA/IS 4.13B;	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 ±5 °C	$\frac{1}{1} M\Omega \le R \le 22 M\Omega \qquad 48 dB$ ±(0.5% +0.05 Ω) for 1% tol. ±(2.0% +0.05 Ω) for 5% tol.
(steady state) Leaching	EIA/IS 4.13B; IEC 60115-8 4.18	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 $\pm$ 5 °C Dipping time: 30 $\pm$ 1 seconds At room temperature; 2.5 × RCWV applied for I second on and 25 seconds off; total 10,000	$\frac{1}{1} M\Omega \le R \le 22 M\Omega \qquad 48 dB$ ±(0.5% +0.05 Ω) for 1% tol. ±(2.0% +0.05 Ω) for 5% tol. No visible damage
(steady state) Leaching Intermittent	EIA/IS 4.13B; IEC 60115-8 4.18	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 $\pm$ 5 °C Dipping time: 30 $\pm$ 1 seconds At room temperature; 2.5 × RCWV applied for	$\frac{1}{1} M\Omega \le R \le 22 M\Omega \qquad 48 dB$ ±(0.5% +0.05 Ω) for 1% tol. ±(2.0% +0.05 Ω) for 5% tol. No visible damage ±(1.0% +0.05 Ω) for 1% tol.
(steady state) Leaching Intermittent Overload Resistance to	EIA/IS 4.13B; IEC 60115-8 4.18	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 $\pm$ 5 °C Dipping time: 30 $\pm$ 1 seconds At room temperature; 2.5 × RCWV applied for I second on and 25 seconds off; total 10,000	$\frac{1}{1} M\Omega \le R \le 22 M\Omega \qquad 48 dB$ ±(0.5% +0.05 Ω) for 1% tol. ±(2.0% +0.05 Ω) for 5% tol. No visible damage ±(1.0% +0.05 Ω) for 1% tol.
(steady state) Leaching Intermittent Overload	IEC 60115-8 4.24.8 EIA/IS 4.13B; IEC 60115-8 4.18 JIS C 5202 5.8	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 ±5 °C Dipping time: 30 ±1 seconds At room temperature; 2.5 × RCWV applied for I second on and 25 seconds off; total 10,000 cycles	$\frac{1}{1} M\Omega \le R \le 22 M\Omega \qquad 48 dB$ ±(0.5% +0.05 Ω) for 1% tol. ±(2.0% +0.05 Ω) for 5% tol. No visible damage ±(1.0% +0.05 Ω) for 1% tol.
(steady state) Leaching Intermittent Overload Resistance to	IEC 60115-8 4.24.8 EIA/IS 4.13B; IEC 60115-8 4.18 JIS C 5202 5.8	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 ±5 °C Dipping time: 30 ±1 seconds At room temperature; 2.5 × RCWV applied for I second on and 25 seconds off; total 10,000 cycles	$\frac{1}{1} M\Omega \le R \le 22 M\Omega \qquad 48 dB$ ±(0.5% +0.05 Ω) for 1% tol. ±(2.0% +0.05 Ω) for 5% tol. No visible damage ±(1.0% +0.05 Ω) for 1% tol.
(steady state) Leaching Intermittent Overload Resistance to Vibration	IEC 60115-8 4.24.8 EIA/IS 4.13B; IEC 60115-8 4.18 JIS C 5202 5.8 On request	RCWV applied for 1.5 hours on and 0.5 hour off   Solder bath at 260 ±5 °C   Dipping time: 30 ±1 seconds   At room temperature; 2.5 × RCWV applied for   1 second on and 25 seconds off; total 10,000   cycles   On request	$\frac{1}{1} M\Omega \le R \le 22 M\Omega \qquad 48 dB$ ±(0.5% +0.05 Ω) for 1% tol. ±(2.0% +0.05 Ω) for 5% tol. No visible damage ±(1.0% +0.05 Ω) for 1% tol. ±(2.0% +0.05 Ω) for 5% tol.



WWW.100Y.COM.TW 勝特力材料 886-3-5753170 胜特力电子(上海) 86-21-54151736 胜特力电子(深圳) 86-755-83298787 Http://www. 100y. com. tw

WWW.100X.

OOY.COM.TW

WWW.100Y.C


WWW.

MM

www.yageo.com

#### Phícomp

**Chip Resistor Surface Mount** YC SERIES 124 (Pb Free)



WWW.100

(♈)(詹)(≑)(≱ Feb 04, 2005 V.I

www.yageo.com

Product specification 7 8 WWW.100Y.COM.TW

<u>REVISION HISTORY</u>	
REVISION DATE CHANGE NOTIFICATION	DESCRIPTION
Version I Feb 04, 2005 -	- New datasheet for 4 × 0402 chip resistor arrays 1% and 5% with lead free terminations
	- Replace the 4 × 0402 part of pdf files: ARV341_5_PbFree_L_0.pdf ar ARV342_1_PbFree_L_0.pdf
W.COM. TW WWW. COM.	- Test method and procedure updated
Version 0 Dec 05, 2003 -	TW WWW.LOOK.COM TW

OM.TW

WWW.100Y.COM.TW



WWW.100Y.COM.TW WWW.100Y.COM.TW 特力材料 886-3-5753170 胜特力电子(上海) 86-21-54151736 胜特力电子(深圳) 86-755-83298787 Http://www. 100y. com. tw

LCOM.TW

WWW.I

www.yageo.com

poy.COM.TW