

LOGIC IC

Part No.	ProductNo.	Manuf.	Description	Pins/Package	Vcc	Icc(mA)	OperatingTemp.
19267	SN74LS245	T.I.	Octal 3-State Buffer/Line Drive/Line Receiver	20P/DIP	4.5-5.25V	70mA	0~70°C
19268	SN74LS245DWR	T.I.	Octal 3-State Buffer/Line Drive/Line Receiver	20P/SOIC	4.5-5.25V	70mA	0~70°C
22369	SN74LS258BN	T.I.	Quadruple 2-line To 1-line Data Selectors/multiplexers	16P/DIP	7V	19mA	0~70°C
862	SN74LS260N	T.I.	Dual 5-InputNOR Gate	14P/DIP	4.75-5.25V	4.0mA	0~70°C
23895	SN74LS27	NS	Triple 3-InputPositive-NORGates	14P/DIP	4.75-5.25V	4.0mA	0~70°C
12377	SN74LS279D	T.I.	QUADSET-RESET LATCH	16P/SOIC	4.75-5.25V	7mA	0~70°C
22377	SN74LS280N	T.I.	9-BIT ODD/EVEN PARITY GENERATORS/CHECKERS	14P/DIP	4.75-5.25V	27mA	0~70°C
22380	SN74LS283N	T.I.	4-BIT BINARY FULLADDERSWITH FASTCARRY	16P/DIP	7V	110mA	0~70°C
10615	SN74LS30D	T.I.	8-INPUTNANDGATE	14P/SOIC	4.75-5.25V	0.5mA	0~70°C
794	SN74LS31N	T.I.	DelayElements	16P/DIP	4.75-5.25V	2.3~13mA	0~70°C
868	SN74LS322AN	T.I.	8-Bit Serial/Parallel Reg.(8-bitshift register withsignextend)	20P/DIP	4.75-5.25V	60mA	0~70°C
23251	SN74LS32DR	T.I.	Quad2-InputORGate	14P/SOIC(翳)	7V	-0.8mA	0~70°C
869	SN74LS348N	T.I.	8-Line to 3-Line Priority Encoders	16P/DIP	4.74-5.25V	23mA	0~70°C
870	SN74LS356N	T.I.	8-Line to 1-Line Data./Multiplexers/Reg.	20P/DIP	2~6V	40mA	-40~+85°C
874	SN74LS367AN	T.I.	Hex3-STATE Buffer/Bus Driver	16P/DIP	7V	24mA	0~70°C
1041	SN74LS367D	T.I.	Hex Bus Drivers with 3-State Outputs	16P/SOIC	4.75-5.25V	85mA	-40~85°C
19270	SN74LS373	T.I.	3-STATE Octal D-Type Transparent Latches and Edge-Triggered Flip-Flops	20P/DIP	4.5-5.25V	40mA	0~70°C
19271	SN74LS373D	T.I.	3-STATE Octal D-Type Transparent Latches and Edge-Triggered Flip-Flops	20P/SOIC	4.5-5.25V	40mA	0~70°C
19272	SN74LS374	T.I.	Octal D-Type Transparent Latches and Edge-Triggered Flip-Flops	20P/DIP	7V	40mA	0~70°C
22386	SN74LS377N	T.I.	Octal, hex, and Quad D-type Flip-flops With Enable	20P/DIP	7V	15mA	0~70°C
4888	SN74LS378N	T.I.	Octal, HEX, AND, Quad D-Type Flip-Flops With Enable	16P/DIP	4.75-5.25V	22mA	0~70°C
879	SN74LS382N	T.I.	Arithmetic Logic Units/Function Generators	20P/DIP	4.75-5.25V	65mA	0~70°C
880	SN74LS384N	T.I.	8-Bit Ser./Par. 2'S Compl. Multi.(8*1 multiplier)	16P/DIP	4.75-5.25V	132mA	0~70°C
881	SN74LS390N	T.I.	Dual 4-Bit Decade Counter	16P/DIP	4.75-5.25V	26mA	0~70°C
22389	SN74LS393DR	T.I.	DUAL 4-BIT DECADE AND BINARY COUNTERS	14P/DIP	7V	64mA	0~70°C
882	SN74LS393N	T.I.	Dual 4-Bit Binary Counter	14P/DIP	4.75-5.25V	26mA	0~70°C
883	SN74LS395N	T.I.	4-Bit Cascadable Shift Register (3-State)	16P/DIP	4.75-5.25V	34mA	0~70°C
884	SN74LS399N	T.I.	Quad 2-Mux With Q & Q Outputs	16P/DIP	4.75-5.25V	13mA	0~70°C
885	SN74LS445N	T.I.	BCD-to-Decimal Decoder/Drivers	16P/DIP	5v	13mA	0~70°C
22390	SN74LS47N	T.I.	BCD-TO-SEVEN-SEGMENT DECODERS/DRIVERS	16/DIP	4.75-5.25V	103mA	0~70°C
4905	SN74LS541N	T.I.	Octal Buffer/Line Driver 3-State outputs	20P/DIP	4.75-5.25V	32mA	0~70°C
24087	SN74LS590N	T.I.	8-BIT BINARY COUNTERS WITH OUTPUT	16/DIP	5V	55mA	-55~125°C
23905	SN74LS623N	T.I.	OCTAL BUS TRANSCEIVERS WITH 3-STATE OUTPUTS	20P/DIP	4.75-5.25V	95mA	0~70°C
887	SN74LS624N	T.I.	Voltage-Controlled Oscillators	14P/DIP	4.75-5.25V	35mA	0~70°C
888	SN74LS627N	T.I.	Dual Voltage-Controlled Oscillators	14P/DIP	4.75-5.25V	55mA	0~70°C
890	SN74LS641N	T.I.	Octal Bus Transceiver-True Open-Collector	20P/DIP	4.75-5.25V	70mA	0~70°C
891	SN74LS642N	T.I.	Octal Bus Transceiver-Inverting O.C	20P/DIP	4.75-5.25V	70mA	0~70°C
894	SN74LS645N	T.I.	Octal Bus Transceiver-True (3-State)	20P/DIP	4.75-5.25V	70mA	0~70°C
22393	SN74LS646DWR	T.I.	OCTAL BUS TRANSCEIVERS AND REGISTERS	24P/SOIC	4.75-5.25V	180mA	0~70°C
23320	SN74LS646NT	T.I.	OCTAL BUS TRANSCEIVERS AND REGISTERS	24P/DIP	4.75-5.25V	180mA	0~70°C
895	SN74LS668N	T.I.	Synchronous 4-Bit Up/Down Counters	16P/DIP	4.75-5.25V	34mA	0~70°C
11400	SN74LS688N	T.I.	8-Bit Magnitude/Identity Comparator	20P/DIP	5V	65mA	0~70°C
807	SN74LS73N	T.I.	Dual J-K Flip-Flop With Clear	14P/DIP	4.75-5.25V	6mA	0~70°C
4934	SN74LS74D	T.I.	Dual Positive-Edge-Triggered D Flip-Flops with Preset, Clear and Complementary Outputs	14P/SOIC	4.75-5.25V	8mA	0~70°C
4887	SN74LS795N	T.I.	Octal Buffer With 3-State Outputs	20P/DIP	4.75-5.25V	26mA	0~70°C
812	SN74LS83N	MOT.	4-Bit Binary Full Adders with Fast Carry	16P/DIP	4.75-5.25V	34mA	0~70°C
22395	SN74LS85N	T.I.	4-BIT MAGNITUDE COMPARATORS	16P/DIP	7V	88mA	0~70°C
815	SN74LS90N	T.I.	Decade Counter	14P/DIP	4.75-5.25V	15mA	0~70°C
22398	SN74LS92N	T.I.	DECADE, DIVIDE-BY-TWELVE AND BINARY COUNTERS	14P/DIP	7V	39mA	0~70°C
23321	SN74LS93D	T.I.	High Speed CMOS Logic 4-Bit Binary Ripple Counter	14P/SOIC	2~6V	80mA	-40~85°C
27753	TL74LS244D	PHILIPS	Octal 3-State Buffer/Line Drive/Line Receiver	20P/SOIC	4.5-5.25V	54mA	0~70°C

74HC/HCT~邏輯IC系列 74HC/HCT~High Speed CMOS Logic Families

詳細產品規格--請點擊 www.100y.com.tw

Part No.	ProductNo.	Manuf.	Description	Pins/Package	Vcc	Icc(mA)	OperatingTemp.
23220	74AC125F	PHILIPS	Quad buffer/line driver; 3-state	14P/SOIC	4.5~5.5V	2.9mA	-40~85°C
21551	74AC20PC		Dual 4-input NAND gate	14P/DIP	2~6V	±50mA	-55~125°C
22291	74CH4040D	PHILIPS	12-stage binary ripple counter	16P/DIP	5V		-40~85°C
16978	74F132SC	N.S	Quad 2-Input NAND Schmitt Trigger	SOIC/14P(M14A)	2~6V	20mA	-40~85°C
721	74F563PC	N.S	Octal Transparent Latches with 3-state output	20P/DIP	2~6V	±70mA	-40~85°C
19217	74HC00DT	PHILIPS	QUADRUPLE 2-INPUT POSITIVE-NAND GATES	14P/SOIC	2~6V	20uA	-40~+125°C
4839	74HC02	Fairchild	Quad 2-Input NOR Gate	14P/DIP	2~6V	20uA	-40~85°C
19218	74HC02D	PHILIPS	Quad 2-Input NOR Gate	14P/SOIC	2~6V	20uA	-40~+125°C

