

























新型式	舊型式	電壓 (V)	容量 20HR(AH)	CCA	尺寸 (mm)L	尺寸 (mm)W	尺寸 (mm)H	尺寸 (mm)TH	重量 Dry(KG)	電解液(L)	配置圖	端子型式	電池圖示
26A19R	12N24-4	12	24	201	187	128	162	178	5.5	1.8		T ₁ 	
36B20R	NS40Z	12	35	274	197	129	202	227	7.3	2.6		T ₂ 	
36B20RS	NS40ZS	12	35	274	197	129	202	227	7.3	2.6		T ₃ 	
36B20L	NS40ZL	12	35	274	197	129	202	227	7.3	2.6		T ₂ 	









勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

36B20LS	NS40ZLS	12	35	274	197	129	202	227	7.3	2.6		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
55D23R	55D23R	12	60	356	232	173	202	225	10.5	3.9		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
55D23L	55D23L	12	60	356	232	173	202	225	10.5	3.9		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
65D23R	--	12	65	420	232	173	202	225	11.6	3.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															









勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

65D23L	--	12	65	420	232	173	202	225	11.6	3.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
75D23R	--	12	65	520	260	173	202	225	12.3	3.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
75D23L	--	12	65	520	260	173	202	225	12.3	3.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
46B24R	NS60	12	45	325	238	129	202	227	8.8	2.8		<p>T2</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>14.7⁰_{-0.3}</td> <td>13.0⁰_{-0.3}</td> </tr> </table>	⊕	⊖	14.7 ⁰ _{-0.3}	13.0 ⁰ _{-0.3}
⊕	⊖															
14.7 ⁰ _{-0.3}	13.0 ⁰ _{-0.3}															









勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

46B24RS	NS60S	12	45	325	238	129	202	227	8.8	2.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
46B24L	NS60L	12	45	325	238	129	202	227	8.8	2.8		<p>T2</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>14.7⁰_{-0.3}</td> <td>13.0⁰_{-0.3}</td> </tr> </table>	⊕	⊖	14.7 ⁰ _{-0.3}	13.0 ⁰ _{-0.3}
⊕	⊖															
14.7 ⁰ _{-0.3}	13.0 ⁰ _{-0.3}															
46B24LS	NS60LS	12	45	325	238	129	202	227	8.8	2.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
48D26R	N50	12	50	278	260	173	202	225	9	4.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															









勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

48D26L	N50L	12	50	278	260	173	202	225	9	4.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
55D26R	N50Z	12	60	348	260	173	202	225	10.4	4.8		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
65D26R	NS70	12	65	413	260	173	202	225	11.7	4.4		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
80D26R	--	12	65	582	260	173	202	225	14.4	3.7		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															







勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

80D26L	--	12	65	582	260	173	202	225	14.4	3.7		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
75D31R	--	12	75	447	305	173	204	230	14.5	5.3		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
95D31L(固)	--	12	80	565	305	173	204	230	16	5		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
95D31R(H)	--	12	80	565	305	173	204	230	16	5		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															








勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

95D31L(H)	--	12	80	565	305	173	204	230	16	5		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
95E41R	N100	12	100	512	408	175	211	233	18.2	7.5		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table> <p>T7</p> 	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
115E41R	--	12	110	651	408	175	211	233	18.2	7.5		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table> <p>T7</p> 	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

115F51	N120	12	120	638	504	182	213	257	20.7	10.3		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
150F51	N120Z	12	135	765	504	182	213	257	22.3	10.2		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															
145G51	N150	12	150	754	507	222	213	257	24.1	12.7		<p>T3</p>  <p>D(mm)</p> <table border="1"> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}
⊕	⊖															
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}															

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

																			
145G51L	N150L(繩把)	12	150	754	507	222	213	257	24.1	12.7		  <table border="1"> <tr> <td colspan="2">D(mm)</td> </tr> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	D(mm)		⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}	
D(mm)																			
⊕	⊖																		
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}																		
210H52	--	12	210	953	520	279	220	270	40.9	16.2		  <table border="1"> <tr> <td colspan="2">D(mm)</td> </tr> <tr> <td>⊕</td> <td>⊖</td> </tr> <tr> <td>19.5⁰_{-0.3}</td> <td>17.9⁰_{-0.3}</td> </tr> </table>	D(mm)		⊕	⊖	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}	
D(mm)																			
⊕	⊖																		
19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}																		

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)