

Poly-carbonmonofluoride (BR Series) and Manganese Dioxide (CR Series)

COIN CELL TAB CONFIGURATIONS

Model Number	Tab Type		Configuration Diagram No.
	With Insulation Wrap	Without Insulation Wrap	
BR TYPE			
BR1220	/1HF	/1HE	1
BR1220	/1VC	/1VB	2
BR1225	/1HC	/1HB	3
BR1225	/1VC		4
BR1632	/1HF		5
BR2016	/1F2		6
BR2032	/1HM		7
BR2032		/1HG	8
BR2032	/1HS	/1HSE	9
BR2032	/1GUF	/1GU	10
BR2032	/1HF	/1HE	11
BR2032		/1VB	12
BR2032	/1GVF	/1GV	13
BR2032	/1F4		14
BR2032	/1F2		15
BR2325	/1HC	/1HB	16
BR2325	/1HM		17
BR2325		/1HG	18
BR2325	/2HC		19
BR2325		/1VG	20
BR2330	/1HF	/1HE	21
BR2330	/1GUF	/1GU	22
BR2330	/1VC	/1VB	23
BR2330	/1GVF	/1GV	24
BR2330	/1F3		25
BR2330	/1F4C		26
BR3032	/1VC		27
BR3032	/1F2		28

Model Number	Tab Type		Configuration Diagram No.
	With Insulation Wrap	Without Insulation Wrap	
CR TYPE			
CR1220	/1HF	/1HE	1
CR1220	/1VC	/1VB	2
CR1616		/1F2	29
CR1632	/1HF		5
CR1632		/1HE	30
CR2016	/1F2		6
CR2025	/1F2		31
CR2032		/1HU3	32
CR2032	/1VS1		33
CR2032		/1HG	8
CR2032	/1HS	/1HSE	9
CR2032	/1GUF	/1GU	10
CR2032	/1HF	/1HE	11
CR2032		/1VB	12
CR2032	/1GVF	/1GV	13
CR2032	/1F4		14
CR2032	/1F2		15
CR2330	/1HF	/1HE	21
CR2330	/1GUF	/1GU	22
CR2330	/1VC	/1VB	23
CR2330	/1GVF	/1GV	24
CR2330	/1F3		25
CR2330	/1F4C		26
CR2354	/1HF	/1HE	34
CR2354	/1GUF	/1GU	35
CR2354	/1VC	/1VB	36
CR3032	/1VC		27
CR3032	/1F2		28
CR2477	/1VC	/1VB	37
CR2477	/1HF	/1HE	38
CR2450	/H1A		39
CR2450	/G1A		40









* Refer to page 60 for BR "A" (High Temp) Tab configurations.
Please contact Panasonic for requests on custom Tab configurations. Minimum order requirements may apply

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

BR & CR Series Coin Cell Tab Configurations

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

DIMENSIONS / MM (INCH)

Model No.	Dimensions/mm (inch)	Model No.	Dimensions/mm (inch)
BR/CR1220/1HF 1HE	① 	BR/CR1220/1VC 1VB	② 
BR1225/1HC 1HB	③ 	BR1225/1VC	④ 
BR/CR1632/1HF	⑤ 	BR/CR2016/1F2	⑥ 
BR2032/1HM	⑦ 	BR/CR2032/1HG	⑧ 

BR & CR Series Coin Cell Tab Configurations

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

DIMENSIONS / MM (INCH) cont.

Model No.	Dimensions/mm (inch)	Model No.	Dimensions/mm (inch)
BR/CR2032/1HS 1HSE		BR/CR2032/1GUF 1GU	
BR/CR2032/1HF 1HE		BR/CR2032/1VB	
BR/CR2032/1GVF 1GV		BR/CR2032/1F4	
BR/CR2032/1F2		BR2325/1HC 1HB	

BR & CR Series Coin Cell Tab Configurations

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

DIMENSIONS / MM (INCH) cont.

Model No.	Dimensions/mm (inch)	Model No.	Dimensions/mm (inch)
BR2325/1HM		BR2325/1HG	
BR2325/2HC (2 cells in series, 6V)		BR2325/1VG	
BR/CR2330/1HF 1HE		BR/CR2330/1GU 1GUF	
BR/CR2330/1VC 1VB		BR/CR2330/1GVF 1GV	

BR & CR Series Coin Cell Tab Configurations

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

DIMENSIONS / MM (INCH) cont.

Model No.	Dimensions/mm (inch)	Model No.	Dimensions/mm (inch)
BR/CR2330/1F3		BR/CR2330/1F4C	
BR/CR3032/1VC		BR/CR3032/1F2	
CR1616/1F2		CR1632/1HE	
CR2025/1F2		CR2032/1HU3	

BR & CR Series Coin Cell Tab Configurations

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

DIMENSIONS / MM (INCH) cont.

Model No.	Dimensions/mm (inch)	Model No.	Dimensions/mm (inch)
CR2032/1VS1	Insulation Wrap (yellow) 20(0.79) 3.2(0.13) MAX.0.5(0.02) 3.0(0.12) 1.8(0.07) 0.75(0.03) 4.0(0.16) 0.2(0.008) 3.9(0.15) 10.2±0.5(0.40±0.02)	CR2354/1HF 1HE	Insulation Wrap (yellow) 5.4(0.21) 23(0.91) 6.1(0.24) 1.8(0.07) 3.5(0.14) 20.5±0.5(0.81±0.02) 0.2(0.008) 2.8(0.11) 3.5(0.14)
CR2354/1GUF 1GU	Insulation Wrap (yellow) 5.4(0.21) 23(0.91) 6.2(0.24) 0.75(0.03) 3.5(0.14) 17.8±0.5(0.70±0.20) 0.2(0.008) 0.75(0.03) 3.5(0.14) 10.3(0.41) 5.08(0.20) 10.16(0.40)	CR2354/1VC 1VB	Insulation Wrap (yellow) 5.4(0.21) 23(0.9) 6.1(0.24) 2.8(0.11) 1.8(0.07) 0.2(0.008) 9.2±0.5(0.36±0.02) 5.0(0.20) 1.5(0.06) 0.2(0.008)
CR2477/1VC 1VB	Insulation Wrap (yellow) 24.5(0.96) 7.8(0.31) 1.0(0.04) 2.8(0.11) 4.0(0.16) 1.8(0.07) 5.0(0.20) 0.2(0.008) 8.4(0.33) 9.2±0.5(0.36±0.02)	CR2477/1HF 1HE	Insulation Wrap (yellow) 24.5(0.96) 8.4(0.33) 7.7(0.30) 1.8(0.07) 3.5(0.14) 20.5±1(0.81±0.04) 0.2(0.008) 2.8(0.11) 3.5(0.14) 13.1(0.52) 7.7(0.30)
CR2450/H1A	Insulation Wrap (yellow) 25±1(1.0±0.04) 4±0.1(0.16±0.04) 24.5(0.96) 5(0.2) 1.8(0.07) 3.5(0.14) 20.5±1(0.81±0.04) 0.2±0.05(0.008±0.02) 2.8(0.11) 3.5±0.5(0.14±0.2) 10.2±0.8(0.405±0.04)	CR2450/G1A	Insulation Wrap (yellow) 25±1(1.0±0.04) 24.5(0.96) 5(0.2) 0.75(0.03) 3.5(0.14) 17.8±0.8(0.70±0.21) 0.2(0.008) 10.2(0.405) 3.5(0.14) 10.7(0.41) 0.2(0.008)