### 七點可逆性溫度貼紙(橫式)

- · 溫度範圍:
- 30 ~ 0°C >
- 0~+30℃ \
- +30 ~+60°C °
- +30 ~+60°C ↑
- +60~+90°C >
- +90 ~+120℃
- ·尺寸:12.5mm x 45mm
- 十個一包裝



勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw



Thermographic Measurements Ltd. Riverside Buildings, Dock Road, Connah's Quay, Flintshire, CH5 4DS U.K.

Tel: +44 (0)1244 818348 Fax: +44 (0)1244 818502 Email: sales@t-m-c.com Web: www.t-m-c.com

**Advanced Thermographic Technologies** 

# **Reversible Liquid Crystal Thermometers**

### **Product Data Sheet**

**Product Description: Reversible Temperature Indicators** 

#### **Construction:**

Adhesive Tape	Double-coated Adhesive Tape
Covering Film	Polyester 5 mil stock
Color Change Material	Non toxic mixture of liquid crystal esters
Accuracy	±1°C
Shelf Life	12 months from invoice date when stored at room temperature (i.e. 21°C) & 50% relative humidity).

**Application Data**: Apply temperature indicating label to clean dry surface. Read temperature after

colours stop changing. Green is correct reading. If no green is present,

temperature reading is between the blue and tan coloured boxes.

**Funtion:** Display of temperature, as indicated by green event

**Use:** Ideal for industrial and household applications



# **Colour Change Thermometry**

# **DIGITEMP THERMOMETERS**

# **Continuous Temperature monitoring**

88 31

**86** 30

84 29

**82** 28

80 27

78 26

76 24

74 23

72 22

6

A comprehensive system of thermometers based on proprietary formulations of liquid crystals that change colour at a designated temperature. Current temperature is displayed as a Green event.

- Instant Response -**Continuous Readout**
- No Batteries or Glass -**Non Toxic**
- Temperature Range -30-120°C (-22-248°F)
- Accurate +/- 1°C
- Self Adhesive
- Custom Applications
- Cost Effective

## **Specifications:**

°C | 17 | 19 | 21 | 22 | 23 | 24 | 25 | 26 | 28 | 29 °F | 62 | 66 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84

**HORIZONTAL ROOM THERMOMETER** 

89mm x 12.5mm (3.5" x 0.5") Size: Type: Horizontal, self adhesive.

17 19 21 22 23 24 25 °C 26 27 28 29 °F

#### HORIZONTAL ROOM THERMOMETER

#### **16 LEVEL THERMOMETER**

	4	°C	-3	-2	-1	0	1	2	3	4	6	7	8	9	10	11	12	13
	1	°F	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56
	2	°C	14	16	17	18	19	20	21	22	23	24	26	27	28	29	30	31
	_	°F	58	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88
	3	°C	32	33	34	35	37	38	39	40	41	42	43	44	45	47	48	49
	J	°F	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120
	A	°C	50	51	52	53	54	55	57	58	59	60	61	62	63	64	65	66
	4	°F	122	124	126	128	130	132	134	136	138	140	142	144	146	148	150	152
Ī	-	°C	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83
	5	°F	154	156	158	160	162	164	166	168	170	172	174	176	178	180	182	184

#### Specifications:

Size: 127mm x 12.5mm (5" x 0.5") Туре: Vertical, self adhesive.

°C and °F Scale:

# 72 22

0 21	<b>70</b> 21
8 20	68 20
6 19	66 19

64 18

62 17

60 16

58 14

58 14

16 LEVEL

### **8 LEVEL THERMOMETER**

4	°C	-3	-2	-1	0	1	2	3	4
'	°F	26	28	30	32	34	36	38	40
2	°C	6	7	8	9	10	11	12	13
	°F	42	44	46	48	50	52	54	56
3	°C	14	16	17	18	19	20	21	22
၁	°F	58	60	62	64	66	68	70	72
4	°C	23	24	26	27	28	29	30	31
4	°F	74	76	78	80	82	84	86	88
5	°C	32	33	34	35	37	38	39	40
Э	°F	90	92	94	96	98	100	102	104
6	°C	41	42	43	44	45	47	48	49
6	°F	106	108	110	112	114	116	118	120

#### **Specifications:**

63.5mm x 12.5mm (2.5" x 0.5") Size: Vertical, self adhesive. Туре:

°C and °F

7 LEVEL (Vertical)


### **7 LEVEL THERMOMETER**

	1	°C	-30	-25	-20	-15	-10	-5	0
		°F	-22	-13	-4	5	14	23	32
	2	°C	0	5	10	15	20	25	30
		°F	0 32 30	41	50	59	68	77	86
	3	°C	30	35	40	45	50	55	60
	3	°F	86	95	104	113	121	131	140
	4	°C	60	65	70	75	80	85	
	4	°F	140	149	158	167	176	185	194

#### Specifications:

12.5mm x 45mm (0.5" x 1.77") Size: Type: Horizontal, self adhesive.

°C and °F Scale:



7 LEVEL (Horizontal)

#### **7 LEVEL THERMOMETER**

°C	9	12	15	18	21	24	27
°F	50	55	60	65	70	75	80

#### **Specifications:**

70mm x 10mm (2.75" x 0.394") Size: Type: Vertical, self adhesive.

Scale: °C or °F

Also available 10-27°C Vertical/Horizontal

# 13 LEVEL THERMOMETER



9 LEVEL

**9 LEVEL THERMOMETER** °C | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | °F 57 60 64 68 71 75 78 82 86

**Specifications:** 

Size: 57mm x 12mm (2.24" x 0.47") Vertical, self adhesive. Type: Scale: °C or °F

4	°C	0	1	2	3	4	5	6	7	8	9	10	11	12
٠,	°F	32	34	36	37	39	41	43	45	46	48	50	52	54
2	°C	12	13	14	15	16	17	18	19	20	21	22	23	24
_	°F	54	55	57	59	61	63	64	66	68	70	72	73	75
2	°C	24	25	26	27	28	29	30	31	32	33	34	35	36
3	°F	75	77	79	81	82	84	86	88	90	91	93	95	97
4	°C	36	37	38	39	40	41	42	43	44	45	46	47	48
4	°F	97	99	100	102	104	106	108	109	111	113	115	116	118
_	°C	48	49	50	51	52	53	54	55	56	57	58	59	60
5	°F	118	120	122	124	126	127	129	131	133	135	136	138	140

### **Specifications:**

Size: 132mm x 15mm (5.2" x 0.59") Type: Horizontal, self adhesive.

°C and °F Scale:

13 LEVEL 108 100 102 104 109 111 113 115 116 118



# **Colour Change Thermometry**

# DIGITEMP LABELS

## **Continuous temperature monitoring**


LCR the International leader in Colour Changing Temperature Indicating Technology and Graphics specializes in the micro-encapsulation of liquid crystal compounds.

Liquid crystals are chemical compounds and mixtures that exhibit the mechanical properties of liquids and the optical characteristics of solids, Liquid Crystals that change colour with changes in temperature are known as thermochromic liquid crystals (TLC's). Scientifically, they are identified as Cholesteric Liquid Crystals and Microencapsulation is the process that primarliy protects, stabilizes and makes the liquid crystal easier to use.

Digitemp Products utilize this exciting technology (TLC's) for the measurement of temperature in a wide array of applications.

- Refrigerator / Freezer Thermometers
- Room Thermometers
- Baby Bath Thermometers
- High Temperature Indicators
- Custom and Promotional Items

Complies with the essential requirements of the relevant European health, safety and environmental protection legislation Complient to ISO 13485 2003E



#### THERMOCHROMIC SHEETS AND FILMS

Range:		Red Green Blue Start Start Start °C °F °C °F °C °F			Start Start								
	٠.ر	1	٠.	1	٠.	· r		· · r					
R20C5W	20	68	21	70	25	77	41	106	5	9			
R25C5W	25	77	26	79	30	86	44	111	5	9			
R29C4W	29	84	30	86	33	91	50	122	4	7			
R30C5W	30	86	31	88	35	95	46	115	5	9			
R35C1W	35	95	35.2	95.5	36	97	49	120	1	2			
R35C5W	35	95	36	97	40	104	49	120	5	9			
R40C5W	40	104	41	106	45	113	52	126	5	9			

**Specifications:** 

Size: 304.8mm x 304.8mm (12" x 12")



#### **HOT WARNING INDICATOR**

Range: The word **HOT** appears in black at 70°C / 157°F

Specifications:

Size: 38mm x 16mm (1.5" x 0.63")



### **3 LEVEL BATH THERMOMETER**

Too Cold:	25°-35°C / 77°-96°F
Ideal:	36°-38°C / 95°-100°F
Too Hot:	39°-41°C / 102°-106°F

**Specifications:** 

Size: 40mm x 10mm (1.57" x 0.39")



#### HAND HOT INDICATOR

A pictoral warning. The word HOT lights up for:

1	YELLOW	°C °F	50 122
2	RED	°C	70
_	KED	°F	157

**Specifications:** 

Type: Circular, self adhesive Size: 37mm Dia. (1.46"Dia.)



#### **TEMPSAFE INDICATOR**

Range: The temeprature and symbols appear at specified temp

**Specifications:** 

Type: Horizontal, self adhesive Size: 60mm x 160mm. (2.36" x 6.3)

