


11种颜色可选择



UL1007 & UL1015 正标系列

型号	铜丝结构	外径	包装
UL1007-28A	7/0.127TS+80°C	1.2	610M/R
UL1007-26A	7/0.161TS+80°C	1.3	610M/R
UL1007-24A	11/0.161TS+80°C	1.4	610M/R
UL1007-22A	17/0.161TS+80°C	1.6	610M/R
UL1007-20A	21/0.178TS+80°C	1.8	610M/R
UL1007-18A	34/0.178TS+80°C	2.1	610M/R
UL1007-16A	26/0.254TS+80°C	2.4	610M/R
UL1007-14A	41/0.254TS+80°C	2.8	305M/R
UL1007-12A	65/0.254TS+80°C	3.2	305M/R
UL1007-10A	105/0.254TS+80°C	4.3	305M/R



Work smarter with UL Product iQ™
Improved access to UL's certification data.

Create your FREE ACCOUNT today!

AVLV2.E249743
Appliance Wiring Material - Component

[Page Bottom](#)

Appliance Wiring Material - Component

[See General Information for Appliance Wiring Material - Component](#)

DONGGUAN CHENG XING ELECTRONIC CO LTD

E249743

#1 Xinyuan South 1st Rd
Xinan Revenue Ludong
Humen Town
Dongguan, Guangdong 523900 CHINA

Table of Recognized Styles							
Single-conductor, thermoplastic insulation.							
1007	1028	1095	1283	1533	1571	1617	
1015	1061	1185	1347	1569	1581	1672	
Multiple-conductor, thermoplastic insulation.							
2096	2547	2725	2835	2919	2992	20288	
2097	2549	2726	2851	2935	2993		
2464	2562	2733	2854	2990	2994		
2468	2571	2833	2877	2991	20276		

Marking: Company name, voltage rating, temperature rating, conductor size, conductor material if other than copper, and use.

Last Updated on 2015-12-17

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".