勝特力電材超市-龍山店 886-3-5773766 勝特力電材超市-光復店 886-3-5729570 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 http://www.100y.com.tw



# Han D F Crimp Contact Au AWG 16



Part number	09 15 000 6221
Specification	Han D F Crimp Contact Au AWG 16
HARTING eCatalogue	https://b2b.harting.com/09150006221

Image is for illustration purposes only. Please refer to product description.

#### Identification

Category	Contacts
Series	Han D <sup>®</sup>
Type of contact	Crimp contact

#### Version

Manufacturing process	Gender	Female
Manufacturing process	Manufacturing process	Turned contacts

#### Technical characteristics

Conductor cross-section	1.5 mm <sup>2</sup>
Conductor cross-section	AWG 16
Operating current	≤10 A
Contact resistance	≤3 mΩ
Stripping length	8 mm

## Material properties

Material (contacts)	Copper alloy
Surface (contacts)	Gold plated
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	No



# Material properties

REACH ANNEX XIV substances	No
REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	b51e5b97-eeb5-438b-8538-f1771d43c17d
California Proposition 65 substances	Yes
California Proposition 65 substances	Nickel Lead

# Specifications and approvals

Specifications	EN 60664-1
Specifications	IEC 61984

### Commercial data

Packaging size	100
Net weight	0.65 g
Country of origin	Germany
European customs tariff number	85366990
eCl@ss	27440204 Contact for industrial connectors

