

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** **11-03-0006**  
**Status:** **Active**  
**Description:** Extraction Tool

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	T0201
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	N/A
Survey	<a href="http://www.molex.com/review/apptool_survey.html">www.molex.com/review/apptool_survey.html</a>
Tool Type	Handtool

**Material Info**

Old Part Number HT2038

**Reference - Drawing Numbers**

Application Tooling Documents  
ATS-011030006, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN



**EU RoHS** **China RoHS**

**Compliance Status**

**Not Reviewed**

**REACH SVHC**

**Not Reviewed**

**Low-Halogen Status**

**Not Reviewed**

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

T0201Series

**Use With**

Loose piece terminals

**Application Tooling** | **FAQ**  
**Description** | **Product #**

2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) over Nickel Plated Brass Contact, 14-20 AWG, Bag 0039000295

2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over Copper Plated Brass 0039000308

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

Contact, 18-24 AWG,  
Bag  
2.36mm Diameter 0002091118  
Standard .093"  
Crimp Terminal,  
Dimpled Female,  
18-22 AWG, Bag  
2.36mm Diameter, 0002091102  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, 0039000281  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, 0039000282  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 14-20 AWG,  
Reel, with Dimple  
2.36mm Diameter, 0039000284  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 18-24 AWG,  
Reel  
2.36mm Diameter, 0039000285  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 18-24 AWG,  
Reel, with Dimple  
2.36mm Diameter, 0039000289  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, 0039000296  
Standard .093"  
Pin and Socket  
Crimp Terminal,  
Series 1190, Male,

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

with Tin (Sn) over  
Copper Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, 0039000297  
Standard .093"  
Pin and Socket  
Crimp Terminal,  
Series 1190, Male,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, 0039000302  
Standard .093"  
Pin and Socket  
Crimp Terminal,  
Series 1380, Male,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 18-24 AWG,  
Bag  
2.36mm Diameter, 0039000307  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 18-24 AWG,  
Bag, with Dimple  
2.36mm Diameter, 0039000315  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1433, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 24-28 AWG,  
Reel, with Dimple  
2.36mm Diameter, 0039000316  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1433, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 24-28 AWG,  
Bag, with Dimple  
2.36mm Diameter, 0039000317  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1433, Female,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 24-28 AWG,  
Reel  
2.36mm Diameter, 0039000318  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1433, Female,  
with Tin (Sn) over  
Copper Plated Brass

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

Contact, 24-28 AWG,  
Bag  
2.36mm Diameter, 0039000323  
Standard .093"  
Pin and Socket  
Crimp Terminal,  
Series 1434, Male,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 24-28 AWG,  
Reel  
2.36mm Diameter, 0039000324  
Standard .093"  
Pin and Socket  
Crimp Terminal,  
Series 1434, Male,  
with Tin (Sn) over  
Copper Plated Brass  
Contact, 24-28 AWG,  
Bag  
Claspcan™ Crimp 0002081101  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 16-24 AWG,  
Reel  
Claspcan™ Crimp 0002081102  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 16-24 AWG,  
Bag  
2.36mm Diameter, 0002091104  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, 0002091117  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Tin (Sn) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, 0002091119  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Tin (Sn) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, 0002091122  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
2273, Female, with  
Tin (Sn) Plated  
Contact, Low  
Engagement Force,  
18-22 AWG, Reel  
2.36mm Diameter, 0002091123  
Standard .093" Pin

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag 2.36mm Diameter, 0002091615 Standard .093"

Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel 2.36mm Diameter, 0002092101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002092103 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 0002092116 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 0002092118 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 0002092611 Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel 2.36mm Diameter, 0002095100 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, 0002095102  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, 0002095106  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag  
2.36mm Diameter, 0002095111  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, 0002095130  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, 0002095133  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, 0002095142  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, 0002095143  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Reel  
2.36mm Diameter, 0002096100  
Standard .093" Pin  
and Socket Crimp

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

Terminal, Series  
1190, Male, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, 0002096101  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, 0002096106  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag  
2.36mm Diameter, 0002096110  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, 0002096122  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Reel  
2.36mm Diameter, 0002096123  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, 0002096125  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, 0002096126  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Bag

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

2.36mm Diameter, 0002098103  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Reel  
2.36mm Diameter, 0002098104  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Bag

This document was generated on 04/13/2012

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**