

Part Number : 508378000

Series Number : 50837 Product Category : Crimp Terminals

Documents & Resources

Product Environment Compliance

Compliance

| GADSL/IMDS | Compliant with Exemption 44 |
|--------------------|---|
| China RoHS | ® |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2023)8585-DC (23 Jan 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Reel

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw

Product Description : 2.50mm Pitch, Mini-Lock Male Crimp Terminal, Tin Plating, 22-28 AWG,

Status : New Business Not Supported

Packaging Alternative : 508378100 (Bag)

Part Details

General

| Status | New Business Not Supported |
|----------|----------------------------|
| Category | Crimp Terminals |

| Series | 50837 |
|----------------|---|
| Description | 2.50mm Pitch, Mini-Lock Male Crimp Terminal, Tin Plating, 22-28 AWG, Reel |
| Application | Signal, Wire-to-Wire |
| Product Family | Mini-Lock Wire-to-Board Connector System |
| Product Name | Mini-Lock |
| UPC | 800753247154 |

Electrical

| Current - Maximum per Contact | 3.0A |
|-------------------------------|------------------|
| Voltage - Maximum | 250V AC (RMS)/DC |

Physical

| | Gender | Male |
|------------|---|--|
| | Material - Metal | Phosphor Bronze |
| | Material - Plating Mating | Tin |
| | Material - Plating Termination | Tin |
| | Net Weight | 130.000/mg |
| | Packaging Type | Reel |
| | Termination Interface Style | Crimp or Compression |
| | Wire Insulation Diameter | 1.15-1.80mm |
| | Wire Size (AWG) | 22, 24, 26, 28 |
| | Wire Size mm ² | N/A |
| Applicatio | on Tooling | 勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw |
| | Description | Part Number |
| | Extraction Tool for Flat Blade, 3.96mm KK, 2.00mm, 3.96mm EdgeMate, and Ultra-Fit Terminals | <u>11030016</u> |
| | Hand Crimp Tool for Wire-to-Board Terminals | 638233400 |
| | FineAdjust for 2.50mm Pitch Crimp Terminal | 639018500 |
| | | |

Application Tooling

Japan

| Description | Part Number |
|--|-------------|
| S-1 Applicator for Mini-Lock Plug Terminal, 22-28 AWG | 573913700 |

This document was generated on Apr 30, 2024

勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw