




产品编号 : [350539002](#)

Product Description : 2.50mm Pitch Wire-to-Wire Terminal, Male, 22-28 AWG (0.33-0.81mm²), Tin-plated, Reel, for 35184 Housing

系列号 : 35053

状态 : New Business Not Supported


Product Category : Crimp Terminals



文件和资源

产物环境合规

合规

GADSL/IMDS	Compliant with Exemption 44
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	New Business Not Supported
类别	Crimp Terminals
系列	35053
说明	2.50mm Pitch Wire-to-Wire Terminal, Male, 22-28 AWG (0.33-0.81mm ²), Tin-plated, Reel, for 35184 Housing
应用	Signal
产品名称	不适用
UPC	800754253345

物理

性别	男
材料 - 金属	Brass
材料 - 接合部位电镀	Tin
材料 - 终端电镀	Tin
净重	0.073/g
包装形式	Reel
最薄镀层 - 接合部位	0.813μm
最薄镀层 - 端接	0.813μm
终端界面类型	Crimp or Compression
导线绝缘直径	1.15-1.90mm
线径规格 (AWG)	22, 24, 26, 28
线缆尺寸mm ²	不适用

进程

无铅	不适用
----	-----

施工工具

全局

描述	产品编号
Extraction and Activation Tool	<u>0638132700</u>
PremiumGrade Hand Crimp Tool for Mini-Fit Jr. Male and Female Terminals, 22-28 AWG	<u>0638190800</u>

FineAdjust Applicator for 2.50mm Wire-to-Wire Male Crimp Terminal, 22-28 AWG Wire	<u>0639007900</u>
T2 Terminator Tooling Die for Wire-to-Wire Male Crimp Terminal, 22-28 AWG	<u>0639107900</u>

This document was generated on Jan 02, 2024