



产品编号 : [797582024](#)

Product Description : Pre-Crimped Lead KK  
254 Female-to-KK 254 Female, Tin (Sn)  
Plating, 300.00mm Length, 24 AWG, Black

系列号 : 79758

状态 : Active

Product Category : Power and Signal Cable  
Assemblies



---

## 文件和资源

### 图纸

[图纸 797582024\\_sd.pdf](#)

---

## 产物环境合规

### 合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

### 多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

### 多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### 欧盟 RoHS 合格证书

---

## 产品详情

### 常规


状态	活动
类别	Power and Signal Cable Assemblies
系列	79758
说明	Pre-Crimped Lead KK 254 Female-to-KK 254 Female, Tin (Sn) Plating, 300.00mm Length, 24 AWG, Black
组件配置	Pre-crimped Lead Only
连接器到连接器	KK Cat Ear Crimp Terminals
关键字	Pre-Crimped Leads
产品系列	Off-the-Shelf Pre-Crimped Leads
产品名称	KK
UPC	889056822770

### 物理

电缆长度	300.00mm
回路数 (已载入)	1
电路数 (最多)	1
颜色-树脂	黑色
性别	Female-Female
材料 - 金属	Brass
材料 - 接合部位电镀	Tin
材料 - 终端电镀	Tin
净重	1.321/g
包装形式	Bag
最薄镀层 - 接合部位	1.016µm
单端的	否
终端界面类型	Crimp or Compression
导线/电缆型号	UL 1007
线径规格 (AWG)	24

9 8 7 6 5 4 3 2 1

REVISIONS				
EC NO	DATE	REV	DESCRIPTION	CHANGER
	2016.06.20	A	INITIAL RELELASE.	DICK
CY16-6929	2016.12.15	A1	CHG NOTE 2.	DICK



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
<b>QUALITY SYMBOLS</b> 	EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE								
		ANGULAR TOL ± °		MM	NTS								
		4 PLACES ±	DRWN BY	DATE	SEE TABLE								
		3 PLACES ±	1 PLACE ±	0 PLACES ±	CHK'D BY	DATE	PRODUCT CUSTOMER DRAWING						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			APPR BY	DATE	SERIES	MATERIAL NUMBER	CUSTOMER				
					YXZOU	2016/06/30	201234	SEE TABLE	GENERAL MARKET				
					DRAWING SIZE	THIRD ANGLE PROJECTION	DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
					A3		2012341213		PSD	000	1 OF 3		

RELEASE STATUS	ER	RELEASE DATE	16.12.2016	02:46:09
----------------	----	--------------	------------	----------

9 8 7 6 5 4 3 2 1

TABLE							
PART NUMBER	L(MM)	TITLE	ITEM	DESCRIPTION	Q'TY	PPQ	DU
797582022	150±5	C-Grid 150mm	A	C-Grid Term Fem Crp LFH Sn-A 22/24AWG 901190109	2	50	4000
			B	UL&CSA 1061/#22 STR BLK	A/R		
797582023	300±5	C-Grid 300mm	A	C-Grid Term Fem Crp LFH Sn-A 22/24AWG 901190109	2	50	4000
			B	UL&CSA 1061/#22 STR BLK	A/R		
797582024	300±5	KK 300mm	A	2.5mm KK Crp Term Chn il W/Cat Ear 8500031	2	50	4000
			B	24AWG;PLATED;PVC;BLK;OD=1.40mm;UL1007	A/R		
797582025	150±5	062' 150mm	A	062MaleTermChainBrsTin18-24 1560-(P901) 2062101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582026	300±5	062' 300mm	A	062MaleTermChainBrsTin18-24 1560-(P901) 2062101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582027	150±5	062' 150mm	A	062FemaleTermChainBrsTin18-241561-(P901) 2061101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582028	300±5	062' 300mm	A	062FemaleTermChainBrsTin18-241561-(P901) 2061101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582029	150±5	MLX 150mm	A	084 MLX Term M Pwr Chain Brs Tin 14-20AWG 2082003	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582030	300±5	MLX 300mm	A	084 MLX Term M Pwr Chain Brs Tin 14-20AWG 2082003	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582031	150±5	MLX 150mm	A	TERMINAL MLX .84" 14-20AWG EST. FEM-B 2081001	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582032	300±5	MLX 300mm	A	TERMINAL MLX .84" 14-20AWG EST. FEM-B 2081001	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582033	150±5	093' 150mm	A	093 Male Term Chain Brs Tin 14-20AWG 2092101	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582034	300±5	093' 300mm	A	093 Male Term Chain Brs Tin 14-20AWG 2092101	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582035	150±5	093' 150mm	A	093 Female Term Chain Tin 14-20AWG 2091102	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582036	300±5	093' 300mm	A	093 Female Term Chain Tin 14-20AWG 2091102	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582037	150±5	Mega-Fit 150mm	A	Mega-Fit Female Crimp 14-16AWG 15 Gold 1720630311	2	50	3000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582038	300±5	Mega-Fit 300mm	A	Mega-Fit Female Crimp 14-16AWG 15 Gold 1720630311	2	50	3000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582039	150±5	Mega-Fit 150mm	A	Mega-Fit Female Crimp 12 AWG 15 Gold 1720630312	2	50	3000
			B	UL&CSA1015/#12 STR BLK	A/R		
797582040	300±5	Mega-Fit 300mm	A	Mega-Fit Female Crimp 12 AWG 15 Gold 1720630312	2	50	3000
			B	UL&CSA1015/#12 STR BLK	A/R		
797582041	150±5	Sabre 150mm	A	Sabre Term WtW M Tin 14-18AWG 431782002	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582042	300±5	Sabre 300mm	A	Sabre Term WtW M Tin 14-18AWG 431782002	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582043	150±5	Sabre 150mm	A	Sabre TPA Term Fem Tin 14-18AWG 433751001	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582044	300±5	Sabre 300mm	A	Sabre TPA Term Fem Tin 14-18AWG 433751001	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		

SEE NOTE 2,3

NOTE:  
 1. THIS PRODUCT MUST MEET 2011/65/EU ROHS COMPLIANCE.  
 此产品需符合 2011/65/EU ROHS环保要求。  
 2. PPQ: THE AMOUNT OF CABLES PER BUNDLE.  
 每捆产品数量。  
 3. DU : THE MINIMUM LINE QUANTITY TO BUY.  
 最小购买数量。  
 4. STICK UL LABEL ON THE OUTSIDE CARTON.  
 外箱上贴UL标签。

QUALITY SYMBOLS
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION













EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	2016/12/15 2016/12/16 2016/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±	DIMENSION UNITS: MM SCALE: NTS DRWN BY: WLXIE DATE: 2016/05/19 CHK'D BY: DHUANG16 DATE: 2016/06/13 APPR BY: YXZOU DATE: 2016/06/30	PRODUCT CUSTOMER DRAWING SERIES: 201234 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE: A3 THIRD ANGLE PROJECTION	SEE TABLE
	B		A3	SEE TABLE
	RELEASE STATUS: ER RELEASE DATE: 16.12.2016 02:46:09		DOCUMENT NUMBER: 2012341213 DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 2 OF 3	













SEE TABLE

PRODUCT CUSTOMER DRAWING

SERIES	MATERIAL NUMBER	CUSTOMER
201234	SEE TABLE	GENERAL MARKET

	901190109		2081001
	8500031		2092101
	2062101		2091102
	2061101		1720630311
	2082003		1720630312
	431782002		433751001

DETAIL A  
TERMINAL FIGURE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
<b>QUALITY SYMBOLS</b>  = 0  = 0  = 0  = 0  = 0  = 0  = 0  = 0	EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	2016/12/15 2016/12/16 2016/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	  SEE TABLE							
			ANGULAR TOL ± °		MM	NTS								
			4 PLACES ±	DRWN BY	DATE	WLXIE 2016/05/19								
			3 PLACES ±	CHK'D BY	DATE	DHUANG16 2016/06/13								
			2 PLACES ±	APPR BY	DATE	YXZOU 2016/06/30								
			1 PLACE ±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE	THIRD ANGLE PROJECTION	PRODUCT CUSTOMER DRAWING						
			0 PLACES ±			A3		SERIES	MATERIAL NUMBER	CUSTOMER				
								201234	SEE TABLE	GENERAL MARKET				
								DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
								2012341213		PSD	000	3 OF 3		