



产品编号 : [797582025](#)

Product Description : Pre-Crimped Lead
.062" Male-to-.062" Male, Tin (Sn)
Plating, 150.00mm Length, 22 AWG, Black

系列号 : 79758

状态 : Active

Product Category : Power and Signal Cable
Assemblies



文件和资源

图纸

[图纸 797582025_sd.pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2022)4187-DC (10 June 2022)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Power and Signal Cable Assemblies
系列	79758
说明	Pre-Crimped Lead .062" Male-to-.062" Male, Tin (Sn) Plating, 150.00mm Length, 22 AWG, Black
组件配置	Pre-crimped Lead Only
连接器到连接器	.062" Crimp Terminals
关键字	Pre-Crimped Leads
产品系列	Off-the-Shelf Pre-Crimped Leads
产品名称	Standard .062"
UPC	889056822763

物理

电缆长度	150.00mm
回路数 (已载入)	1
电路数 (最多)	1
颜色-树脂	黑色
性别	Male-Male
材料 - 金属	Brass
材料 - 接合部位电镀	Tin
材料 - 终端电镀	Tin
净重	1.647/g
包装形式	Bag
单端的	否
终端界面类型	Crimp or Compression
导线/电缆型号	UL 1061
线径规格 (AWG)	22


可连接使用部件

描述	产品编号
----	------

Standard .062" Pin and Socket Connector Housings	<u>1625</u>
Standard .062" Pin and Socket Dual Row Connector Housings	<u>2004</u>

This document was generated on Jan 02, 2024

REVISIONS				
EC NO	DATE	REV	DESCRIPTION	CHANGER
	2016.06.20	A	INITIAL RELELASE.	DICK
CY16-6929	2016.12.15	A1	CHG NOTE 2.	DICK



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
QUALITY SYMBOLS 	EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °		DIMENSION UNITS	SCALE							
		4 PLACES ±		MM	NTS							
		3 PLACES ±		DRWN BY	DATE							
		2 PLACES ±		WLXIE 2016/05/19		CHK'D BY DATE		SEE TABLE				
		1 PLACE ±		DHUANG16 2016/06/13		APPR BY DATE						
		0 PLACES ±		YXZOU 2016/06/30		DRAWING SIZE THIRD ANGLE PROJECTION		PRODUCT CUSTOMER DRAWING				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				SERIES	MATERIAL NUMBER	CUSTOMER		
								201234	SEE TABLE	GENERAL MARKET		
								DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER
								2012341213		PSD	000	1 OF 3

TABLE							
PART NUMBER	L(MM)	TITLE	ITEM	DESCRIPTION	Q'TY	PPQ	DU
797582022	150±5	C-Grid 150mm	A	C-Grid Term Fem Crp LFH Sn-A 22/24AWG 901190109	2	50	4000
			B	UL&CSA 1061/#22 STR BLK	A/R		
797582023	300±5	C-Grid 300mm	A	C-Grid Term Fem Crp LFH Sn-A 22/24AWG 901190109	2	50	4000
			B	UL&CSA 1061/#22 STR BLK	A/R		
797582024	300±5	KK 300mm	A	2.5mm KK Crp Term Chn il W/Cat Ear 8500031	2	50	4000
			B	24AWG;PLATED;PVC;BLK;OD=1.40mm;UL1007	A/R		
797582025	150±5	062' 150mm	A	062MaleTermChainBrsTin18-24 1560-(P901) 2062101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582026	300±5	062' 300mm	A	062MaleTermChainBrsTin18-24 1560-(P901) 2062101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582027	150±5	062' 150mm	A	062FemaleTermChainBrsTin18-241561-(P901) 2061101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582028	300±5	062' 300mm	A	062FemaleTermChainBrsTin18-241561-(P901) 2061101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582029	150±5	MLX 150mm	A	084 MLX Term M Pwr Chain Brs Tin 14-20AWG 2082003	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582030	300±5	MLX 300mm	A	084 MLX Term M Pwr Chain Brs Tin 14-20AWG 2082003	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582031	150±5	MLX 150mm	A	TERMINAL MLX .84" 14-20AWG EST. FEM-B 2081001	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582032	300±5	MLX 300mm	A	TERMINAL MLX .84" 14-20AWG EST. FEM-B 2081001	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582033	150±5	093' 150mm	A	093 Male Term Chain Brs Tin 14-20AWG 2092101	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582034	300±5	093' 300mm	A	093 Male Term Chain Brs Tin 14-20AWG 2092101	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582035	150±5	093' 150mm	A	093 Female Term Chain Tin 14-20AWG 2091102	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582036	300±5	093' 300mm	A	093 Female Term Chain Tin 14-20AWG 2091102	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582037	150±5	Mega-Fit 150mm	A	Mega-Fit Female Crimp 14-16AWG 15 Gold 1720630311	2	50	3000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582038	300±5	Mega-Fit 300mm	A	Mega-Fit Female Crimp 14-16AWG 15 Gold 1720630311	2	50	3000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582039	150±5	Mega-Fit 150mm	A	Mega-Fit Female Crimp 12 AWG 15 Gold 1720630312	2	50	3000
			B	UL&CSA1015/#12 STR BLK	A/R		
797582040	300±5	Mega-Fit 300mm	A	Mega-Fit Female Crimp 12 AWG 15 Gold 1720630312	2	50	3000
			B	UL&CSA1015/#12 STR BLK	A/R		
797582041	150±5	Sabre 150mm	A	Sabre Term WtW M Tin 14-18AWG 431782002	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582042	300±5	Sabre 300mm	A	Sabre Term WtW M Tin 14-18AWG 431782002	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582043	150±5	Sabre 150mm	A	Sabre TPA Term Fem Tin 14-18AWG 433751001	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582044	300±5	Sabre 300mm	A	Sabre TPA Term Fem Tin 14-18AWG 433751001	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		













SEE NOTE 2,3

NOTE:
 1. THIS PRODUCT MUST MEET 2011/65/EU ROHS COMPLIANCE.
 此产品需符合 2011/65/EU ROHS环保要求。
 2. PPQ: THE AMOUNT OF CABLES PER BUNDLE.
 每捆产品数量。
 3. DU : THE MINIMUM LINE QUANTITY TO BUY.
 最小购买数量。
 4. STICK UL LABEL ON THE OUTSIDE CARTON.
 外箱上贴UL标签。



QUALITY SYMBOLS
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	2016/12/15 2016/12/16 2016/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±	DIMENSION UNITS: MM SCALE: NTS DRWN BY: WLXIE DATE: 2016/05/19 CHK'D BY: DHUANG16 DATE: 2016/06/13 APPR BY: YXZOU DATE: 2016/06/30	PRODUCT CUSTOMER DRAWING SERIES: 201234 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS A3		THIRD ANGLE PROJECTION	DOCUMENT NUMBER: 2012341213 DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 2 OF 3
	DIMENSION UNITS: MM SCALE: NTS		SEE TABLE	SEE TABLE
	DIMENSION UNITS: MM SCALE: NTS		SEE TABLE	SEE TABLE

	901190109		2081001
	8500031		2092101
	2062101		2091102
	2061101		1720630311
	2082003		1720630312
	431782002		433751001

DETAIL A
TERMINAL FIGURE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
QUALITY SYMBOLS = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0	EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	2016/12/15 2016/12/16 2016/12/19		GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °		DIMENSION UNITS	SCALE	 SEE TABLE					
		MM		NTS		DRWN BY						DATE	
		WLXIE		2016/05/19		CHK'D BY						DATE	
		4 PLACES ±		3 PLACES ±		2 PLACES ±		1 PLACE ±		0 PLACES ±		APPR BY YXZOU 2016/06/30	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING SIZE	THIRD ANGLE PROJECTION		PRODUCT CUSTOMER DRAWING SERIES: 201234 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET				
						A3			DOCUMENT NUMBER: 2012341213 DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 3 OF 3				