





THIS DRAWING IS UNPUBLISHED.
 VERTRAULICHE UNVERÖFFENTLICHTE ZEICHNUNG
 © COPYRIGHT 2001 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.
 FREI FUER VERÖFFENTLICHUNG
 ALLE RECHTE VORBEHALTEN

DATE: 19FEB2001
 DRAWN BY: K. Sellien
 CHECKED BY: B. Kirsch

LOC	DIST	REVISIONS ÄNDERUNGEN			
P	LTR	DESCRIPTION BESCHREIBUNG	DATE	DWN	APVD
A1	-	A1	19FEB2001	KS	-
		A2	10JUL2002	KS	-



勝特力電材超市-龍山店 886-3-5773766
 勝特力電材超市-光復店 886-3-5729570
 勝特力電子(上海) 86-21-34970699
 勝特力電子(深圳) 86-755-83298787
<http://www.100y.com.tw>

Bemerkungen

- 1 Verpackung: Schüttgut in Faltschachtel
- 2 Benutzt als Dichtstopfen bei 1355124, 1355137

Notes

- 1 PACKAGING: LOOSE PIECE IN FOLDING BOX
- 2 USED AS SEALING PLUG ON 1355124, 1355137

1394872-1	A	NATURE	-	1
PART NO.	REV.	COLOUR SURFACE	RAL	ITEM NO.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION. DIESES ZEICHNUNGSDOKUMENT WIRD DURCH AMP INCORPORATED KONTROLLIERT. ÄNDERUNGEN, DIE DEM TECHNISCHEN FORTSCHRITT DIENEN, SIND VORBEHALTEN. DEN JEWELIS LETZTGÜLTIGEN ÄNDERUNGSSTAND ERFAHREN SIE AUF ANFRAGE.		DWN K. Sellien 19FEB2001	tyco Electronics tyco Electronics AMP GmbH D - 64625 Bensheim	
DIMENSIONS: MASSEINHEITEN: mm		CHK B. Kirsch 19FEB2001	NAME SEALING PLUG, 1.5MM-CLEAN-BODY Dichtstopfen, 1.5mm-Clean-Body	
TOLERANCES UNLESS OTHERWISE SPECIFIED: ALLGEMEINTOLERANZEN 0 PLC ± ACC. TO 1 PLC ± DIN 16901-140 2 PLC ± CENTRIC TO 3 PLC ± NOMINAL DIM 4 PLC ± ANGLES/WINKEL ±1° FINISH/OBERFLÄCHE/FARBE -		APVD -	DRAWING NO ZEICHNUNGS-NR. A3 00779 C=1394872	
MATERIAL PA66-GF13		PRODUCT SPEC PRODUKTSPEZ. -	RESTRICTED TO NUR FUER -	
		APPLICATION SPEC VERARBEITUNGSSPEZ. -	SCALE MASSSTAB 5:1	
		WEIGHT GEWICHT -	SHEET BLATT 1 OF VON 1	
CUSTOMER DRAWING		/KUNDENZEICHNUNG		REV A2

108-94943

05 OCTOBER 2023 REV A

Class 1

BLIND PLUG DIA 0.63, MQS CB

The product described in this document has not been fully tested to ensure conformance to the requirements outlined below. Therefore, TE Connectivity (TE) makes no representation or warranty, express or implied, that the product will comply with these requirements. Further, TE may change these requirements based on the results of additional testing and evaluation. Contact TE Engineering for further details.

1. SCOPE

1.1. Content

This specification defines the test method for dummy plug.

1.2. Qualification

When testing the named products, the following specified specifications and standards shall be used. All tests have to be done using the applicable inspection plan and product.

2. APPLICABLE DOCUMENTS

The following documents, if they are referred inside this document, are part of this specification. In case of conflict between the requirements of this specification and the product drawing or in conflict between the requirements of this specification and the referenced documents, this specification has precedence.

3. REQUIREMENTS

No.	Items	Characteristics	Remarks
1.	Appearance	No Harmful crack, rust, burr, damage, deformation, discoloration, etc.,	
2.	Waterproof Test	minimum 0.5kgf/cm ² after following tests. 1. Cold Resistance 2 2. Thermal Shock test 3. Heat Resistance 4. Temperature Humidity Test 5. Dust Test 6. Waterproof test 7. Oil and liquid Test 8. Ozone Test 9. Sulfur (SO ₂) gas test 10. Composite environmental vibration/Mechanical Test	

- For detail test requirement and method, please refer to product spec of available connector for each dummy plug.

4. PRODUCT LISTS

No.	TE PN	Description	Remarks
1.	2141276-1	BLIND PLUG DIA 0.63, MQS CB.	

<u>LTR</u>	<u>REVISION RECORD</u>	<u>NAME</u>	<u>DATE</u>
A	NEW DOCUMENT	Goutham PK	20OCT2023