


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
BD	39	P	LTR	DESCRIPTION	DATE	DWN	APVD
		F		0G3B-0317-03	24APR03	TK	GS

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
 Http://www.100y.com.tw



1. WIRE RANGE 24-20 AWG.
2. INSULATION RANGE 1.02-2.03 [.040-.080] DIA.
3. 0.76 μm [.000030] MIN GOLD IN LOCALIZED GOLD PLATE AREA, 1.27 μm [.000050] MIN TIN-LEAD IN LOCALIZED TIN-LEAD PLATE AREA, BOTH OVER 1.27 μm [.000050] MIN NICKEL.
4. TIN PLATED.
5. GOLD PLATING PER MIL-G-45204, TIN PER MIL-T-10727 AND NICKEL PER QQ-N-290.
6. 0.76 μm [.000030] MIN GOLD IN LOCALIZED GOLD PLATE AREA, 1.27 μm [.000050] MIN TIN IN LOCALIZED TIN PLATE AREA, BOTH OVER 1.27 μm [.000050] MIN NICKEL.

1-66583-0	6	66593-4
66583-4	3	66593-2
66583-2	4	66593-1
STRIP REF	FINISH	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	D.HARDY	06/15/94	Tyco Electronics Corporation Harrisburg, Pa		
DIMENSIONS: INCHES		CHK	R.STONE	06/22/94			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	G.STEINHAUER	06/27/03	NAME		
0 PLC ± -		PRODUCT SPEC		CONTACT, PIN, LOOSE PIECE, TYPE VI, MULTIMATE			
1 PLC ± -		APPLICATION SPEC		SIZE			
2 PLC ± 0.13 [.005]		WEIGHT		A3		CAGE CODE	00779
3 PLC ± -		CUSTOMER DRAWING		DRAWING NO		C-66593	
4 PLC ± -		SCALE		6:1		SHEET 1 OF 1	
ANGLES ± -		RESTRICTED TO		REV		F	
MATERIAL BRS PER MIL-C-50		FINISH SEE TABLE					