





REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	M6	REVISED PER ECR-18-010208	31JUL2018	BDA	SF


勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-34970699  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)



NOTES:

Bemerkungen:

- 1 2-6 µm Sn OVER Ni IN CRIMP-AREA  
2-6 µm Sn über Ni in der Crimpzone
- 2 0.8 µm Au OVER Ni IN CONTACT-AREA  
0.8 µm Au über Ni in der Kontaktzone
- 3 SUITABLE FOR Ø1.0-2.5mm  
Für Isolations Ø1.0-2.5mm geeignet
- 4 0.8 µm Au OVER 1.3 µm Ni ON INSIDE OF WIRE BARREL AND CONTACT AREA  
0.8 µm Au über 1.3 µm Ni in der Drahtcrimp und Kontaktzonen, sonst 1.3 µm Ni



	107-3, FIG.2		926882-8	BRASS	PRE-TIN
SUPERSEDED BY 350536-7	407-3, FIG.1	926893-7	926884-7	BRASS	1 2
SUPERSEDED BY 350536-6	407-3, FIG.1	926893-6	926884-6	PHOS BRONZE	1 2
OBSOLETE	407-3, FIG.1	926893-5	926882-5	COPPER ALLOY	PRE-TIN
OBSOLETE	407-3, FIG.1	926893-4	926882-4	COPPER ALLOY	PLAIN
	107-3, FIG.1	926893-3	926882-3	PHOS BRONZE	PRE-TIN
SUPERSEDED BY 350536-2	407-3, FIG.1	926893-2	926882-2	BRASS	4
	107-3, FIG.1	926893-1	926882-1	BRASS	PRE-TIN
	REELING	LOOSE PIECE	PART NO.	MATERIAL	FINISH

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 29NOV2005

J.Skoda

CHK R.Vlcek

APVD M.Bleicher

PRODUCT SPEC

108-1031

APPLICATION SPEC

114-18011

WEIGHT

-



TE Connectivity


NAME UNIVERSAL MNL Socket  
0.5-2.1 mm SQUARE WIRE RANGE

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C-926882

DIMENSIONS:  
mm

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:



0 PLC	±0.2
1 PLC	±0.2
2 PLC	±0.2
3 PLC	±
4 PLC	±
ANGLES	±1°

MATERIAL  
SEE TABLE

FINISH  
SEE TABLE

CUSTOMER DRAWING

SCALE 5:1 SHEET 1 OF 1 REV M6