

Data Sheet | Item Number: 249-120

Group marker carrier; white

<https://www.wago.com/249-120>



Color: ■ white

勝特力電材超市-龍山店 886-3-5773766
勝特力電材超市-光復店 886-3-5729570
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
<http://www.100y.com.tw>

Technical data

Suitable	for end stops (249-116 and 249-117); with marking surface
Properties	Snap-on type and adjustable in height from 42.2 mm to 58.2 mm
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V2

Physical data

Height	42.2 mm / 1.661 inches
Width	6 mm / 0.236 inches
Depth	41 mm / 1.614 inches

Material data

Color	white
Weight	1.4 g
Fire load	0.043 MJ

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-40-75
eCl@ss 9.0	27-14-40-75
ETIM 9.0	EC002248
ETIM 8.0	EC002248
PU (SPU)	50 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332133838
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 249-120	↓

Documentation

Bid Text			
249-120	19.02.2019	xml 2.72 KB	↓
249-120	04.01.2018	doc 24.00 KB	↓

CAD/CAE-Data

CAD data	
2D/3D Models 249-120	↓

CAE data	
EPLAN Data Portal 249-120	↓
WSCAD Universe 249-120	↓
ZUKEN Portal 249-120	↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Marking

1.1.1.1 Label




[Item No.: 210-810](#)
Labels; for Smart Printer; 5 x 35 mm; white

[Item No.: 210-710](#)
Labels; for TP printers; 5 x 35 mm

Installation Notes

Application



This system can be used as an additional group marker carrier or continuous marking strip carrier for terminal strips or single-deck rail-mount terminal blocks, e.g., for:

- DIN-35 rail-mount terminal strips (264 Series)
- Single-deck rail-mount terminal blocks (279 to 284 Series) with a maximum height of 49 mm (1.93 inch) from upper edge of DIN-rail (observe conductor radius)Receptacles for:
 - 1 x marker
 - 2 x WMB Multi marker or
 - 3 x WCB Combi marker or
 - 1 x WFB continuous marking strip