

## **Regulatory Compliance Declaration**

RoHS 2011/65/EU | RoHS 2015/863/EU | REACH 1907/2006/EG

勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787

Http://www.100y.com.tw

2023-07-03

Based on the statements and information received from our suppliers and third parties, WAGO declares in accordance with RoHS Directive 2011/65/EU (including Directive 2015/863/EU) and REACH Regulation 1907/2006 in their most recent version.

Article number	Description	REACH Candidate List Substance	SCIP notification number	CAS-No.	RoHS Compliance Status	RoHS Exemption
Company of the Compan	2-conductor female connector, 2.5 mm², 16.0 A, lig;	CONTRACTOR OF THE PROPERTY OF		<del></del> 2	Compliant, No Exemptions	

In case of further questions please contact EHS-product-compliance@wago.com.

## Disclaimer of liability

All declarations reflect the current status. WAGO assumes no liability and makes no warranties of any kind, express or implied, in relation to the aforementioned declaration.

The given information reflects our current knowledge, which is based on statements and information of our suppliers and third parties. Since variance cannot be precluded entirely, we cannot guarantee full consistency. However, the information in this publication is reviewed regularly and any necessary corrections are included in subsequent editions.

Item-No.	No. 721-2112/026-000			<u></u>
WAGO eShop	Info DE	勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787		<u></u>
WAGO eShop	Info EN	Http://www.100y.com.tw		<u></u>
Cross section	0.2 - 2.5		mm²	<u></u>
Cross section	24 - 12		AWG	<u></u>
Strip length	9 - 10		mm	<u></u>
Measured voltage	320		٧	<u></u>
Rated impulse voltage	4		kV	<u></u>
Pollution degree	2			<u></u>
Current intensity	16		А	<u></u>
Pin Spacing	5.00		mm	<u></u>
No. of poles	12			
Height	20.80		mm	<u></u>
Width	60.00		mm	<u></u>
Depth	26.45		mm	
Number of connection points	24			<u></u>
Number of potentials	12			<u></u>
Color	lichtgrau			<u></u>
Comment  L = (No. of poles - 2) x Pin Spacing + 10 mm				<u></u>
Weight	26.738		g	<u></u>
eCl@ss 7.1	27-14-11-06			<u></u>
eCl@ss 8.1	27-44-03-09			<u></u>