

Part Number: 08520071

Product Description: KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, Tin

(Sn)

Series Number: 2478

Status: Active

Product Category: Crimp Terminals Engineering Number: 2478-3-(P909) Packaging Alternative: 0008520072 (Bag)



Documents & Resources

Drawings

Drawing 008520071_sd.pdf

Packaging Design Drawing PK-2759-002-001.pdf

Specifications

Product Specification PS-08-50-001.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Compliant with Exemption 44 |
|--------------------|--|
| China RoHS | • |
| EU ELV | Compliant per 2000/53/EC |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2023)3788-DC (14 Jun 2023) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|--|
| Category | Crimp Terminals |
| Series | 2478 |
| Description | KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, Tin (Sn) |
| Application | Power, Wire-to-Board |
| Product Family | KK Interconnect Systems |
| Product Name | KK 396,KK 508 |
| UPC | 800753758131 |

Physical

| Gender | Female |
|--------------------------------|----------------------|
| Material - Metal | Phosphor Bronze |
| Material - Plating Mating | Tin |
| Material - Plating Termination | Tin |
| Net Weight | 0.198/g |
| Packaging Type | Reel |
| Plating min - Mating | 2.540µm |
| Plating min - Termination | 2.540µm |
| Termination Interface Style | Crimp or Compression |
| Wire Insulation Diameter | 2.79mm max. |
| Wire Size (AWG) | 18, 20, 22, 24 |
| Wire Size mm ² | N/A |

Solder Process Data

| Lead-Free Process Capability | N/A | |
|------------------------------|-----|--|
|------------------------------|-----|--|

Use with Part(s)

| Description | Part Number |
|--|--------------|
| KK 3.96mm Single Row Crimp Housings | <u>2139</u> |
| KK 3.96mm Single Row Crimp Housings | <u>3069</u> |
| KK 3.96mm Crimp Housings | <u>41695</u> |

Application Tooling

Global

| Description | Part Number |
|--|-------------------|
| Extraction Tool for Flat Blade, 3.96mm KK, 2.00mm, 3.96mm EdgeMate, and Ultra-Fit Terminals | <u>0011030016</u> |
| Terminator Die | 0011402096 |
| Hand Crimp Tool for 3.96mm Pitch KK Crimp Terminals, 18-24 AWG | 0638279500 |
| Mini-Mac Applicator for KK and Trifurcon, 3.96mm Terminals, 18-24 AWG, check ATS for Wire Insulation Diameter Compatibility | <u>0638885000</u> |

This document was generated on Jan 31, 2024