



产品编号 : 08700102

Product Description : 2.50mm Pitch Mini-Latch Crimp Terminal, Male, Brass, Reel

系列号 : 5241

状态 : New Business Not Supported

Product Category : Crimp Terminals

工程编号 : 5241T


Packaging Alternative : 0008700103 (Bag)



文件和资源

产物环境合规

合规

GADSL/IMDS	Compliant with Exemption 44
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	New Business Not Supported
类别	Crimp Terminals
系列	5241
说明	2.50mm Pitch Mini-Latch Crimp Terminal, Male, Brass, Reel
应用	Signal, Wire-to-Wire
产品系列	Mini-Latch Wire-to-Board / Wire-to-Wire Connector System
产品名称	Mini-Latch
UPC	800753640511

电气

每触点最大电流	3.0A
---------	------

物理

耐用性(插拔次数) - 最多次数	30
性别	男
材料 - 金属	Brass
材料 - 接合部位电镀	Tin
材料 - 终端电镀	Tin
净重	65.400/mg
包装形式	Reel
最薄镀层 - 接合部位	0.889µm
最薄镀层 - 端接	0.889µm
终端界面类型	Crimp or Compression
导线绝缘直径	1.15-1.90mm
线径规格 (AWG)	22, 24, 26, 28
线缆尺寸mm ²	不适用

施工工具

全局

描述	产品编号
----	------

PremiumGrade Hand Crimp Tool for Mini-Fit Jr. Male and Female Terminals, 22-28 AWG	<u>0638190800</u>
FineAdjust Applicator for Wire-to-Board and Wire-to-Wire Terminal, 22-28 AWG Wire	<u>0639004600</u>
T2 Terminator Tooling Die	<u>0639104600</u>

施工工具

日本

描述	产品编号
Hand Extraction Tool	<u>0011260060</u>
S-1 Applicator for SPOX Male Terminals, 22-28 AWG	<u>2031753700</u>