

This document was generated on 01/03/2022

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0016021110](#)
Status: **Active**
Overview: [SL Modular Connectors](#)
Description: SL Crimp Terminal, Series 71851, Female, with Tin (Sn) Plated Contact, 22-24 AWG, Reel

Documents:

[Drawing \(PDF\)](#) [Product Specification PS-71851-001 \(PDF\)](#)
[Product Specification PS-70400-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family Crimp Terminals
Series [71851](#)
Application Signal, Wire-to-Board, Wire-to-Wire
Crimp Quality Equipment Yes
Overview [SL Modular Connectors](#)
Packaging Alternative [16021114 \(Loose\)](#)
Product Name SL
UPC 800753595767

Physical

Gender Female
Material - Metal Phosphor Bronze
Material - Plating Mating Tin
Material - Plating Termination Tin
Net Weight 0.067/g
Packaging Type Reel
Plating min - Mating 3.810µm
Plating min - Termination 1.905µm
Termination Interface: Style Crimp or Compression
Wire Insulation Diameter 1.63mm max.
Wire Size AWG 22, 24
Wire Size mm² N/A

Solder Process Data


Lead-freeProcess Capability N/A

Material Info

Engineering Number 718510022

Reference - Drawing Numbers

Product Specification PS-70400-001, PS-71851-001
Sales Drawing SD-71851-0022-001



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[71851 Series](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Insertion Tool for [11020022](#)
70021,70028, 70110,
71851 Terminals /
Extraction Tool for
91821 Terminals
PremiumGrade Hand[638118700](#)
Crimp Tool for SL
Crimp Terminals,
22-24 AWG and
32-26 AWG
FineAdjust Applicator[639023200](#)
for SL Crimp
Terminals, for 22-24
AWG Wire with

Insulation Diameter
1.40-1.63mm
T2 Terminator 639123200
for Female Crimp
Terminal

This document was generated on 01/03/2022

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[16-02-1110](#)