


产品编号 : 1722641008
Product Description : Ultra-Fit Terminal
Position Assurance (TPA) Wire-to-Board
Retainer, 3.50mm Pitch, 8 Circuits, Black
系列号 : 172264
状态 : Obsolete
Product Category : Connector Accessories



文件和资源

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	Obsolete
----	----------


类别	Connector Accessories
系列	172264
说明	Ultra-Fit Terminal Position Assurance (TPA) Wire-to-Board Retainer, 3.50mm Pitch, 8 Circuits, Black
元件类型	Terminal Position Assurance
产品系列	Ultra-Fit Power Connectors
产品名称	Ultra-Fit
UPC	887191719764

物理


回路数（已载入）	8
电路数（最多）	8
颜色-树脂	黑色
锁定插接部位	是
材料 - 树脂	Nylon
净重	0.280/g
行数	1
包装形式	Bag
运行温度范围	-40° to +120° C

进程

无铅	不适用
----	-----



5 CKT





8 CKT

NOTES:


1. MATERIAL :
 OPTION 1: NYLON UL94 V-O, BLACK
 OPTION 2: NYLON UL94 V-O, NATURAL
2. PARTS TO BE PACKAGED PER PK-172323-0009
3. PRODUCT SPECIFICATION PS-172323-0001
4. PART USED WITH MOLEX RECEPTACLE HOUSING
 172256 AND 172258
5. REFFER TO AS-45499-001 FOR MOISTURING NYLON CONNECTOR PARTS
6. PARTS CONFORM TO CLASS "B" REQUIREMENTS OF COSMETIC
 SPECIFICATION PS-45499-002
7. APPLICATION SPECIFICATION: AS-172323-0001
8. MOLEX RECOMMENDS USING A NATURAL COLOR TPA FOR BLACK COLOR
 HOUSING AND A BLACK COLORED TPA FOR NATURAL COLORES HOUSINGS
 TO AID INSPECTION AFTER ASSEMBLY.

PART NO.	UL	COLOR	CIRCUIT SIZE	DIM B
172264-1002	V-0	BLACK	2	8.08
172264-1003	V-0	BLACK	3	11.58
172264-1004	V-0	BLACK	4	15.08
172264-1005	V-0	BLACK	5	18.58
172264-1006	V-0	BLACK	6	22.08
172264-1007	V-0	BLACK	7	25.58
172264-1008	V-0	BLACK	8	29.20
172264-2002	V-0	NATURAL	2	8.08
172264-2003	V-0	NATURAL	3	11.58
172264-2004	V-0	NATURAL	4	15.08
172264-2005	V-0	NATURAL	5	18.58
172264-2006	V-0	NATURAL	6	22.08
172264-2007	V-0	NATURAL	7	25.58
172264-2008	V-0	NATURAL	8	29.20


QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	= 0	EC NO.: 103949 DRWN: PPerez03 CHK'D: RHODGE APPR: RHODGE REV: A5	2016/03/31 2016/04/05 2016/03/31	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS	SCALE		 ULTRA-FIT TPA					
	= 0				mm	4:1							
	= 0				DRWN BY	DATE							
	= 0				ANGULAR TOL ± °	DROSCA		2014/04/10		PRODUCT CUSTOMER DRAWING			
	= 0				4 PLACES ±	CHK'D BY		DATE					
	= 0				3 PLACES ±	APPR BY		DATE					
	= 0				2 PLACES ± 0.25	JCOMERCI		2014/04/24		SERIES	MATERIAL NUMBER	CUSTOMER	
	= 0				1 PLACE ± 0.5	DRAFTING SIZE		THIRD ANGLE PROJECTION					
	= 0				0 PLACES ±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		D		172264		GENERAL MARKET	
										DOCUMENT NUMBER		DOC TYPE	DOC PART
							SD-172264-0001		PSD	000	1 OF 1		
7		A5	6		5		4	3	2		1		




2 CKT




3 CKT




4 CKT




5 CKT



6 CKT



7 CKT




8 CKT

TPA

PART NO.	GW	COLOR	CIRCUIT SIZE	DIM B
172268-1002	GW	BLACK	2	8.08
172268-1003	GW	BLACK	3	11.58
172268-1004	GW	BLACK	4	15.08
172268-1005	GW	BLACK	5	18.58
172268-1006	GW	BLACK	6	22.08
172268-1007	GW	BLACK	7	25.58
172268-1008	GW	BLACK	8	29.20
172268-2002	GW	NATURAL	2	8.08
172268-2003	GW	NATURAL	3	11.58
172268-2004	GW	NATURAL	4	15.08
172268-2005	GW	NATURAL	5	18.58
172268-2006	GW	NATURAL	6	22.08
172268-2007	GW	NATURAL	7	25.58
172268-2008	GW	NATURAL	8	29.20

NOTES:

1. MATERIAL :
 OPTION 1: NYLON GLOW WIRE BLACK
 OPTION 2: NYLON GLOW WIRE NATURAL
2. PARTS TO BE PACKAGED PER PK-172323-0009
3. PRODUCT SPECIFICATION PS-172323-0001
4. PART USED WITH MOLEX RECEPTACLE HOUSING
 172258 AND 172256
5. REFFER TO AS-45499-001 FOR MOISTURING NYLON CONNECTOR PARTS
6. PARTS CONFORM TO CLASS "B" REQUIREMENTS OF COSMETIC
 SPECIFICATION PS-45499-002
7. APPLICATION SPECIFICATION: AS-172323-0001
8. MOLEX RECOMMENDS USING A NATURAL COLOR TPA FOR BLACK COLOR
 HOUSING AND A BLACK COLORED TPA FOR NATURAL COLORES HOUSINGS
 TO AID INSPECTION AFTER ASSEMBLY.

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																							
F = 0 E = 0 P = 0 = 0 C = 0 X = 0 = 0 V = 0		EC NO: 103949 DRWN: PEREZ03 CHKD: RHODGE APPR: RHODGE REV:		2016/03/31 2016/04/05 2016/03/31		GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.25 1 PLACE ± 0.5 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION UNITS mm DRWN BY DROSCA CHKD BY APPR BY RHODGE DRAWING SIZE D		SCALE 4:1 DATE 2014/09/15 DATE DATE 2014/09/25 THIRD ANGLE PROJECTION 		 ULTRA-FIT TPA, GW PRODUCT CUSTOMER DRAWING <table><tr><td>SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="3">CUSTOMER</td></tr><tr><td>172268</td><td colspan="2"></td><td colspan="3">GENERAL MARKET</td></tr><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">SD-172268-0001</td><td>PSD</td><td>000</td><td colspan="2">1 OF 1</td></tr></table>						SERIES	MATERIAL NUMBER		CUSTOMER			172268			GENERAL MARKET			DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		SD-172268-0001		PSD	000	1 OF 1	
SERIES	MATERIAL NUMBER		CUSTOMER																																						
172268			GENERAL MARKET																																						
DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER																																					
SD-172268-0001		PSD	000	1 OF 1																																					
7		A4		6		5		1		4		2		3		1																									