



产品编号：1722643003

系列号：172264

Product Category：Connector Accessories

Product Description：Ultra-Fit Tangless  
Terminal Position Assurance (TPA), 3.50mm  
Pitch, 3 Circuits, Black

状态：Active

文件和资源

图纸

图纸 1722643003\_sd.pdf

包装设计图 1723230005-000.pdf

3D 模型和设计文件

3D模型 1722643003\_stp.zip

规格

应用规格 1722640001-AS-000.pdf

应用规格 1723230003-000.pdf

产品规格 1723230001-TS-000.pdf

产品规格 1723231000-PS-CH-000.pdf

产品规格 1723231000-PS-ES-000.pdf

产品规格 1723231000-PS-JP-000.pdf

产品规格 1723231000-PS-SK-000.pdf

产物环境合规

合规

|                    |                                                                                       |
|--------------------|---------------------------------------------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                                                          |
| China RoHS         |  |
| EU ELV             | Not Relevant                                                                          |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-21                                                    |
| REACH SVHC         | Not Contained per D(2023)8585-DC (23 Jan 2024)                                        |
| EU RoHS            | Compliant per EU 2015/863                                                             |

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

|      |                                                                                       |
|------|---------------------------------------------------------------------------------------|
| 状态   | 活动                                                                                    |
| 类别   | Connector Accessories                                                                 |
| 系列   | 172264                                                                                |
| 说明   | Ultra-Fit Tangless Terminal Position Assurance (TPA), 3.50mm Pitch, 3 Circuits, Black |
| 元件类型 | Terminal Position Assurance                                                           |
| 产品系列 | Ultra-Fit Power Connectors                                                            |
| 产品名称 | Ultra-Fit                                                                             |
| UPC  | 191128806145                                                                          |

物理

|          |                 |
|----------|-----------------|
| 回路数（已载入） | 3               |
| 电路数（最多）  | 3               |
| 颜色-树脂    | 黑色              |
| 锁定插接部位   | 是               |
| 材料 - 树脂  | Nylon           |
| 净重       | 0.145/g         |
| 行数       | 1               |
| 包装形式     | Bag             |
| 运行温度范围   | -40° to +120° C |

可连接使用部件

|    |      |
|----|------|
| 描述 | 产品编号 |
|----|------|

|                                                                                                         |                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ultra-Fit Tangless Receptacle Housing, 3.50mm Pitch, Single Row, 3 Circuits, Natural, Glow-Wire Capable | <a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/1722564103.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/1722564103.html</a> |
| Ultra-Fit Tangless Receptacle Housing, 3.50mm Pitch, Dual Row, 6 Circuits, Natural, Glow-Wire Capable   | <a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/1722584106.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/1722584106.html</a> |
| Ultra-Fit Plug Housing, 3.50mm Pitch, Single Row, 3 Circuits, Natural, Glow-Wire Capable                | <a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/2025694003.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/2025694003.html</a> |
| Ultra-Fit Plug Housing, 3.50mm Pitch, Single Row, 3 Circuits, Panel Mount, Natural, Glow-Wire Capable   | <a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/2025694103.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/2025694103.html</a> |
| Ultra-Fit Plug Housing, 3.50mm Pitch, Dual Row, 6 Circuits, Natural, Glow-Wire Capable                  | <a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/2169454006.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/2169454006.html</a> |
| Ultra-Fit Plug Housing, 3.50mm Pitch, Dual Row, 6 Circuits, Panel Mount, Natural, Glow-Wire Capable     | <a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/2169454106.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/2169454106.html</a> |

