



产品编号 : 190440032

系列号 : 19044

Product Category : Ring and Spade
Terminals

Product Description : Krimptite Ring
Tongue Terminal for 14-16 Heavy Duty AWG
Wire, Stud Size 10, 18.54mm Length, Carton

状态 : Active

工程编号 : B-137-10

文件和资源

图纸

图纸 190440032_sd.pdf

3D 模型和设计文件

3D模型 190440032_stp.zip


规格

产品规格 PS-19902-011-001.pdf

产品规格 PS-19902-013-001.pdf

产物环境合规

合规

GADSL/IMDS	Compliant with Exemption 44
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

产品详情

常规

状态	活动
类别	Ring and Spade Terminals
系列	19044
说明	Krimptite Ring Tongue Terminal for 14-16 Heavy Duty AWG Wire, Stud Size 10, 18.54mm Length, Carton
个评论	Heavy Duty
关键字	Ring Terminal, Ring Terminals
产品系列	Solderless Terminals
产品名称	Krimptite
类型	Ring
UPC	800755059823

机构

CSA	LR18689
UL	E32244

物理

筒型	已关闭
绝缘	无
材料 - 金属	Copper
材料 - 接合部位电镀	Tin
净重	0.762/g
包装形式	Carton
螺柱规格	10 (M5)
运行温度范围	149° C
终端界面类型	Crimp or Compression
线径规格 (AWG)	14, 16
线缆尺寸mm ²	1.00-2.50

进程



无铅	不适用
----	-----

施工工具

全局

描述	产品编号
PremiumGrade Hand Crimp Tool for Krimptite/Versakrimp Terminals and Splices, 10-22 AWG and 6.0mm ² - 0.5mm ²	<u>640030100</u>
Crimp Head for the AT-200 Pneumatic Hand Tool	<u>640070100</u>
ServiceGrade Hand Crimp Tool - Ratchet	<u>640160038</u>

LOOSE PIECE		SPECIFICATIONS					
MATERIAL NUMBER	ENGINEERING NUMBER	STUD SIZE	"S" ±.005 [0.13]	"W" ±.010 [0.25]	"C" MIN.	"L" MAX.	"H"
190440143	B-118-10	10	.198 [5.03]	.534 [13.56]	.554 [14.07]	1.115 [28.32]	1.172 [29.77]
190440144	B-118-14	14	.265 [6.73]				
190440146	B-118-38	38	.390[9.91]				
190440148	B-118-56	56	.328 [8.33]				
190440150	B-123-04	4	.119 [3.02]	.250 [6.35]	.209 [5.31]	.639 [16.23]	.98 [24.89]
190440152	B-123-06	6	.146 [3.71]				
190440154	B-123-08	8	.173 [4.39]				
190440156	B-125-10	10	.198 [5.03]	.467 [11.86]	.388 [9.86]	.916 [23.27]	.98 [24.89]
190440158	B-125-14	14	.265 [6.73]				
190440160	B-125-56	56	.328 [8.33]				
190440028	B-137-04	4	.119 [3.02]	.312 [7.92]	.285 [7.24]	.730 [18.54]	.98 [24.89]
190440030	B-137-06	6	.146 [3.71]				
190440031	B-137-08	6	.173 [4.39]				
190440032	B-137-10	10	.198 [5.03]				
190440033	B-139-04	4	.119 [3.02]	.342 [8.69]	.310 [7.87]	.775 [19.69]	.98 [24.89]
190440035	B-139-06	6	.146 [3.71]				
190440037	B-139-08	8	.173 [4.39]				
190440039	B-139-10	10	.198 [5.03]				



PARTS ON TAPE

NOTES:

1. MATERIAL: COPPER .031±.001 [0.79] THK.
2. PLATING: ELECTRO-TIN (.0003 MIN).
3. WIRE SIZE: 16-14 AWG
1.0-2.5 MM²
4. ALL DIMENSIONS IN INCHES/[MM].
5. PARTS ARE ROHS COMPLIANT.
6. DIMS. SHOWN ARE FOR REFERENCE ONLY.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS INCH/mm		SCALE NTS		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#512606.			molex						
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 764691						RING TONGUE TERMINAL KRIMPTITE 100-SERIES			
4 PLACES ±		±		DRWN: RAVINR1 2023/08/31									
3 PLACES ±		± 0.005		CHK'D: GGA 2023/10/13									
2 PLACES ±		± 0.13 ± 0.01		APPR: GGA 2023/10/13									
1 PLACE ±		± 0.25 ±		INITIAL REVISION:			PRODUCT CUSTOMER DRAWING						
0 PLACES ±		±		DRWN: JJ 1984/10/15			DOCUMENT NUMBER 190440143		DOC TYPE PSD	DOC PART 000	REVISION A3		
ANGULAR TOL ± 0.5 °		THIRD ANGLE PROJECTION			DRAWING C-SIZE		SERIES 19044		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET	SHEET NUMBER 1 OF 1	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING C-SIZE		SERIES 19044		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET	SHEET NUMBER 1 OF 1

DOCUMENT STATUS	P1	RELEASE DATE	2023/10/13 08:25:55
-----------------	----	--------------	---------------------