



产品编号：[192050006](#)
Product Description：VersaKrimp Parallel
Splice for 6 AWG Wire
系列号：19205
状态：Active
Product Category：Splices
工程编号：E-361



文件和资源

图纸
[图纸 192050006_sd. pdf](#)

规格
[产品规格 PS-19902-011-001. pdf](#)
[产品规格 PS-19902-013-001. pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Splices
系列	19205
说明	VersaKrimp Parallel Splice for 6 AWG Wire
产品系列	Splices
产品名称	Parallel, VersaKrimp
UPC	800755060850

机构

CSA	LR18689
UL	E32244

物理

筒型	Closed – Brazed
绝缘	无
材料 – 金属	Copper
材料 – 接合部位电镀	Tin
材料 – 终端电镀	Tin
净重	3. 338/g
包装形式	Bag
线径规格（AWG）	6

施工工具

全局

描述	产品编号
----	------

Manual Putt Pump Hydraulic System, Die set required	<u>192860117</u>
Die Set (Large) for the HHLS Hydraulic Crimper	<u>192900004</u>
Manual tool for Crimping non-insulated 8AWG thru 4/0 Terminals	<u>192940008</u>
Hydraulic Dieless Crimping Tool	<u>638161700</u>
PremiumGrade Hand Crimp Tool for 2-8 AWG Terminals	<u>640013900</u>
Square “DIN” style dies for 6 AWG	<u>640037770</u>
Crimp Head for the AT-200 Pneumatic Hand Tool	<u>640074300</u>

6		5		4		3		2		19205	
MATERIAL NO.		ENG. NO.		WIRE SIZE		I.D. MIN.		O.D. MAX.		"L" (E)	
192070001		AS-302		22-18		.060/1.50		.130/3.30		.305/.325 (7.75/8.26)	
192050001		BS-304		16-14		.091/2.30		.160/4.10		.295/.315 (7.50/8.00)	
192050003		CS-303		12-10		.130/3.30		.225/5.70		.295/.315 (7.50/8.00)	
192050004		D-355		8		.165/4.20		.295/7.50		.360/.390 (9.14/9.91)	
192050006		E-361		6		.230/5.80		.374/9.50		.430/.460 (10.92/11.68)	
192050007		F-365		4		.277/7.00		.457/11.60		.500/.530 (12.70/13.46)	
192050008		G-373		2		.357/9.00		.538/13.70		.635/.665 (16.13/16.89)	
192050009		H-384		1/0		.439/11.20		.620/15.70		.735/.765 (18.67/19.43)	
192050010		J-389		2/0		.496/12.60		.697/17.70		.725/.755 (18.42/19.18)	
192150049		K-394		3/0		.545/13.80		.760/19.30		.735/.765 (18.67/19.43)	
192150050		L-379		4/0		.621/15.80		.860/21.80		.760/.790 (19.30/20.07)	

NOTE(S):

1. MATERIAL: COPPER

2. PLATING: ELECTRO-TIN

SALES DRAWING

REV'D "L" DIM EC NO: ETC2008-0020 DRWN:RSTONE 2007/08/17 CHKD:JMACNEIL 2007/08/20 APPR:JMACNEIL 2007/08/20 REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY		
	0 0	4 PLACES	± ---	± ---	DIMENSION STYLE IN/MM		TITLE VERSAKRIMP SEAMLESS PARALLEL CONNECTORS		
		3 PLACES	± ---	± ---	DRAWN BY DATE				
		2 PLACES	± ---	± ---	DLM 03/07/08		MOLEX INCORPORATED		
		1 PLACE	± ---	± ---	HEB 03/07/08				
ANGULAR ±1/2°		DRAFT WHERE APPLICABLE		APPROVED BY DATE		MATERIAL NO.		DOCUMENT NO.	SHEET NO.
MUST REMAIN WITHIN DIMENSIONS				RWD 03/07/08		(SEE CHART)		SD-19205-007	1 OF 1
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

fb_frame_A rev. B1 2000/08/01

5

4

3

2

1