



产品编号：[26034061](#)
Product Description：KK 3.96mm Crimp
Terminal Housing, Use With Trifurcon
Terminals, Friction Ramp, 6 Circuits,
Natural
系列号：6442
状态：Active
Product Category：Connector Housings
工程编号：6442-R06-Z



文件和资源

图纸
[图纸 026034061_sd.pdf](#)

3D 模型和设计文件
[3D模型 026034061_stp.zip](#)

规格
[产品规格 PS-40-02-001.pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

- [多部分产品合规性声明](#)
- Eu RoHS
 - REACH SVHC
 - Low-Halogen

[多部分行业合规性文件](#)

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Connector Housings
系列	6442
说明	KK 3.96mm Crimp Terminal Housing, Use With Trifurcon Terminals, Friction Ramp, 6 Circuits, Natural
应用	Power, Wire-to-Board
个评论	Replacement is V-0 instead of V-2
产品系列	KK Interconnect Systems
产品名称	KK 396
UPC	800753587014

机构

CSA	LR19980
-----	---------

物理

电路数（最多）	6
颜色-树脂	Natural
阻燃性	94V-2
性别	Receptacle
符合灼热丝规范	否
锁定插接部位	是
材料 - 树脂	Nylon
净重	1.614/g
行数	1
包装形式	Bag

面板安装式	否
间距 - 插配接口	3.96mm
可堆叠的	否
运行温度范围	See Product Specification

进程

无铅	不适用
----	-----

可配插/可连接使用的产品

可配插部件

描述	产品编号
配插使用	Molex 3.96mm pitch KK headers

可连接使用部件

描述	产品编号
Pre-Crimped Lead KK Plus 396 Female-to-KK Plus 396 Female, Tin (Sn) Plating, 150.00mm Length, 18 AWG, Black	/content/molex/molex-dot-com/cn/zh/products/product-page.html/797582145.html
Pre-Crimped Lead KK Plus 396 Female-to-KK Plus 396 Female, Tin (Sn) Plating, 300.00mm Length, 18 AWG, Black	/content/molex/molex-dot-com/cn/zh/products/product-page.html/797582146.html
Female Crimp Terminals for 3.96mm Pitch Housings	<u>45570</u>
KK Trifurcon Female Crimp Terminals	<u>6838</u>
KK Trifurcon Female Crimp Terminals	<u>7258</u>