



产品编号 : 351500600

系列号 : 35150

Product Category : Connector Housings

Product Description : VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Natural

状态 : Active

---

## 文件和资源

### 图纸

图纸 351500600\_sd.pdf

### 3D 模型和设计文件

3D模型 351500600\_stp.zip

### 规格

应用规格 351500000AS\_ENG-000.pdf

应用规格 351500000AS\_KOR-000.pdf


包装规格 PK-35150-005-001.pdf

产品规格 PS-35150-003-001.pdf

---

## 产物环境合规

### 合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

### 多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen
  
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

欧盟 RoHS 合格证书

---

## 产品详情

### 常规

状态	活动
类别	Connector Housings
系列	35150
说明	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Natural
应用	Power, Wire-to-Wire
产品系列	VersaBlade Wire-to-Wire Connector System
产品名称	VersaBlade
UPC	800754835275

### 机构

CSA	LR19980
UL	E29179

### 物理

电路数（最多）	6
颜色-树脂	Natural
阻燃性	94V-0
性别	Receptacle
符合灼热丝规范	否
插接极性	无
锁定插接部位	是
材料 - 树脂	PBT
净重	5.815/g
行数	2
包装形式	Bag
面板安装式	否
间距 - 插配接口	7.30mm

间距 - 终端界面	7.30mm
有极性的插配件	是
可堆叠的	否
运行温度范围	-40° to +120° C







## 可配插/可连接使用的产品

### 可配插部件

描述	产品编号
VersaBlade Hybrid Plug Housings	<u>35151</u>

### 可连接使用部件

描述	产品编号
VersaBlade Terminal Position Assurance (TPA) Retainer, 7.30mm Pitch, 3 Circuits, Natural	<u><a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500390.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500390.html</a></u>
VersaBlade Terminal Position Assurance (TPA) Retainer, 7.30mm Pitch, 3 Circuits, Red	<u><a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500392.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500392.html</a></u>
VersaBlade Terminal Position Assurance (TPA) Retainer, 7.30mm Pitch, 3 Circuits, Yellow	<u><a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500393.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500393.html</a></u>
VersaBlade Terminal Position Assurance (TPA) Retainer, 7.30mm Pitch, 3 Circuits, Blue	<u><a href="/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500394.html">/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500394.html</a></u>
VersaBlade Male Crimp Terminals	<u>35745</u>
VersaBlade Female Crimp Terminals	<u>35746</u>
VersaBlade Male Crimp Terminals	<u>35747</u>



MATERIAL	MATERIAL NO.	ENG NO.	COLOR
POLYESTER(P.B.T) (UL94V-0)	351500600	35150-0600	NATURAL
	351500604	35150-0604	BLUE
PC/PET (UL94V-0)	351500609	35150-0609	NATURAL
	351503609	35150-3609	YELLOW

- NOTES
- MATED HOUSING : 35151-061\*  
35150-039\* (TPA)
  - APPLICABLE TERMINAL : 35745-0\*10 (3,4 CIRCUIT)  
35746-0\*10 (2,5 CIRCUIT)  
35747-0\*10 (1,6 CIRCUIT)



<b>REVISED</b> EC NO: KOR2009-0026 DRAWN: JHPARK01 2008/09/25 CHKD: WY. YANG 2008/11/25 APPR: YUNSIKKIM 2008/11/25	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± ---	mm INCH	DRAWN BY BK. CHOI	DATE 1993/05/19	TITLE <b>7.3 PITCH W/W CONN. MALE HSG-6P(W/O EAR)</b>				
		3 PLACES ± --- ± ---	± 0.3 ± ---	CHECKED BY BK. CHOI	DATE 1993/05/19	MOLEX INCORPORATED				
		2 PLACES ± 0.3 ± ---	± 0.3 ± ---	APPROVED BY CW. LEE	DATE 1993/05/19	MATERIAL NO. <b>SEE TABLE</b>		DOCUMENT NO. <b>SD-35150-060</b>	SHEET NO. 1 OF 01	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ± 1 °		SIZE <b>A3</b>		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				