



产品编号 : [357460410](#)

Product Description : VersaBlade Female Crimp Terminal, 24 AWG, Type A

系列号 : 35746

状态 : Active

Product Category : Crimp Terminals



文件和资源

图纸

[图纸 357460410_sd.pdf](#)

3D 模型和设计文件

[3D模型 357460410_stp.zip](#)

规格

[应用规格 351500000AS_ENG-000.pdf](#)

[应用规格 351500000AS_KOR-000.pdf](#)

[产品规格 351800400-001.pdf](#)

[产品规格 351800600-001.pdf](#)

模具规格

[压接规格 CS-35745-002-001.pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS

- REACH SVHC

- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Crimp Terminals
系列	35746
说明	VersaBlade Female Crimp Terminal, 24 AWG, Type A
应用	Power, Wire-to-Wire
产品系列	VersaBlade Wire-to-Wire Connector System
产品名称	VersaBlade
UPC	756054339107

物理

耐用性(插拔次数) - 最多次数	30
性别	女
材料 - 金属	Phosphor Bronze
材料 - 接合部位电镀	Tin
材料 - 终端电镀	Tin
净重	0.253/g
包装形式	Reel
终端界面类型	Crimp or Compression
导线绝缘直径	1.45mm max.
线径规格 (AWG)	24
线缆尺寸mm ²	0.29

进程

无铅	不适用
----	-----

可连接使用部件

描述	产品编号
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500300.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Blue	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500304.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500309.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500310.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Blue	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500314.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500319.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500400.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Blue	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500404.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500409.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500410.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Red	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500412.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Blue	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500414.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500419.html

VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500600.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Blue	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500604.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500609.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500610.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Red	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500612.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Blue	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500614.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351500619.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Yellow, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351503309.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Yellow, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351503319.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Yellow, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351503419.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Yellow, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351503609.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Yellow, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351503619.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Blue, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351504319.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Blue, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351504419.html



VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Blue, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351504619.html
VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, 9 Circuits, Full Flange Panel Mount, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/2026500909.html
VersaBlade Multi-Module 2-2 Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/2041020429.html
VersaBlade Multi-Module 4-2 Hybrid Receptacle Housing, 6 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/2041020609.html
VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Friction Lock, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/2041020209.html
VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/2041020219.html
VersaBlade Multi-Module Hybrid Plug Housing, 4 Circuits, Friction Lock, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/2041020409.html
VersaBlade Multi-Module Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/2041020419.html
VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Friction Lock, Type A, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/351810200.html
VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/359650200.html
VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Blue	/content/molex/molex-dot-com/cn/zh/products/product-page.html/359650204.html
VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Natural	/content/molex/molex-dot-com/cn/zh/products/product-page.html/359650210.html
VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Blue	/content/molex/molex-dot-com/cn/zh/products/product-page.html/359650214.html

VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Natural, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/359659200.html
VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Yellow, Glow-Wire Capable	/content/molex/molex-dot-com/cn/zh/products/product-page.html/359659203.html
VersaBlade Hybrid Plug Housings	35151
VersaBlade Multi-Module Hybrid Receptacle Housings	35180
VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housings	35524

施工工具

全局


描述	产品编号
Extraction and Activation Tool	0638132700
Hand Crimp Tool for Industry Standard 1.78mm Tab Terminals, 24-26 AWG Wire	0638196900
FineAdjust Applicator for .070 Male and Female Crimp Terminals, 24 AWG	0639044200
T2 Terminator for .070 Female Crimp Terminal	0639114300







SEC' : B-B''

NOTES


1. MATERIAL : PHOSPHOR BRONZE
0.3mm THICKNESS
2. FINISH : PRE-PLATED TIN
3. RECOMMENDED LENGTH OF WIRE STRIP IS 4.0-4.8mm.



ISOMETRIC VIEW



SEC' : C-C''



SEC' : D-D''

MATERIAL NO	ENG. No.	AWG	a	b	c	d	PITCH P
357460210	35746-0210	#18-#14	3.4	3.8	5.2	4.8	12.0
357460110	35746-0110	#22-#20	2.85	2.8	4.2	4.0	10.6
357460410	35746-0410	#24	2.2	1.75	3.85	3.5	10.6

REVISED	DESCRIPTION
EC NO: KOR2008-0087	
DRWN: JHPARK01 2007/11/15	
CHKD: WY. YANG 2007/11/15	
APPR: YUNSIKKIM 2007/11/15	

QUALITY SYMBOLS	DESCRIPTION
▽=0	
△=0	

GENERAL TOLERANCES (UNLESS SPECIFIED)	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.3	± ---
1 PLACE	± 0.3	± ---
ANGULAR ± 1 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
MM ONLY		4:1	METRIC	
DRAWN BY	DATE	TITLE		
BK.CH01	1992/11/17	.070 FEMALE TERMINAL (A-TYPE)		
CHECKED BY	DATE			
BK.CH01	1992/11/17			
APPROVED BY	DATE			
CW.LEE	1992/11/17			
MATERIAL NO.		DOCUMENT NO.	SHEET NO.	
		SD-35746-001	1 OF 01	

MOLEX INCORPORATED	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
--------------------	---