

Part Number: 357470410 Product Description: VersaBlade Male Crimp

Terminal, 24 AWG, Type B

Series Number: 35747 Status: Active

**Product Category : Crimp Terminals** 

#### **Documents & Resources**

#### **Drawings**

Drawing 357470410\_sd.pdf

## **3D Models and Design Files** 3D Model 357470410\_stp.zip

#### **Specifications**

Application Specification 351500000AS\_ENG-000.pdf
Packaging Specification PK-35747-001-001.pdf
Product Specification PS-35150-003-001.pdf
Product Specification 351800400-001.pdf
Product Specification 351800600-001.pdf

### **Tooling Specifications**

Crimp Specification CS-35745-002-001.pdf

## **Product Environment Compliance**

## Compliance

GADSL/IMDS	Compliant with Exemption 44
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

## **Part Details**

#### General

Status	Active
Category	Crimp Terminals
Series	35747
Description	VersaBlade Male Crimp Terminal, 24 AWG, Type B
Application	Power, Wire-to-Wire
Product Family	VersaBlade Wire-to-Wire Connector System
Product Name	VersaBlade
UPC	822348431038

## Physical

Durability (mating cycles max)	30
Gender	Male
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.266/g
Packaging Type	Reel
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.45mm max.
Wire Size (AWG)	24
Wire Size mm²	0.29

#### **Solder Process Data**

Lead-Free Process Capability	N/A
------------------------------	-----

## Use with Part(s)

Description	Part Number
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, without Mounting Ears, 3	com/us/en/products/product-
Circuits, Natural	page.html/351500300.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, without Mounting Ears, 3	com/us/en/products/product-
Circuits, Blue	page.html/351500304.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351500309.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 3	com/us/en/products/product-
Circuits, Natural	page.html/351500310.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 3	com/us/en/products/product-
Circuits, Blue	page.html/351500314.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351500319.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, without Mounting Ears, 4	com/us/en/products/product-
Circuits, Natural	page.html/351500400.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, without Mounting Ears, 4	com/us/en/products/product-
Circuits, Blue	page.html/351500404.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351500409.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 4	com/us/en/products/product-
Circuits, Natural	page.html/351500410.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 4	com/us/en/products/product-
Circuits, Red	page.html/351500412.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 4	com/us/en/products/product-
Circuits, Blue	page.html/351500414.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351500419.html

VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, without Mounting Ears, 6	com/us/en/products/product-
Circuits, Natural	page.html/351500600.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, without Mounting Ears, 6	com/us/en/products/product-
Circuits, Blue	page.html/351500604.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351500609.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 6	com/us/en/products/product-
Circuits, Natural	page.html/351500610.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 6	com/us/en/products/product-
Circuits, Red	page.html/351500612.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 6	com/us/en/products/product-
Circuits, Blue	page.html/351500614.html
VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351500619.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Yellow, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351503309.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 3	com/us/en/products/product-
Circuits, Yellow, Glow-Wire Capable	page.html/351503319.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 4	com/us/en/products/product-
Circuits, Yellow, Glow-Wire Capable	page.html/351503419.html
VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Yellow, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351503609.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 6	com/us/en/products/product-
Circuits, Yellow, Glow-Wire Capable	page.html/351503619.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 3	com/us/en/products/product-
Circuits, Blue, Glow-Wire Capable	page.html/351504319.html
VersaBlade Hybrid Receptacle	/content/molex/molex-dot-
Housing, with Mounting Ears, 4	com/us/en/products/product-
Circuits, Blue, Glow-Wire Capable	page.html/351504419.html

VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Blue, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351504619.html
VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural	/content/molex/molex-dot- com/us/en/products/product- page.html/351510410.html
VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Blue	/content/molex/molex-dot- com/us/en/products/product- page.html/351510414.html
VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351510419.html
VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Blue, Glow- Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/351514419.html
VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, 9 Circuits, Full Flange Panel Mount, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/2026500909.html
VersaBlade Multi-Module 2-2 Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/2041020429.html
VersaBlade Multi-Module 4-2 Hybrid Receptacle Housing, 6 Circuits, Natural, Glow-Wire Capable	/content/molex/molex-dot- com/us/en/products/product- page.html/2041020609.html
VersaBlade Multi-Module Hybrid Receptacle Housings	<u>35180</u>
VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housings	<u>35524</u>

# **Application Tooling**

# Global

Description	Part Number
Extraction and Activation Tool	<u>638132700</u>
Hand Crimp Tool for Industry Standard 1.78mm Tab Terminals, 24-26 AWG Wire	638196900
FineAdjust Applicator for .070 Male and Female Crimp Terminals, 24 AWG	639044200
T2 Terminator for .070 Female Crimp Terminal	639120700

This document was generated on Apr 17, 2024