


This document was generated on 02/02/2022

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [5013340000](#)  
**Status:** **Active**  
**Overview:** Pico-Clasp Wire-to-Board Connectors  
**Description:** 1.00mm Pitch, Pico-Clasp Female Crimp Terminal, Tin Plating, 28-32 AWG, Reel

**Documents:**

<a href="#">3D Model</a>	<a href="#">Product Specification 5019391000-PS-002 (PDF)</a>
<a href="#">3D Model (PDF)</a>	<a href="#">Product Specification 5019401001-PS-001 (PDF)</a>
<a href="#">Drawing (PDF)</a>	<a href="#">Product Specification PS-501940-001-001 (PDF)</a>
<a href="#">Product Specification 5013300000-PS-001 (PDF)</a>	<a href="#">Application Specification 5013300000-AS-000 (PDF)</a>
<a href="#">Product Specification 5013300000-PS-003 (PDF)</a>	<a href="#">Application Specification 5013300000-AS-001 (PDF)</a>
<a href="#">Product Specification 5013301000-PS-001 (PDF)</a>	<a href="#">Packaging Specification SPK-501334-001-001 (PDF)</a>
<a href="#">Product Specification 5013301000-PS-003 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Product Specification 5019390000-PS-002 (PDF)</a>	



Series image - Reference only

**General**

Product Family	Crimp Terminals
Series	<a href="#">501334</a>
Application	Signal, Wire-to-Board, Wire-to-Wire
Crimp Quality Equipment	Yes
Overview	<a href="#">Pico-Clasp Wire-to-Board Connectors</a>
Packaging Alternative	<a href="#">5013340100 (Loose)</a>
Product Name	Pico-Clasp
UPC	822348531103

**Physical**

Durability (mating cycles max)	30
Gender	Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	21.050/mg
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	0.80mm max.
Wire Size AWG	28, 30, 32
Wire Size mm <sup>2</sup>	N/A

**Electrical**

Current - Maximum per Contact	2.0A
Voltage - Maximum	100V AC (RMS)/DC

**Material Info**

**Reference - Drawing Numbers**

Application Specification	<a href="#">5013300000-AS-000</a> , <a href="#">5013300000-AS-001</a>
Crimp Specification	<a href="#">CS-501193-001-001</a>
Packaging Specification	<a href="#">SPK-501334-001-001</a>
Product Specification	<a href="#">5013300000-PS-001</a> , <a href="#">5013300000-PS-003</a> , <a href="#">5013301000-PS-001</a> , <a href="#">5013301000-PS-003</a> , <a href="#">5019390000-PS-002</a> , <a href="#">5019391000-PS-002</a> , <a href="#">5019401001-PS-001</a> , <a href="#">PS-501940-001-001</a>
Sales Drawing	<a href="#">5013340000-SD-000</a>

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2021)4569-DC (8  
July 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Compliant

Not Contained

**Search Parts in this Series**

[501334 Series](#)

**Use With**

[501330 Crimp Housing for Pico-Clasp](#) .  
[104050 Crimp Housing for IllumiMate](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

Extraction Tool for Pico-Clasp Wire-to-Board Terminals, 28-32 AWG	<a href="#">638131700</a>
---	---------------------------

Hand Crimp Tool for 1.00mm Wire-to-Board Crimp Terminal, 28-32 AWG Wire	<a href="#">638191500</a>
---	---------------------------

FineAdjust Applicator 639019400  
for 1.00mm Pitch  
Wire-to-Board Crimp  
Terminal  
T2 Terminator Die 639119400  
for 1.00mm Pitch  
Wire-to-Board Crimp  
Terminal

**Japan**

**Description** **Product #**

Applicator for M211A 5780163000  
Bench Press, 28-32

AWG Wire

S-1 Applicator 5780163700

for Pico-Clasp

Receptacle

Terminals, 28-32

AWG

Hand Extraction Tool 5780166000

This document was generated on 02/02/2022

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[501334-0000](#) [501334-0000 \(Cut Strip\)](#) [501334-0000 \(Mouser Reel\)](#)