

产品编号 : 502178000

Product Description : Mighty-SPOX Crimp Terminal, 3.50mm Pitch, 18-24 AWG, Reel, Phosphor Bronze

系列号 : 50217

状态 : New Business Not Supported

Product Category : Crimp Terminals


Packaging Alternative : 0502178100 (Bag)



文件和资源

产物环境合规

合规

GADSL/IMDS	Compliant with Exemption 44
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	New Business Not Supported
类别	Crimp Terminals
系列	50217
说明	Mighty-SPOX Crimp Terminal, 3.50mm Pitch, 18-24 AWG, Reel, Phosphor Bronze
应用	Signal, Wire-to-Board, Wire-to- Wire
产品系列	Mighty-SPOX Connector System
产品名称	Mighty-SPOX
UPC	800753576148

物理

性别	女
材料 - 金属	Phosphor Bronze
材料 - 接合部位电镀	Tin
材料 - 终端电镀	Tin
净重	160.000/mg
包装形式	Reel
最薄镀层 - 接合部位	0.889µm
最薄镀层 - 端接	0.914µm
终端界面类型	Crimp or Compression
导线绝缘直径	1.40-3.00mm
线径规格 (AWG)	18, 20, 22, 24
线缆尺寸mm ²	不适用

施工工具

全局

描述	产品编号
PremiumGrade Hand Crimp Tool for 3.50mm Terminals for 18-24 AWG UL1015 and UL1007 or Equivalent Wire	<u>0638118300</u>

Extraction and Activation Tool	<u>0638132700</u>
T2 Terminator Die, Large Insulation	<u>0638503000</u>
T2 Terminator Die, Small Insulation	<u>0638503100</u>
FineAdjust Applicator, Large Insulation	<u>0638603000</u>
FineAdjust Applicator, Small Insulation	<u>0638603100</u>

施工工具

日本

描述	产品编号
Hand Extraction Tool	<u>0011260100</u>
S-1 Applicator for 3.50mm Pitch Crimp Terminal, 18-24 AWG, UL1007 Wires	<u>0571833700</u>
S-1 Applicator for 3.50mm Pitch Crimp Terminal, 18-24 AWG, UL1015 Wires	<u>0571833710</u>