


勝特力電材超市-龍山店 886-3-5773766
 勝特力電材超市-光復店 886-3-5729570
 勝特力電子(上海) 86-21-34970699
 勝特力電子(深圳) 86-755-83298787
<http://www.100y.com.tw>







基板取付穴推奨寸法

(基板厚: $t=1\sim1.6\text{mm}$)
 RECOMMENDED PC BOARD
 HOLE DIMENSION
 (THICKNESS: $t=1\sim1.6\text{mm}$)

注記
NOTE

- △ 適合ターミナル: 50034 8*00
APPLICABLE TERMINAL: 50034 8*00
- 2. 材料 ハウジング: ポリアミド, UL94V-0
色: ナチュラル(白)
MATERIAL HOUSING: POLYAMIDE, UL94V-0
COLOR: NATURAL(WHITE)
- 3. ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT.



18	20.4	51015 1000	10
16	18.4	0900	9
14	16.4	0800	8
12	14.4	0700	7
10	12.4	0600	6
8	10.4	0500	5
6	8.4	0400	4
4	6.4	0300	3
2	4.4	51015 0200	2
B	A	ORDER No.	極数 NO. OF CKT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS: mm SCALE: 8:1		CURRENT REV DESC: OBSOLETE PART NUMBER AS PER PCN#509988			
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 704776 DRWN: SUGEEB CHK'D: GGA APPR: GGA			
10 ^{UNDER}	±0.2	ANGULAR TOL	±	2022/04/08 2022/05/24 2022/05/24	
10 ^{OVER} 30 ^{UNDER}	±0.25	4 PLACES	±	PRODUCT CUSTOMER DRAWING	
30 ^{OVER}	±0.3	3 PLACES	±	DOCUMENT NUMBER: SD-51015-XX00	
ANGULAR	±3°	2 PLACES	±	DOC TYPE: PSD	DOC PART: 020
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		1 PLACE	±	REVISION: D	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		0 PLACES	±	SHEET NUMBER: 1 OF 1	
THIRD ANGLE PROJECTION		DRAWING: A3-SIZE		MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET	



产品编号 : [510150400](#)

Product Description : 2.00mm Pitch, Board-In Crimp Housing, Vertical, 4 Circuits, Natural

系列号 : 51015

状态 : Active

Product Category : Connector Housings



文件和资源

图纸

[图纸 510150400_sd.pdf](#)

3D 模型和设计文件

[3D模型 510150400_stp.zip](#)

规格

[包装规格 510159200-SPK-200.pdf](#)

[产品规格 510151002-PS-000.pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Connector Housings
系列	51015
说明	2.00mm Pitch, Board-In Crimp Housing, Vertical, 4 Circuits, Natural
应用	Signal, Wire-to-Board
产品系列	Board-in Connectors
产品名称	Board-in
UPC	800753575752

物理

电路数 (最多)	4
颜色-树脂	Natural
性别	不适用
符合灼热丝规范	否
材料 - 树脂	Nylon
净重	0.040/g
行数	1
包装形式	Bag
面板安装式	否
间距 - 插配接口	2.00mm
可堆叠的	否
运行温度范围	-40° to +105° C

可连接使用部件

描述	产品编号
----	------

2.00mm Pitch Board-in Vertical Male Crimp Terminals	<u>50034</u>
--	--------------

This document was generated on Dec 11, 2023