

产品编号 : [510150500](#)

Product Description : 2.00mm Pitch, Board-In Crimp Housing, Vertical, 5 Circuits, Natural

系列号 : 51015

状态 : Active

Product Category : Connector Housings



文件和资源

图纸

[图纸 510150500_sd.pdf](#)

3D 模型和设计文件

[3D模型 510150500_stp.zip](#)


规格

[包装规格 510159200-SPK-200.pdf](#)

[产品规格 510151002-PS-000.pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Connector Housings
系列	51015
说明	2.00mm Pitch, Board-In Crimp Housing, Vertical, 5 Circuits, Natural
应用	Signal, Wire-to-Board
产品系列	Board-in Connectors
产品名称	Board-in
UPC	800753749252

物理







电路数 (最多)	5
颜色-树脂	Natural
性别	不适用
符合灼热丝规范	否
材料 - 树脂	Nylon
净重	96.300/mg
行数	1
包装形式	Bag
面板安装式	否
间距 - 插配接口	2.00mm
可堆叠的	否
运行温度范围	-40° to +105° C

可连接使用部件

描述	产品编号
----	------

2.00mm Pitch Board-in Vertical Male Crimp Terminals	<u>50034</u>
--	--------------

This document was generated on Jan 30, 2024



基板取付穴推奨寸法
 (基板厚: t=1~1.6mm)
 RECOMMENDED PC BOARD
 HOLE DIMENSION
 (THICKNESS:t=1~1.6mm)

注記
 NOTE

- △ 適合ターミナル: 50034 8*00
 APPLICABLE TERMINAL: 50034 8*00
- 2. 材料 ハウジング: ポリアミド, UL94V-0
 色: ナチュラル(白)
 MATERIAL HOUSING: POLYAMIDE, UL94V-0
 COLOR: NATURAL(WHITE)
- 3. ELV 及び RoHS 適合品
 ELV AND RoHS COMPLIANT.

18	20.4	51015 1000	10
16	18.4	▲ 0900	9
14	16.4	0800	8
12	14.4	0700	7
10	12.4	0600	6
8	10.4	0500	5
6	8.4	0400	4
4	6.4	▼ 0300	3
2	4.4	51015 0200	2
B	A	ORDER No.	極数 NO. OF CKT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS mm	SCALE 8:1	CURRENT REV DESC: OBSOLETE PART NUMBER AS PER PCN#509988	molex		
GENERAL TOLERANCES (UNLESS SPECIFIED)					
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 704776	PRODUCT CUSTOMER DRAWING		
10 ^{UNDER}	±0.2	DRWN: SUGEEB	DOCUMENT NUMBER		
10 ^{OVER} 30 ^{UNDER}	±0.25	CHK'D: GGA	SD-51015-XX00		
30 ^{OVER}	±0.3	APPR: GGA	DOC TYPE DOC PART REVISION		
ANGULAR ±3°		INITIAL REVISION:	PSD 020 D		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: RFC_PLMIMP	MATERIAL NUMBER		
		APPR: YOITO	CUSTOMER		
		THIRD ANGLE PROJECTION	SEE TABLE GENERAL MARKET		
		DRAWING	SHEET NUMBER		
		SERIES	1 OF 1		
		MATERIAL NUMBER			
		CUSTOMER			
		SHEET NUMBER			