



产品编号 : [510151000](#)

Product Description : 2.00mm Pitch, Board-In Crimp Housing, Vertical, 10 Circuits, Natural

系列号 : 51015

状态 : Active

Product Category : Connector Housings



文件和资源

图纸

[图纸 510151000_sd.pdf](#)

3D 模型和设计文件

[3D模型 510151000_stp.zip](#)

规格

[包装规格 510159200-SPK-200.pdf](#)

[产品规格 510151002-PS-000.pdf](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Connector Housings
系列	51015
说明	2.00mm Pitch, Board-In Crimp Housing, Vertical, 10 Circuits, Natural
应用	Signal, Wire-to-Board
产品系列	Board-in Connectors
产品名称	Board-in
UPC	800753575790

物理







电路数 (最多)	10
颜色-树脂	Natural
性别	不适用
符合灼热丝规范	否
材料 - 树脂	Nylon
净重	187.500/mg
行数	1
包装形式	Bag
面板安装式	否
间距 - 插配接口	2.00mm
可堆叠的	否
运行温度范围	-40° to +105° C

可连接使用部件

描述	产品编号
----	------

2.00mm Pitch Board-in Vertical Male Crimp Terminals	<u>50034</u>
--	--------------

This document was generated on Jan 30, 2024



基板取付穴推奨寸法
 (基板厚: t=1~1.6mm)
 RECOMMENDED PC BOARD
 HOLE DIMENSION
 (THICKNESS: t=1~1.6mm)

注記
 NOTE

- △ 適合ターミナル: 50034 8*00
 APPLICABLE TERMINAL: 50034 8*00
- 2. 材料 ハウジング: ポリアミド, UL94V-0
 色: ナチュラル(白)
 MATERIAL HOUSING: POLYAMIDE, UL94V-0
 COLOR: NATURAL(WHITE)
- 3. ELV 及び RoHS 適合品
 ELV AND RoHS COMPLIANT.

18	20.4	51015 1000	10
16	18.4	▲ 0900	9
14	16.4	0800	8
12	14.4	0700	7
10	12.4	0600	6
8	10.4	0500	5
6	8.4	0400	4
4	6.4	▼ 0300	3
2	4.4	51015 0200	2
B	A	ORDER No.	極数 NO. OF CKT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: OBSOLETE PART NUMBER AS PER PCN#509988	molex		
mm	8:1	EC NO: 704776			
GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: SUGEEB	2022/04/08		
10 ^{UNDER}	±0.2	CHK'D: GGA	2022/05/24		
10 ^{OVER} 30 ^{UNDER}	±0.25	APPR: GGA	2022/05/24		
30 ^{OVER}	±0.3	INITIAL REVISION:	DOCUMENT NUMBER		
ANGULAR ±3°		DRWN: RFC_PLMIMP	SD-51015-XX00		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPR: YOITO	DOC TYPE	DOC PART	REVISION
		THIRD ANGLE PROJECTION	PSD	020	D
		DRAWING	SHEET NUMBER		
		A3-SIZE	1 OF 1		
		SERIES	MATERIAL NUMBER	CUSTOMER	
		51015	SEE TABLE	GENERAL MARKET	