

This document was generated on 12/23/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **5600850101**
Status: **Active**
Overview: DuraClik Connector System
Description: DuraClik Crimp Terminal, Female, 22-26 AWG, Reel

Documents:

Drawing (PDF) Packaging Specification PK-560085-001-001 (PDF)
Product Specification PS-502351-001-001 (PDF) RoHS Certificate of Compliance (PDF)
Application Specification AS-560085-001-JP-001 (PDF)

General

Product Family Crimp Terminals
Series 560085
Application Automotive, Power, Signal, Wire-to-Board
Crimp Quality Equipment Yes
Overview DuraClik Connector System
Product Name DuraClik
UPC 887191151892

Physical

Gender Female
Material - Metal Phosphor Bronze
Material - Plating Mating Tin
Material - Plating Termination Tin
Net Weight 0.048/g
Packaging Type Reel
Termination Interface: Style Crimp or Compression
Wire Insulation Diameter 1.40mm
Wire Size AWG 22, 24, 26
Wire Size mm² 0.34

Electrical

Voltage - Maximum 125V

Solder Process Data

Lead-freeProcess Capability N/A

Material Info

Reference - Drawing Numbers

Application Specification AS-560085-001-JP-001
Application Tooling Documents 571753710ATS-000, 571753710ATS-J-000
Packaging Specification PK-560085-001-001
Product Specification PS-502351-001-001
Sales Drawing SD-560085-001-001



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Compliant

Not Contained

Search Parts in this Series

560085 Series

Use With

502351 DuraClik Wire-to-Board Receptacle Housing

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Extraction Tool for Micro-Fit Terminals 11030043
FineAdjust Applicator for 2.0 Wire-to-Board 2037021900
Crimp Receptacle Terminal and SMEC
Crimp Receptacle Terminals, 22-26 AWG and AVSS 0.3 Wires

PremiumGrade Hand638235100
Crimp Tool for Micro-
Latch, DuraClik, and
Servo Motor Encoder
Female Terminals,
22-26 AWG

This document was generated on 12/23/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[560085-0101](#) [560085-0101 \(Mouser Reel\)](#) [560085-0101 \(Cut Strip\)](#)