



产品编号 : 988161018

系列号 : 98816

Product Category : Connector Housings

Product Description : NSCC Unsealed Female Housing, 10 Circuits, Dual Row, Gray, Version 2 with Ear

状态 : New Business Not Supported

工程编号 : 18508EV10M8

文件和资源

产物环境合规

合规

GADSL/IMDS	Compliant
China RoHS	Not Relevant
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	New Business Not Supported
类别	Connector Housings
系列	98816

说明	NSCC Unsealed Female Housing, 10 Circuits, Dual Row, Gray, Version 2 with Ear
应用	Power, Wire-to-Wire
个评论	Pitch Center Spacing: Horizontal Pitch 3.33mm, Vertical pitch 6.00mm
产品系列	NSCC - New Standard Casing Contact
产品名称	NSCC
UPC	822348816262

物理

电路详图	10x1.5mm female terminals
电路数 (最多)	10
颜色-树脂	灰色
性别	Receptacle
符合灼热丝规范	否
插接极性	是
锁定插接部位	是
材料 - 树脂	Polyester
净重	4.970/g
行数	2
包装形式	Bag
面板安装式	否
间距 - 插配接口	3.33mm, 6.00mm
有极性的插配件	是
端口	1
运行温度范围	-40° to +85° C

进程

无铅	不适用
----	-----

施工工具

全局

描述	产品编号
----	------

Extractor Tool for NSCC Female Housing	<u>638137500</u>
---	------------------

This document was generated on Apr 28, 2024