

VINYL-INSULATED FEMALE DISCONNECTORS

MAXIMUM ELECTRIC CURRENT:

A.W.G.	22	20	18	16	14	12	10
AMP.	3	4	7	10	15	20	24

MAXIMUM ELECTRICAL RATING: 75°C 300 VOLTS MAX.

INSULATION MATERIAL: VINYL

INSULATION COLOR:


22-16A.W.G.: RED 16-14A.W.G.: BLUE

12-10A.W.G.: YELLOW

TERMINAL MATERIAL: BRASS

TERMINAL BARREL I.D.:

22-16A.W.G.: C=1.7mm 16-14A.W.G.: C=2.3mm 12-10A.W.G.: C=3.4mm



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

WIRE RANGE A.W.G. mm ²	ITEM NO.	NEMA TAB	DIMENSION inch(mm)		Q'TY BOX
			W		
22-16 A.W.G. 0.5-1.5 mm ²	FDV1-110(5)	.020X.110 (0.5X2.8)	0.126 3.20		1000
	FDV1-110(8)	.032X.110 (0.8X2.8)	0.126 3.20		1000
	FDV1-187(5)	.020X.187 (0.5X4.75)	0.197 5.00		1000
	FDV1-187(8)	.032X.187 (0.8X4.75)	0.197 5.00		1000
	FDV1-205(5)	.020X.205 (0.5X5.2)	0.224 5.70		1000
	FDV1-205(8)	.032X.205 (0.8X5.2)	0.224 5.70		1000
	FDV1-250	.032X.250 (0.8X6.35)	0.260 6.60		1000
	FDV1-312	.032X.315 (0.8X8.0)	0.323 8.20		1000
16-14 A.W.G. 1.5-2.5 mm ²	FDV2-110(5)	.020X.110 (0.5X2.8)	0.126 3.20		1000
	FDV2-110(8)	.032X.110 (0.8X2.8)	0.126 3.20		1000
	FDV2-187(5)	.020X.187 (0.5X4.75)	0.197 5.00		1000
	FDV2-187(8)	.032X.187 (0.8X4.75)	0.197 5.00		1000
	FDV2-205(5)	.020X.205 (0.5X5.2)	0.224 5.70		1000
	FDV2-205(8)	.032X.205 (0.8X5.2)	0.224 5.70		1000
	FDV2-250	.032X.250 (0.8X6.35)	0.260 6.60		1000

	FDV2-312	.032X.315 (0.8X8.0)	0.323 8.20	1000
	FDV2-375	.047X.370 (1.2X9.4)	0.394 10.00	1000
12-10 A.W.G. 4-6 mm ²	FDV5-110(5)	.020X.110 (0.5X2.8)	0.126 3.20	500
	FDV5-110(8)	.032X.110 (0.8X2.8)	0.126 3.20	500
	FDV5-187(5)	.020X.187 (0.5X4.75)	0.197 5.00	500
	FDV5-187(8)	.032X.187 (0.8X4.75)	0.197 5.00	500
	FDV5-250	.032X.250 (0.8X6.35)	0.260 6.60	500
	FDV5-375	.047X.370 (1.2X9.4)	0.394 10.00	500

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)