



規格書 | 產品型號: 221-500

Mounting carrier; 221 Series - 4 mm²; for DIN-35 rail mounting/screw mounting; orange

www.wago.com/221-500



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



RoHS Compliant

BOMcheck.net

顏色: ■

資料

幾何數據

寬度	17.5 mm / 0.689 inch
距離 DIN-35 軌道上緣的高度	25.5 mm / 1.004 inch
深度	77.6 mm / 3.055 inch

材料資料

顏色	橙色
絕緣材料	聚碳酸鈹 66 (PA 66)
可燃性等級依照 UL 94	V0
重量	9.6 g

商業資料

包裝類型	BOX
Country of origin	CN
GTIN	4055143421942
Customs Tariff No.	39269097900

Counterpart

相容產品

Marking accessories



產品編號: 210-833

標記條; 卷裝式; 寬度 6 mm; 空白; 自黏式; 白色

www.wago.com/210-833

Mounting adapter



產品編號: 222-505

束線板; 用於安裝支架; 221 或 222 系列, 可一起卡入

www.wago.com/222-505



產品編號: 222-510

彎角型安裝聯結器; 與安裝支架做組合; 221-500 或 222-500; 適用於 DIN -35 導軌安裝; 灰色

www.wago.com/222-510

下載

Documentation

Additional Information

Technical explanations

2019/4/3

pdf
2.1 MB

下載

CAD/CAE-Data

CAD data

2D/3D Models 221-500

URL 下載


CAE data

EPLAN Data Portal 221-500

下載

Installation Notes

Inserting a conductor



CAGE CLAMP® connection:

Removing a conductor.


Conductor termination with connectors fitted in a mounting carrier




Inserting a connector into the mounting carrier.



Inserting a conductor into the mounting carrier.



Removing a connector from the mounting carrier.



Securing a strain relief plate (222-505) to the mounting carrier.



Snapping the angled DIN-rail adapter (222-510) onto the mounting carrier.



Horizontal mounting on DIN-35 rail using an angled DIN-rail adapter.



Horizontal mounting on DIN-35 rail using an angled DIN-rail adapter.



Horizontal screw mounting with strain relief plate on a flat surface




Vertical mounting with strain relief plate on DIN-35 rail.



Strain relief via cable ties on the mounting carrier (transverse to the connectors' wiring direction) – clamping units labeled via marking strips (210-334).



Vertical screw mounting with strain relief plate on a flat surface.



Mounting carrier on a DIN-35 rail

Testing



Testing connectors via test slots on top of the carrier.

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)