

MARINCO

SPECIALTY WIRING DEVICES

Marinco

NEMA Connectors

美規工業電源連接器

勝特力材料 886-3-5753170

勝特力电子(上海) 86-21-34970699

勝特力电子(深圳) 86-755-83298787

Http://www.100y.com.tw







UL Listed File
E 57672 plug & Connector
E 111198 Locking Receptacle











Straight Blade and Locking
Corrosion Resistant Devices
Hospital Grade Devices
Insolated Ground Devices
All-Black Hidden Devices
DC Plugs receptacles

STRAIGHT BLADE CONFIGURATIONS


AMPS	POLES/ WIRES	VOLTAGE	NEMA CONFIG.	AC HP RATING	APPLICATION ENVIRONMENT	CONNECTOR	PLUG	RECEPTACLE		FLANGED		DUST- RESISTANT INLET					
								SINGLE	DUPLEX	INLET	OUTLET						
15A	2P 3W	125V		0.5	Spec. Grade	* 5269	* 5266	5251	5252	5278	5279	5278DRI					
					Corrosion-Rst.	5269CRS	5266CRS	5361CRS	-	-	-						
					All Black	5269BL	5266BL	-	-	5278BL	5279BL	-					
					Hosp. Grade	* 8219	* 8215	8210	8200	-	-	-					
					Isolated Grnd.	-	5266IG	5261IG	5262IG	-	-	-					
		250V		1.5	Spec. Grade	5669	5666	5651	5662	5678	5679	5678DRI					
					Hosp. Grade	8619T	8615T	-	8600	-	-	-					
					20A	2P 3W	125V		1	Spec. Grade	5369	5366	5351	5352	5378	5379	5378DRI
										Corrosion-Rst.	5369CRS	5366CRS	5361CRS	-	-	-	
										All Black	5369BL	5366BL	-	-	-	-	
Hosp. Grade	8319	8315	8310	-						-	-						
Isolated Grnd.	-	5366IG	5361IG	5362IG						-	-	-					
250V		2	Spec. Grade	5469			5466	-	5462	5478	5479	5478DRI					
			Hosp. Grade	8419T			8415T	-	-	-	-	-					

NEMA LOCKING CONFIGURATIONS

AMPS	POLES/ WIRES	VOLTAGE	NEMA CONFIG.	AC HP RATING	APPLICATION ENVIRONMENT	CONNECTOR	PLUG	RECEPTACLE		FLANGED		DUST- RESISTANT INLET	DUST- RESISTANT OUTLET		
								SINGLE	DUPLEX	INLET	OUTLET				
15A	2P 3W	125V		0.5	Spec. Grade	* 4729	* 4720	4710	4700	4716	4715	4716DRI	4715DRO		
					Corrosion-Rst.	4729CRS	4720CRS	4710CRS	4700CRS	-	-	-			
					All Black	4729BL	4720BL	-	-	-	-				
					Isolated Grnd.	-	4720IG	4710IG	4700IG	-	-	-			
		250V		2	Spec. Grade	4579	4570	4560	4550	4586	4585	-	-		
					All Black	4579BL	4570BL	-	-	-	-	-			
					Isolated Grnd.	-	-	4560IG	4550IG	-	-	-			
		277V		2	Spec. Grade	4779	4770	4760	4750	4786	4785	4786DRI	4785DRO		
		20A	2P 3W	125V		1	Spec. Grade	* 205C	* 205P	205R	-	205FI	205FO	-	-
							Corrosion-Rst.	205CCRS	205PCRS	205RCRS	-	-	-	-	
All Black	205CBL						205PBL	-	-	205FIBL	205FOBL	-	-		
Isolated Grnd.	-						205PIG	205RIG	-	-	-	-			
250V				2	Spec. Grade	* 206C	* 206P	206R	-	206FI	206FO	-	-		
					All Black	206CBL	206PBL	-	-	-	-	-			
					Isolated Grnd.	-	206PIG	206RIG	-	-	-	-			
277V				2	Spec. Grade	207C	207P	207R	-	207FI	207FO	-	-		
480V				5	Spec. Grade	208C	208P	208R	-	208FI	208FO	-	-		
600V				-	Spec. Grade	209C	209P	209R	-	209FI	209FO	-	-		


"*" P/N + L: Connect Glow™ 此符號系列可選用插電亮燈指示，亮燈式樣型號為在主型號後加 "L"，例如 :5269L

NEMA LOCKING CONFIGURATIONS




AMPS	POLES / WIRES	VOLTAGE	NEMA CONFIG.	AC HP RATING	APPLICATION ENVIRONMENT	CONNECTOR	PLUG	RECEPTACLE SINGLE	FLANGED	
									INLET	OUTLET
20A	3P 4W	125/250	 L14-20R L14-20P	2(1)	Spec. Grade	2014C	2014P	2014R	2014FI	2014FO
					All Black	-	-	-	2014FIBL	-
		3Φ 250	 L15-20R L15-20P	3	Spec. Grade.	2015C	2015P	2015R	2015FI	2015FO
	3Φ 480	 L16-20R L16-20P	5	Spec. Grade.	2016C	2016P	2016R	2016FI	2016FO	
	4P 5W	3Φ Y 120/208	 L21-20R L21-20P	2	Spec. Grade.	2021C	2021P	2021R	2021FI	2021FO
		3Φ Y 277/480	 L22-20R L22-20P	5	Spec. Grade.	2022C	2022P	2022R	2022FI	2022FO
3Φ Y 347/600		 L23-20R L23-20P	-	Spec. Grade.	2023C	2023P	2023R	2023FI	2023FO	
30A	2P 3W	125V	 L5-30R L5-30P	2	Spec. Grade.	*305C	*305P	305R	305FI	305FO
					Corrosion-Rst.	305CCRS	305PCRS	305RCRS	-	-
					All Black	305CBL	305PBL	-	-	-
		Isolated Grnd.	-	305PIG	305RIG	-	-			
		250V	 L6-30R L6-30P	2	Spec. Grade	*306C	*306P	306R	306FI	306FO
					Corrosion-Rst.	306CCRS	306PCRS	306RCRS	-	-
	All Black				306CBL	306PBL	-	-	-	
	Isolated Grnd.	-	306PIG	306RIG	-	-				
	3P 4W	125/250	 L14-30R L14-30P	2	Spec. Grade	3014C	3014P	3014R	3014FI	3014FO
					All Black	3014CBL	3014PBL	-	-	-
		3Φ 250	 L15-30R L15-30P	3	Spec. Grade	3015C	3015P	3015R	3015FI	3015FO
					Spec. Grade	3016C	3016P	3016R	3016FI	3016FO
3Φ 480		 L16-30R L16-30P	10	Spec. Grade	3016C	3016P	3016R	3016FI	3016FO	
				Spec. Grade	3016C	3016P	3016R	3016FI	3016FO	
4P 5W	3Φ Y 120/208	 L21-30R L21-30P	3	Spec. Grade	3021C	3021P	3021R	3021FI	3021FO	
	3Φ Y 277/480	 L22-30R L22-30P	10	Spec. Grade	3022C	3022P	3022R	3022FI	3022FO	
	3Φ Y 347/600	 L23-30R L23-30P	-	Spec. Grade	3023C	3023P	3023R	3023FI	3023FO	

NON-NEMA LOCKING CONFIGURATIONS



AMPS	POLES / WIRES	VOLTAGE	NON-NEMA CONFIG.	APPLICATION ENVIRONMENT	CONNECTOR	PLUG	RECEPTACLE SINGLE	FLANGED	
								INLET	OUTLET
20A	3P 3W	125/250	 Replacement use only	Spec. Grade	7314C	9965C	-	3325C	3326C
	4P 4W	3Φ Y 120/208	 Replacement use only	Spec. Grade	7413C	7411C	7410B	7408C	7409C
30A	4P 4W	3Φ Y 120/208	 Replacement use only	Spec. Grade	3433C	3431C	3430	3434C	3435C

50 AMP DEVICES



AMPS	POLES/WIRES	VOLTAGE	CONFIGURATION	APPLICATION ENVIRONMENT	CONNECTOR	PLUG	RECEPTACLE SINGLE	FLANGED INLET	FLANGED INLET WITH SPRING LOADED LID
50A	2P 3W	125		Spec. Grade	CS6360N	CS6361N	CS6370	CS6377	CS6377FL
				Corrosion-Rst.	6360CRNS	6361CRNS	6370CRS	6377CRS	6377FL
		250		Spec. Grade	CS8264N	CS8265N	CS8269	CS8275	CS8275FL
				Replacement use only	3762N	3763N	3771	3777	3777FL
		480		Spec. Grade	CS8464N	CS8465N	CS8469	CS8475	CS8475FL
				Replacement use only	3762N	3763N	3771	3777	3777FL
	3P 4W	125/250		Spec. Grade	CS6364N	CS635N	CS6369	CS6375	CS6375FL
				Corrosion-Rst.	6364CRNS	6365CRNS	6369CRS	6375CRS	6375FL
		3Φ 250		Spec. Grade	CS8364N	CS8365N	CS8369	CS8375	CS8375FL
		250DC/600 AC		Replacement use only	3764N	3765N	3769	3775	3775FL
		250DC/600AC		Replacement use only	7764N	7765N	-	7958	7958FL
		3Φ 480		Spec. Grade	CS8164N	CS8165N	CS8169	CS8175	CS8175FL

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



5266RA
15A / 125V
Straight Blade



4720RA
15A / 125V
Locking



8215TRA
15A / 125V
Hospital



90 度接頭蓋
15RA 7~17mm
3WRA 7~20mm
45WRA 12~29mm
Right Angle Adapter



320IEC15
15A / 120V
320IEC19
20A / 120V



12VBR
DC 防水連接器
12VBP
30A / DC
12/24/36/48 V



12VRC
DC 防水連接器
12VPG
15A Rated
10A Fused
12 VDC




1520 BI
防水護套插頭
15A & 20A
Weatherproof
cover



WP1 插座護蓋
Black
15A & 20A
Raintight cover
WP1GY-gray
WP1YL-yellow



7420 CRS 插座護蓋
20A & 30A
7423 CRS
15A & 20A
Fit Single receptacle
cover / yellow




7788 CRS 插座護蓋
Fit 50A
receptacle
cover / yellow



93101 插座面板
Receptacle
dual plate
93091
Single plate



2030 FL 插座護蓋
20A & 30A
Low cost cover
Weather-resistant



6083CR 插座盒
FD Box Yellow
two 3/4" K.O. holes
6084CR
FD Box Yellow
two 1" K.O. holes



PH6592TV-SS
電視電話防水面板座
Inlet, 316 stainless steel



PH6574TV
電視電話防水面板座
Inlet, watertight



PH6597
電話面板座
Telephone outlet



TV97
電視電話面板座
Cable TV outlet



PH6597TV
電視電話面板座
Telephone Cable TV outlet



PH6619 插座盒
Black non-metallic FS box for PH6595
inlets, PH6597 and PH6597TV outlets.