

PHILIPS

Lighting



勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Electronic ignitor for HID lamp circuits

SN 58


HID ignitors for semi-parallel systems

Product data

General Information		T ambient (min.)		-20 °C	
Application code	58	T-Case maximum (max.)	90 °C		
Operating and Electrical		Mechanical and Housing			
Input voltage	220 to 240 V	Housing	Akulon S223		
Input frequency	50 to 60 Hz	Approval and Application			
Ignition type	Semi-Parallel	Approval marks	CE marking ENEC certificate		
Ignition voltage (max.)	5.0 kV	Product Data			
Ignition voltage (min.)	2.8 kV	Full product code	871016303305130		
Response voltage	190 V	Order product name	SN 58		
Mains voltage performance (AC)	-8%~+6%	EAN/UPC – product	8710163033051		
Mains voltage safety (AC)	-10%~+10%	Order code	03305130		
Power losses (nom.)	0.2 W	Numerator – quantity per pack	1		
Wiring		Numerator – packs per outer box	48		
Ballast contact wire cross section	0.50-2.50 mm ²	Material no. (12NC)	913710010514		
Connector type	Screw	Net weight (piece)	39.000 g		
Temperature					
T ambient (max.)	85 °C				

Electronic ignitor for HID lamp circuits

Dimensional drawing



Product	C1	A1	A2	B1
SN 58	38.5 mm	85.5 mm	65.0 mm	41.5 mm

SN 58

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-34970699
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

