

PROXXON

迷你魔超級盤鋸機 FKS/E

電子式無段變速，鋸片可作45°斜切調整，並調整高度

110-120 VOLT



●工作檯可伸縮至橫寬500mm。



●可接家用吸塵器直接吸塵



木模製作，模型製作，玩具製作，建築模型，設計工藝家們理想的工具機。

NO. 28070 MINIMOT FKS/E

高出力，低噪音。直線切割之利器。鋸片適用範圍廣由 $\phi 50$ 至 $\phi 85\text{mm}$ ($\phi 10\text{mm}$ 內孔)，鋸片可作45°調整，同時可作高低調整，以作不同厚度之切割：1~28mm。可切割任何軟硬木材、鋁銅材、塑膠、壓克力、ABS、發泡材、橡膠及軟木塞。工作檯可伸縮至橫寬500mm。

使用電源：AC 110V，50/60Hz

入力：100W 持續使用時間：15分。

迴轉數：4,800~8,000 rpm。電子無段變速

工作檯：295×240mm(伸縮至500mm)


體積：30×16×26公分。重量：5.2kg

運用轉速表 RPM


鋸片	NQ	軟木	硬木	塑膠	銅鋁	玻璃	陶瓷
鉻鈦鋼	28 731	6000-7000	7000	5000-6000			
超硬鋼	28 733	7000	7000	5000-6000			
超硬鋼	28 734	7000	7000	5000-6000	4800-6000		
鑽石	28 735				4800-6000	4400	4400

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)


NO. 28731



NO. 28733



NO. 28734



NO. 28735



PROXXON 28070 FKS/E TABLE SAW 240V



For accurate, straight cuts. With a height adjustment & tilting blade.

- Ideal machine for straight, mitre & compound cuts
- Usable on all wood types, non-ferrous metals, plastics (ABS, pertinax, foam rubber), as well as rubber, cork etc.
- Great for small work pieces
- TCT blade
- Depth of cut 1-22mm
- The ideal saw for straight, mitre and compound cuts on various materials.
- Machined aluminium table 295 x 240mm. A mitre slot both sides of the blade,
- supplied with rip fence, mitre fence and TCT blade. Max cut @ 90° 1 to 22mm,
- tilts to 45°. Electronic speed control 4,400-6,800 RPM. An extension wing pulls
- out to increase table width to 500mm.

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Accessories


Item Nr.

Description



28729 Trennscheibe 80 x 1,0 x 10 mm.

28731 Super-Cut saw blade



Super-Cut
85 mm diameter x 0,5 x 10 mm bore, 80 tooth
Used on hard and soft woods, plastics



28732 Kreissägeblatt, hartmetallbestückt. 80 x 1,6 x 10 mm. 36 Zähne.

勝特力材料 886-3-5753170

勝特力电子(上海) 86-21-54151736

勝特力电子(深圳) 86-755-83298787

[Http://www.100y.com.tw](http://www.100y.com.tw)

28734 Tungsten carbide tipped blade



Tungsten carbide tipped (TCT)

80 mm diameter x 1,6 x 10 mm bore, 24 tooth

Used on aluminium, hard wood, laminates, plastics

28735 Diamond coated saw blade



Diamond coated

85 mm diameter x 0,5 x 10 mm bore

Used on glass, stone and tiles

28736 Dado Head Set for FKS/E



Slot Cutting Facility

With slot protection and carbide tipped blade. Diameter 50 x 2 mm.

To cut slots into drawers, picture frames etc.

Max. slot dutting depth 8 mm.

Easy mounting.