# **MOS FET Relays M-21HR**

### Low 20-m $\Omega$ ON Resistance. High-power, 2.5-A Switching with SOP Package.

- Continuous load current of 2.5 A (connection C = 5 A).
- Dielectric strength of 1,500 Vrms between I/O.
- RoHS Compliant

# WWW.100Y.COM Application Examples

- · Broadband systems
- Measurement devices
- Data loggers

Contact form

Industrial equipm

### List of Mode

Terminals	Load voltage (peak value)	Model Number per stick	Number per tape
els			
ment			

	WT.	(See note.)		1001	
SPST-NO	Surface-mounting	20 V	G3VM-21HR	75	WTT
WW.100	terminals	WW.100 r	G3VM-21HR(TR)	WWW.Long.	2,500


Note: The AC peak and DC value is given for the load voltage.

### Dimensions

Note: All units are in millimeters unless otherwise indicated.

#### G3VM-21HR






4.4±0.25

Weight: 0.13 g


### Terminal Arrangement/Internal Connections (Top View)

#### G3VM-21HR



■ Actual Mounting Pad Dimensions (Recommended Value, Top View) G3VM-81HR

WWW.100Y.C



### 力材料 886-3-5753170 特 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www. 100y. com. tw

### OMRON






Note: The actual product is marked differently from the image shown here.

### OMRON

### ■ Absolute Maximum Ratings (Ta = 25°C)


	Item		Symbol	Rating	Unit	Measurement Conditions	
Input	LED forward current		I <sub>F</sub>	30	mA	MAN 100X.C.	
	LED forward current reduction rate		$\Delta I_{\rm F}^{\rm OC}$	-0.3	mA/°C	T <sub>a</sub> ≥ 25°C	
	LED reverse voltage		V <sub>R</sub>	5	V	WW.100	
	Connection temperature		т, 002	125	°C	W. 100x	
Output	Load voltage (AC p	eak/DC)	VOFF	20	V	WW 100	
	Continuous load current	Connection A	-1	2.5	A	Connection A: AC peak/DC Connection B and C: DC	
		Connection B		2.5			
		Connection C		5	T.M.		
	ON current reduction rate	Connection A	10	-33.3	mA/°C	T <sub>a</sub> ≥ 50°C	
		Connection B		-33.3	OM.,	UN WWW	
		Connection C		-66.6	Mo		
	Connection temperature		T,	125	°C	IN WI	
Dielectric strength between input and output (See note 1.)			V <sub>I-O</sub>	1,500	V <sub>rms</sub>	AC for 1 min	
Operating temperature			Ta	-40 to +85	°C	With no icing or condensation	
Storage temperature			T <sub>stg</sub>	-55 to +125	°C	With no icing or condensation	
Soldering temperature (10 s)				260	°C	10 s	


1. The dielectric strength between the input and output was checked by apply-ing voltage between all pins as a group on the LED side and all pins as a group on the light-receiving side.



### ■ Electrical Characteristics (Ta = 25°C)

	Item	V.L.	Symbol	Mini- mum	Typical	Maxi- mum	Unit	Measurement conditions	
Input	LED forward voltage		V <sub>F</sub>	1.18	1.33	1.48	V	I <sub>F</sub> = 10 mA	
	Reverse current		I <sub>R</sub>	<u>n</u>	N 100	10	μA	V <sub>R</sub> = 5 V	
	Capacity between terminals		C <sub>T</sub>		70		pF	V = 0, f = 1 MHz	
	Trigger LED forward current		I <sub>FT</sub>			3	mA	l <sub>o</sub> = 100 mA	
Output	Maximum resistance with output ON	Connection A	R <sub>on</sub>		0.02	0.05	Ω	$I_F = 5 \text{ mA}, I_O = 2 \text{ A}, t < 1 \text{ s}$	
		Connection B		V	0.01	0.025	Ω	$I_F = 5 \text{ mA}, I_O = 2 \text{ A}, t < 1 \text{ s}$	
		Connection C		1	0.005	007	Ω	$I_F = 5 \text{ mA}, I_O = 4 \text{ A}, t < 1 \text{ s}$	
	Current leakage when the relay is open		ILEAK		2	10	nA	V <sub>OFF</sub> = 20 V	
	Capacity between terminals A Connection		COFF		1,000	1,500	pF	V = 0, f = 1MHz	
Capacity between I/O terminals			C <sub>I-O</sub>		0.8	<del>1</del> 21-2	pF	f = 1 MHz, V <sub>s</sub> = 0 V	
Insulation resistance			R <sub>I-O</sub>	1,000		$\overline{M}M$	MΩ	$\begin{array}{l} V_{\text{I-O}} = 500 \text{ VDC}, \\ R_{\text{oH}} \leq 60\% \end{array}$	
Turn-ON time			t <sub>on</sub>	<u></u>	1.5	5.0	ms	$I_F = 5 \text{ mA}, R_L = 200 \Omega, V_{DD} = 10 \text{ V} (\text{See note 2.})$	
Turn-OFF time			tOFF		0.1	1.0	ms		





### Recommended Operating Conditions

Use the G3VM under the following conditions so that the Relay will operate properly.

Item	Symbol	Minimum	Typical	Maximum	Unit
Load voltage (AC peak/DC)	V <sub>DD</sub>		1	20	V
Operating LED forward current	IF.	5	10	20	mA
Continuous load current (AC peak/DC)	lo	-70M-1		2	A
Operating temperature	T_ 100	-20	122	65	°C


WW.100X.COM.TW

### OMRON

#### Engineering Data

Load voltage VOFF(V)

WWW.100Y.C



OMRON

**MEMO** 

W.100Y.COM.TW Q. k k I LANNI COM WHO LOM. 4 F +1  $\Phi^{p}$ 10 Ť 1 N k Ν N Y 1001 1.1 ` T .... | | -N 1 E ቸ +-L  $\leq$ Ð 4 01.1  $\neg$ 7 Ť T Τ N . Τ CON da N 109 ų.  $1 \propto 1$ K M. 1.1 Ŧ Los. The second К M 12.310 - 1 1 d Ĩ. M. Tallon, POM 1001 100P J 04 LAND. T. Т N. Ē. Ъſ JOOY.COM.T 19 10 A. N 1.1.1 - I - T Ť Т ٦ Τ Æ Ť Т 1 1 L. 1.2 1 1 T. 1

### **Omron Electronic Components, LLC**

#### **Terms and Conditions of Sales**

	GENERAL		(d) Systems, machines, and equipment
1.	Definitions: The words used herein are defined as follows. (a) Terms: These terms and conditions	3.	(d) Systems, machines, and equipment in <u>Prohibited Use:</u> NEVER USE THE PROD SERIOUS RISK TO LIFE OR PROPERT
	<ul> <li>(b) Seller: Omron Electronic Components LLC and its subsidiaries</li> <li>(c) Buyer: The buyer of Products, including any end user in section III through VI</li> <li>(d) Products: Products and/or services of Seller</li> </ul>		AS A WHOLE HAS BEEN DESIGNED TO PRODUCT IS PROPERLY RATED AND
	(e) Including: Including without limitation	4.	WITHIN THE OVERALL EQUIPMENT OF Motorized Vehicle Application: USE OF A
2.	<u>Offer: Acceptance:</u> These Terms are deemed part of all quotations, acknowledgments, invoices, purchase orders and other documents, whether electronic or in writing, relating		VEHICLE APPLICATION MUST BE EXPR
	to the sale of Products by Seller. Seller hereby objects to any Terms proposed in Buyer's	5.	SELLER. <u>Programmable Products:</u> Seller shall not
	purchase order or other documents which are inconsistent with, or in addition to, these Terms.		a programmable Product.
3.	Distributor: Any distributor shall inform its customer of the contents after and including	IV	. WARRANTY AND LIMITATION
0X	section III of these Terms.	1.	Warranty: Seller's exclusive warranty is the materials and workmanship for a period o
II.	SALES		(or such other period expressed in writing
1.	<u>Prices: Payment</u> : All prices stated are current, subject to change without notice by Seller. Buyer agrees to pay the price in effect at the time the purchase order is accepted by		OR REPRESENTATION, EXPRESS OR I
	Seller. Payments for Products received are due net 30 days unless otherwise stated in		NON-INFRINGEMENT, MERCHANTABIL PURPOSE OF THE PRODUCTS.
	the invoice. Buyer shall have no right to set off any amounts against the amount owing in respect of this invoice.	2.	Buyer Remedy: Seller's sole obligation he
2.	<u>Discounts</u> : Cash discounts, if any, will apply only on the net amount of invoices sent to		originally shipped with Buyer responsible thereof) the non-complying Product or, at
	Buyer after deducting transportation charges, taxes and duties, and will be allowed only if (a) the invoice is paid according to Sollor's payment terms and (b) Puyer has no past		amount equal to the purchase price of the
	if (a) the invoice is paid according to Seller's payment terms and (b) Buyer has no past due amounts owing to Seller.		liability for Seller or its affiliates unless Se correctly handled, stored, installed and m
3.	Interest: Seller, at its option, may charge Buyer 1.5% interest per month or the maximum		abuse, misuse or inappropriate modificati
4.	legal rate, whichever is less, on any balance not paid within the stated terms. <u>Orders</u> : Seller will accept no order less than 200 U.S. dollars net billing.	3.	approved in writing by Seller before shipn Limitation on Liability: SELLER AND ITS
5.	<u>Currencies</u> : If the prices quoted herein are in a currency other than U.S. dollars, Buyer		SPECIAL, INDIRECT, INCIDENTAL OR (
	shall make remittance to Seller at the then current exchange rate most favorable to Seller; provided that if remittance is not made when due, Buyer will convert the amount		PROFITS OR PRODUCTION OR COMM WITH THE PRODUCTS, WHETHER SU
	to U.S. dollars at the then current exchange rate most favorable to Seller available		WARRANTY, NEGLIGENCE OR STRICT
6.	during the period between the due date and the date remittance is actually made. <u>Governmental Approvals</u> : Buyer shall be responsible for all costs involved in obtaining		LIABILITY OF SELLER OR ITS AFFILITA
_	any government approvals regarding the importation or sale of the Products.	4.	Indemnities: Buyer shall indemnify and ho
7.	Taxes: All taxes, duties and other governmental charges (other than general real property and income taxes), including any interest or penalties thereon, imposed directly		employees from and against all liabilities, attorney's fees and expenses) related to a
	or indirectly on Seller or required to be collected directly or indirectly by Seller for the		(whether or not Seller is a party) which ar
	manufacture, production, sale, delivery, importation, consumption or use of the Products sold hereunder (including customs duties and sales, excise, use, turnover and license	M.	omissions under these Terms or in any w
	taxes) shall be charged to and remitted by Buyer to Seller.		INFORMATION; ETC.
8.	<u>Financial</u> : If the financial position of Buyer at any time becomes unsatisfactory to Seller, Seller reserves the right to stop shipments or require satisfactory security or payment in	01.	Intellectual Property: The intellectual prop property of Seller and its affiliates and Bu
	advance. If Buyer fails to make payment or otherwise comply with these Terms or any		without the written permission of Seller. E
	related agreement, Seller may (without liability and in addition to other remedies) cancel any unshipped portion of Products sold hereunder and stop any Products in transit until		hold harmless Seller and defend or settle that it is based on a claim that any Produc
	Buyer pays all amounts, including amounts payable hereunder, whether or not then due,		intellectual property rights of another part
	which are owing to it by Buyer. Buyer shall in any event remain liable for all unpaid accounts.	2.	Property: Confidentiality: Notwithstanding tooling, all engineering and tooling shall r
9.	Cancellation; Etc: Orders are not subject to rescheduling or cancellation unless Buyer		information and materials supplied by Sel
10.	indemnifies Seller fully against all costs or expenses arising in connection therewith. <u>Force Majeure</u> : Seller shall not be liable for any delay or failure in delivery resulting from		confidential and proprietary, and Buyer sh employees and strictly prevent disclosure
	causes beyond its control, including earthquakes, fires, floods, strikes or other labor	3.	Performance Data: Performance data is p
	disputes, shortage of labor or materials, accidents to machinery, acts of sabotage, riots, delay in or lack of transportation or the requirements of any government authority.		and does not constitute a warranty. It may and the users must correlate it to actual a
11.	Shipping: Delivery: Unless otherwise expressly agreed in writing by Seller:	4.	Change In Specifications: Product specifi
	(a) All sales and shipments of Products shall be FOB shipping point (unless otherwise stated in writing by Seller), at which point title to and all risk of loss of the Products		any time based on improvements or other numbers when published ratings or feature
	shall pass from Seller to Buyer, provided that Seller shall retain a security interest in		engineering changes are made. Howeve
	<ul><li>the Products until the full purchase price is paid by Buyer;</li><li>(b) Delivery and shipping dates are estimates only; and</li></ul>	5.	changed without any notice. Errors And Omissions: The information of
	(c) Seller will package Products as it deems proper for protection against normal		has been carefully checked and is believe
12	handling and extra charges apply to special conditions. <u>Claims:</u> Any claim by Buyer against Seller for shortage or damage to the Products	6.	assumed for clerical, typographical or pro Export Controls: Buyer shall comply with
	occurring before delivery to the carrier or any claim related to pricing or other charges		regarding (a) export of the Products or inf
	must be presented in detail in writing to Seller within 30 days of receipt of shipment.		Products to forbidden or other proscribed citizens of regulated technology or inform
	PRECAUTIONS	V	I. MISCELLANEOUS
1.	<u>Suitability:</u> IT IS THE BUYER'S SOLE RESPOINSIBILITY TO ENSURE THAT ANY OMRON PRODUCT IS FIT AND SUFFICIENT FOR USE IN A MOTORIZED VEHICLE	1.	Waiver: No failure or delay by Seller in ex
	APPLICATION. BUYER SHALL BE SOLELY RESPONSIBLE FOR DETERMINING		between Buyer and Seller shall operate a
	APPROPRIATENESS OF THE PARTICULAR PRODUCT WITH RESPECT TO THE BUYER'S APPLICATION INCLUDING (A) ELECTRICAL OR ELECTRONIC	2. 3.	Assignment: Buyer may not assign its right Law: These Terms are governed by Illinoi
	COMPONENTS, (B) CIRCUITS, (C) SYSTEM ASSEMBLIES, (D) END PRODUCT, (E)		Federal and state courts in Cook County,
	SYSTEM, (F) MATERIALS OR SUBSTANCES OR (G) OPERATING ENVIRONMENT.		dispute hereunder.

- (b) Use in consumer Products or any use in significant quantities.
- Energy control systems, combustion systems, railroad systems, aviation systems, medical equipment, amusement machines, vehicles, safety equipment, and installations subject to separate industry or government regulations.
- that could present a risk to life or property. DUCT FOR AN APPLICATION INVOLVING Y WITHOUT ENSURING THAT THE SYSTEM O ADDRESS THE RISKS, AND THAT THE INSTALLED FOR THE INTENDED USE R SYSTEM.
- NY PRODUCT/S FOR A MOTORIZED RESSLY STATED IN THE SPECIFICATION BY
- be responsible for the Buyer's programming of
- hat the Products will be free from defects in f twelve months from the date of sale by Seller by Seller). SELLER MAKES NO WARRANTY MPLIED, ABOUT ALL OTHER WARRANTIES, ITY OR FITNESS FOR A PARTICULAR
- ereunder shall be to replace (in the form for labor charges for removal or replacement Seller's election, to repay or credit Buyer an Product; provided that there shall be no ller's analysis confirms that the Products were aintained and not subject to contamination, ion. Return of any Products by Buyer must be nent.
- AFFILIATES SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES, LOSS OF ERCIAL LOSS IN ANY WAY CONNECTED CH CLAIM IS BASED IN CONTRACT. LIABILITY. FURTHER, IN NO EVENT SHALL TES EXCEED THE INDIVIDUAL PRICE OF S ASSERTED.
- old harmless Seller, its affiliates and its losses, claims, costs and expenses (including any claim, investigation, litigation or proceeding ises or is alleged to arise from Buyer's acts or ay with respect to the Products.
- erty embodied in the Products is the exclusive yer shall not attempt to duplicate it in any way Buyer (at its own expense) shall indemnify and any action brought against Seller to the extent ct made to Buyer specifications infringed
- any charges to Buyer for engineering or emain the exclusive property of Seller. All ller to Buyer relating to the Products are hall limit distribution thereof to its trusted b to any third party. provided as a guide in determining suitability
- represent the result of Seller's test conditions, pplication requirements.
- cations and descriptions may be changed at reasons. It is Seller's practice to change part res are changed, or when significant er, some specifications of the Product may be
- n Seller's website or in other documentation ed to be accurate; however, no responsibility is ofreading errors or omissions.
- all applicable laws, regulations and licenses formation provided by Seller; (b) sale of persons or organizations; (c) disclosure to nonation.
- xercising any right and no course of dealing as a waiver of rights by Seller.
- hts hereunder without Seller's written consent. is law (without regard to conflict of laws). Federal and state courts in Cook County, Illinois have exclusive jurisdiction for any dispute hereunder.
- Amendment: These Terms constitute the entire agreement between Buyer and Seller 4 relating to the Products, and no provision may be changed or waived unless in writing signed by the parties.
- Severability: If any provision hereof is rendered ineffective or invalid, such provision shall not invalidate any other provision.

WWW.100Y.

Buyer acknowledges that it alone has determined that the Products will meet their

requirements of the intended use in <u>all</u> cases. Buyer must know and observe all prohibitions of use applicable to the Product/s.

(a) Outdoor use, use involving potential chemical contamination or electrical interference.

## Certain Precautions on Specifications and Use

- <u>Suitability for Use</u>. Seller shall not be responsible for conformity with any stan-dards, codes or regulations which apply to the combination of the Product in Buyer's application or use of the Product. At Buyer's request, Seller will provide applicable third party certification documents identifying ratings and limi-tations of use which apply to the Product. This information by itself is not sufficient for a complete determination of the suitability of the Product in com-Sufficient for a complete determination of the suitability of the Product in com-bination with the end product, machine, system, or other application or use. Buyer shall be solely responsible for determining appropriateness of the par-ticular Product with respect to Buyer's application, product or system. Buyer shall take application responsibility in all cases but the following is a non-exhaustive list of applications for which particular attention must be given: (i) Outdoor use, uses involving potential chemical contamination or electrical interference, or conditions or uses not described in this document.

  - (ii) Energy control systems, combustion systems, railroad systems, aviation systems, medical equipment, amusement machines, vehicles, safety equipment, and installations subject to separate industry or government regulations
  - (iii) Use in consumer products or any use in significant quantities.
     (iv) Systems, machines and equipment that could present a risk to life or
  - property. Please know and observe all prohibitions of use applicable to this product

DIFORMET. NEVER USE THE PRODUCT FOR AN APPLICATION INVOLVING SERIOUS RISK TO LIFE OR PROPERTY WITHOUT ENSURING THAT THE SYSTEM AS A WHOLE HAS BEEN DESIGNED TO ADDRESS THE RISKS, AND THAT THE OMRON PRODUCT IS PROPERLY RATED AND INSTALLED FOR THE INTENDED USE WITHIN THE OVERALL EQUIPMENT OR SYSTEM. WWW.100Y.COM.TW

- <u>Programmable Products.</u> Seller shall not be responsible for the user's pro-gramming of a programmable product, or any consequence thereof. <u>Performance Data</u>. Performance data given in this publication is provided as
- a guide for the user in determining suitability and does not constitute a war-ranty. It may represent the result of Seller's test conditions, and the users must correlate it to actual application requirements. Actual performance is subject to
- correlate it to actual application requirements. Actual performance is subject to Seller's Warranty and Limitations of Liability. <u>Change in Specifications</u>. Product specifications and accessories may be changed at any time based on improvements and other reasons. It is our prac-tice to change part numbers when published ratings or features are changed, or when significant construction changes are made. However, some specifica-tions of the Product may be changed without any notice. When in doubt, spe-cial part numbers may be assigned to fix or establish key specifications for your application. Please consult with your Seller representative at any time to confirm actual specifications of purchased Product. <u>Errors and Omissions</u>. The information in this publication has been carefully checked and is believed to be accurate: however, no responsibility is assumed
- 5.
- <u>Errors and Omissions</u>. The information in this publication has been carefully checked and is believed to be accurate; however, no responsibility is assumed for clerical, typographical or proofreading errors, or omissions. <u>RoHS Compliance</u>. Where indicated, our products currently comply, to the best of our knowledge as of the date of this publication, with the requirements of the European Union's Directive on the Restriction of certain Hazardous Substances ("RoHS"), although the requirements of RoHS do not take effect until July 2006. These requirements may be subject to change. Please consult our website for current information. 6. WWW.100Y.COM.T

特力材料 886-3-5753170 胜特力电子(上海) 86-21-34970699 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw

WWW.100Y.COM.T

Complete "Terms and Conditions of Sale" for product purchase and use are on Omron's website at http://www.components.omron.com - under the "About Us" tab, in the Legal Matters section.

WWW.100Y.COM.TW

ALL DIMENSIONS SHOWN ARE IN MILLIMETERS. To convert millimeters into inches, multiply by 0.03937. To convert grams into ounces, multiply by 0.03527.



55 E. Commerce Drive, Suite B Schaumburg, IL 60173

### **OMRON ON-LINE**

WW.100Y.COM.TV Global - http://www.omron.com USA - http://www.components.omron.com

847-882-2288

Cat. No. X302-E-1

08/09

Specifications subject to change without notice

Printed in USA

WW.100Y.COM