



Work smarter with UL Product iQ™  
Improved access to UL's certification data.

Create your FREE ACCOUNT today!

**AVLV2.E347603**  
**Appliance Wiring Material - Component**

[Page Bottom](#)

**Appliance Wiring Material - Component**

[See General Information for Appliance Wiring Material - Component](#)

**DONG GUAN SHENG PAI ELECTRIC WIRE & CABLE CO LTD**

E347603

1 South Rd Xinyuan  
Xinan Revenue  
Ludong Village Humen Town  
Dongguan, Guangdong 523935 CHINA

Table of Recognized Styles							
Single-conductor, thermoplastic insulation.							
<a href="#">1330</a>	<a href="#">1331</a>	<a href="#">1332</a>	<a href="#">1333</a>	<a href="#">1430</a>	<a href="#">10107</a>		
Multiple-conductor, thermoplastic insulation.							
<a href="#">2501</a>	<a href="#">2570</a>	<a href="#">2587</a>	<a href="#">20233</a>	<a href="#">20379</a>	<a href="#">20866</a>	<a href="#">20963</a>	<a href="#">21913</a>
<a href="#">2517</a>	<a href="#">2586</a>	<a href="#">2651</a>	<a href="#">20234</a>	<a href="#">20549</a>	<a href="#">20940</a>	<a href="#">21885</a>	
Single-conductor, thermoset insulation.							
<a href="#">3122</a>	<a href="#">3135</a>	<a href="#">3239</a>	<a href="#">3271</a>	<a href="#">3385</a>			
<a href="#">3132</a>	<a href="#">3173</a>	<a href="#">3266</a>	<a href="#">3321</a>	<a href="#">3386</a>			

Marking: Company name, voltage rating, temperature rating, conductor size, conductor material if other than copper, and use.

[Last Updated](#) on 2018-01-17

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".

镀锡铜芯



硅胶护套



商品全名	规格	外径	单位
UL3135-26A	7/0.16TS	2.0	305M/R
UL3135-24A	11/0.16TS	2.17	305M/R
UL3135-22A	12/0.18TS	2.3	305M/R
UL3135-20A	20/0.18TS	2.5	305M/R
UL3135-18A	30/0.18TS	2.7	305M/R
UL3135-16A	26/0.254TS	3.05	305M/R
UL3135-14A	41/0.254TS	3.4	305M/R
UL3135-12A	65/0.254TS	3.9	305M/R
UL3135-10A	105/0.254TS	5.1	100M/R
UL3135-8A	165/0.254TS	6.5	100M/R
UL3135-6A	263/0.254TS	8.5	100M/R
UL3135-4A	300/0.3TS	9.9	100M/R
UL3135-2A	476/0.30TS	11.5	100M/R

## 镀锡铜芯

载电量强，省电省钱

耐压：600V

接触空气不易氧化

电阻低，导电性强

