

勝特力電材超市-龍山店 886-3-5773766
勝特力電材超市-光復店 886-3-5729570
勝特力電子(上海) 86-21-34970699
勝特力電子(深圳) 86-755-83298787
<http://www.100y.com.tw>

精工製造

強勁風力
功能全面



雙發熱絲



按鍵調溫



過熱保護



進口電機

还在担心这样的烦恼吗？


真正的好风枪为您解决您的烦恼



效率低慢
LOW EFFICIENCY



升温慢
SLOW TEMPERATURE RISE



使用不安全
UNSAFE PRODUCT



机器不耐用
BATTERY IS NOT DURABLE

一“枪”在手 搞定各类问题

工作好助手，家庭好帮手



汽车贴膜

相片塑膜



去除旧漆



解冻功能



产品细节展示

PRODUCT DETAILS



01

防烫护手 电镀铁钢管

格栅式出风口设计，送风均匀
强劲有力

THE SHEATH IS MADE OF NYLON AND STAINLESS STEEL.
CORROSION AND HIGH TEMPERATURE RESISTANCE, GOOD PERFORMANCE

02

优质二挡 控制开关

采用优质的控制开关，手感
舒适，寿命更长

HIGH QUALITY PRESS SWITCH, COMFORTABLE HANDL
E AND LONG SERVICE LIFE



风速温控

无极调温设计

开关2档高、低风速温控，枪尾无极调温设计

开关处设置有2档风速温控，枪尾设置有无极调温旋转钮
旋转即可实现60°C-600°C恒温调节

|| 高级档可调温至600°C


|| 低速档可调温至400°C

0关机档



内部结构图

INTERNAL STRUCTURE DIAGRAM



产品信息展示

PRODUCT INFORMATION DISPLAY



产品参数特点

CHARACTERISTICS OF PRODUCT PARAMETERS

- 【型号】 QR-866
- 【类型】 按键调温数显热风枪
- 【工作温度】 60°C-600°C
- 【空气流量】 300-500L
- 【电源类型】 直流电源
- 【额定电压】 220V
- 【工作电流】 7.5A
- 【额定输入功率】 2000W
- 【噪音分贝】 50-60分贝



产品特点

1. 格栅式出风口设计、送风均匀、强劲有力
2. 双重发热丝、过载保护、快速升温不怕过载
3. PP+GF30 主体外壳、更加隔热防摔防刮
4. 两档风速调节开关、按键精准调温设计，根据自身需求随心调节温度
5. 365 大功率纯铜电机、运转均匀稳定、使用寿命更长
6. 按键调温，智能数字显示，准确显示温度

安全操作注意事项

1. 请按照工具上标示的使用电压接取电源。
2. 在高空使用工具时一定要随时紧握住工具。
3. 在工具未完全运转停止前勿将工具放置。

热风枪的安全防备

1. 不要将热风枪当美发吹风机使用。
2. 不要直接将热风机对着人或者动物。
3. 不要在易燃物或者易燃气体旁使用。
4. 不要阻塞或覆盖热气进出风口。
5. 当热风枪使用时或者刚使用后，不要触碰喷嘴，热风枪的把手必须保持干燥。
6. 热风枪要完全冷却后才能存放。

保养及维修

勿使用松节油，油漆混合物，汽油或相同物质清理。

1. 停止作业时，请先将温度慢慢调低，把风筒内的热气全部吹出后再关闭开关，并把热风筒垂直倒立于平坦的工作台面上。
2. 贮存热风筒时，请确认热风筒已完全冷却。
3. 经常清除进风口积存的脏物，并保持进出风口之清净。
4. 检查所有延伸的绝缘电线，若损坏，请立即更换，请勿使用受损的绝缘电线，因为若触碰到可能受到电击而引起的伤害。
5. 所有维修都须经过授权的服务中心或其他合格的服务组织，以确保安全性及可靠性。

CE认证 安全保障

PATENT CERTIFICATE, SECURITY

CERTIFICATE



CERTIFICATE OF CONFORMITY

EU - LOW VOLTAGE DIRECTIVE (LVD) -

No. CTB2009080245X-ZS

Applicant	: Foshan listed Qi automobile products Technology Co., Ltd.
Address	: Guangdong Province Foshan listed Sanshui District Jirben Jingang Avenue Qi Technology Co., Ltd.
Manufacturer	: Same as applicant
Address	: Same as applicant
Product	: Hot air gun
Trade Name	: NA
Model(s)	: QR-323, QR-322, QR-321, QR-311, QR-310, QR-010, QR-995A, QR-995B, QR-85A1, QR-85A2, QR-866, QR-866A, QR-866B, QR-212, QR-213.
Rating	: 220V-240V~, 50Hz, 1800W
Test Report No.	: CTB2009080245X
Test Standards	: EN 60335-1:2012+A11:2014.

The tests that base on the above designated product Complies with the essential requirements of Council Directive 2014/35/EU relating to Electrical Equipment designed for use within certain voltage limits.

The test results apply only to the particular sample tested and the applicative tests carried out.

The CE markings as shown below can be affixed on product after manufacturer carry out all stipulation activities integrity of above mentioned Regulation (Directive) and preparation of necessary technical documentation as well as the conformity declaration.

This statement is based on a single evaluation of sample of above mentioned product. It does not imply an assessment of the whole production process.

Other relevant Regulation(Directive) requirement have to be observed.





Peter Chen (Chief engineer)
Sep. 17, 2020



Shenzhen CTB Testing Technology Co., Ltd.
A01 Floor 162, Building A, No. 28 of Kinta Road, Kinta Community, Kinta Street,
Baoan District, Shenzhen, Guangdong, China
Web: <http://www.ctb-test.net> Tel: 4008 707 263 Email: info@ctb-test.net



出口订制 多国插头

EXPORT CUSTOMIZED, MULTI COUNTRY PLUG



多种风嘴 任意搭配

ANY COMBINATION OF VARIOUS NOZZLES

