

勝特力材料 886-3-5773766  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)




# POWERFUL SOLDER WICK

## 原装低残渣吸锡线

### 原装吸锡带 R300

#### 新升级制作方式

新升级维修佬吸锡带没有松香，运用先进化学制作法，这是目前乃至日本都无法超越的环保技术，让维修更环保，作业更健康的，新型吸锡带，吸锡效果只会更好。建议您，长期使用维修佬，更环保更健康！



**MECHANIC**  
POWERFUL SOLDER WICK  
DESOLDERING WIRE

1.5mm / 2.0mm / 2.5mm  
3.0mm / 3.5mm \*1.5m

# 商品参数

COMMODITY PARAMETERS



产品名称  
**原装吸锡带**

产品型号  
**R300**

线径宽度  
**1.5/2.0/2.5  
3.0/3.5mm**

NAME  
**DESOLDERING  
WIRE**

MODEL  
**R300**

LINewidth  
**1.5/2.0/2.5  
3.0/3.5mm**

产品总长度  
**1.5m**

产品尺寸  
**46\*10**

产品用途  
**适用于各种电子  
PCB电路板**

LENGTH  
**1.5m**

SIZE  
**46\*10**

PURPOSE  
**Suitable for all kinds  
of electronic PCB**




# POWERFUL SOLDER WICK

## 强劲低残渣吸锡线

### 强劲吸锡带 R350

#### 新升级制作方式

新升级维修佬吸锡带没有松香，运用先进化学制作法，这是目前乃至日本都无法超越的环保技术，让维修更环保，作业更健康的，新型吸锡带，吸锡效果只会更好。建议您，长期使用维修佬，更环保更健康！




**MECHANIC**  
POWERFUL SOLDER WICK  
DESOLDERING WIRE

1.5mm / 2.0mm / 2.5mm  
3.0mm / 3.5mm \*1.5m



# 商品参数

COMMODITY PARAMETERS



产品名称

**强劲吸锡带**

产品型号

**R350**

线径宽度

**1.5/2.0/2.5  
3.0/3.5mm**

NAME

**DESOLDERING  
WIRE**

MODEL

**R350**

LINewidth

**1.5/2.0/2.5  
3.0/3.5mm**

产品总长度

**1.5m**

产品尺寸

**46\*10**

产品用途

**适用于各种电子  
PCB电路板**

LENGTH

**1.5m**

SIZE

**46\*10**

PURPOSE

**Suitable for all kinds  
of electronic PCB**

## DOUBLE LAYER STRONG TIN ABSORPTION

### 双层强劲吸锡

吸锡线采用平针式编制，柔软的设计，热传导快，适用于快速吸锡，不仅提高工作效率和质量更环保

The tin absorption line is made of flat needle, soft design fast heat conduction, suitable for fast tin absorption not only improving work efficiency and quality but also environmental protection

