

# MASTECH\_MS6208A 轉速表 Contact Type

## Digital Tachometer



### 產品特點

- 接觸式測量模式
- 惰輪選擇：6"、12"、0.1公尺
- 單位選擇：公尺/分鐘、公尺/秒、英呎/分鐘、英呎/秒、英吋/分鐘
- 自動關機
- 最大值/最小值
- 數據紀錄100組
- 數據鎖定
- 顯示背光
- 低電量顯示

- Contact measuring Mode
- Idler wheel selection 6" ,12" ,0.1m
- Unit Selection m/min, m/sec, ft/min, ft/sec, in/min
- Auto Power Off
- MAX / MIN
- Data Logging 100 groups
- Data Hold
- Display Backlight
- Low Battery Display

規格	量程	解析度	準確性
測量	50~99.99 RPM	0.01RPM	±(0.03%+2)
	100~9999.9 RPM	0.1 RPM	±(0.03%+2)
	10000~19999 RPM	1 RPM	±(0.03%+2)

Tachometers : MS6208A

Specifications	Range	Resolution	Accuracy
Measurement	50~99.99 RPM	0.01 RPM	±(0.03%+2)
	100~9999.9 RPM	0.1 RPM	±(0.03%+2)
	10000~19999 RPM	1 RPM	±(0.03%+2)

## General

- 電 源：4x1.5AAA 電池
- 產品尺寸：170mm x 60mm x 27mm / 6.7" x 2.4" x 1.1"
- 產品重量：130克 / 0.28磅
- 認 證：CE / ETL / RoHS

- Power Supply: 4x1.5AAA Batteries
- Product Size: 170mm x 60mm x 27mm / 6.7" x 2.4" x 1.1"
- Product Weight: 130g / 0.28lb
- Certificate: CE / ETL / RoHS

## Accessories Included

- 測量惰輪，接觸端子和加長桿
  - 手提袋
  - 電池和用戶手冊
- Measurement idler wheels, touch tips and lengthening bar
  - Carry bag
  - Battery and User's manual

