

MASTECH_MS6252A 風速計 Digital Anemometer



產品特點

風量單元	範圍	面積
CFM : 0~999.9	0~9.999	ft ²
CMM : 0~999.9	0~9.999	m ²
CMS : 0~99.99	0~9.999	m ²

- 顯示9999計數
- 自動關機
- 流動面積設置
- 最大值/最小值
- 數據鎖定
- 顯示背光
- 低電量顯示

- | ● Air Volume Unit | Range | Area |
|-------------------|---------|-----------------|
| CFM: 0~999.9 | 0~9.999 | ft ² |
| CMM: 0~999.9 | 0~9.999 | m ² |
| CMS: 0~99.99 | 0~9.999 | m ² |
- Display 9999 counts
 - Auto Power Off
 - Flow Area Setting
 - MAX / MIN
 - Data Hold
 - Display Backlight
 - Low Battery Display

Specifications

規格	量程	解析度	準確性
m / s (米/秒)	0.80~30.00 m/s	0.01 m/s	±(2.0%+50)
	30.00~40.00 m/s	0.01 m/s	Reference
km / h (公里/小時)	2.88~108.0 km/h	0.01 km/h	±(2.0%+50)
	108.0~144.0km/h	0.1 km/h	Reference
ft / s (英尺/秒)	2.62~98.50ft/s	0.01 ft/s	±(2.0%+50)
	98.5~131.2ft/s	0.01 ft/s	Reference
節 (海里/小時)	1.6~58.30knots	0.01 knots	±(2.0%+50)
	58.30~77.70knots	0.01 knots	Reference
英里/小時 (英里/小時)	1.8~67.20mil/h	0.01 mil/h	±(2.0%+5)
	67.20~90.00mil/h	0.01 mil/h	Reference
ft / m (英尺/分鐘)	157.5~5900ft/m	1 ft/m	±(2.0%+5)
	5900~7874ft/m	1 ft/m	Reference

Anemometers : MS6252A

Specifications	Range	Resolution	Accuracy
m/s	0.80~30.00 m/s	0.01 m/s	±(2.0%+50)
(meter per second)	30.00~40.00 m/s	0.01 m/s	Reference
km/h	2.88~108.0 km/h	0.01 km/h	±(2.0%+50)
(kilometer per hour)	108.0~144.0km/h	0.1 km/h	Reference
ft/s	2.62~98.50ft/s	0.01 ft/s	±(2.0%+50)
(feet per second)	98.5~131.2ft/s	0.01 ft/s	Reference
Knots	1.6~58.30knots	0.01 knots	±(2.0%+50)
(nautical miles per hour)	58.30~77.70knots	0.01 knots	Reference
mile/h	1.8~67.20mil/h	0.01 mil/h	±(2.0%+5)
(mile per hour)	67.20~90.00mil/h	0.01 mil/h	Reference
ft/m	157.5~5900ft/m	1 ft/m	±(2.0%+5)
(feet per minute)	5900~7874ft/m	1 ft/m	Reference

General

- 電 源：1x9V 6F22電池
- 產品尺寸：165mm x 85mm x 38mm / 6.5" x 3.3" x 1.5"
- 產品重量：168克/ 0.37磅
- 認 證：CE / ETL / RoHS

- Power Supply : 1x9V 6F22 Battery
- Product Size : 165mm x 85mm x 38mm / 6.5" x 3.3" x 1.5"
- Product Weight : 168g / 0.37lb
- Certificate : CE / ETL / RoHS

Accessories Included

- 探測器支架（可選）
 - 包裝袋
 - 電池和用戶手冊
- Detector Bracket (Optional)
 - Packaging Bag
 - Battery and User's Manual